total HARDWARE

Australia's Window & Door Hardware Store

Catalogue • Edition 4 • July 2023

Symbol & BAL Guide

Heavy Duty
Capacity up to Xkg per unit

Extra Heavy Duty
Capacity up to Xkg per unit

Corrosion Resistant
Able to resist corrosion in the presence of water or air moisture

Call for Availability
Rare part - Please call us to check availability pior to ordering

Keyed
Number of keys included

X% Actual Size
Image displayed is a proportion of the part's actual size

Not to Scale
Image displayed is not actual size

Midge Resistant
Low aperture screening designed to keep out midges and other small insects

Pet Resistant
High-strength screening designed to resist damage caused by pets and children

Sliding Door Lock Measurements
Height and width measurements for sliding door locks

Patented Design
Protected against copyright infringement

Box Quantity
Number of units in a box

Track Delivery Surcharge
All track deliveries incur a track delivery surcharge to offset the extra freight and packaging costs

No Longer Available
Not currently available for sale

Offset Roller
Roller offsets by 1mm to avoid clashing frames

Bushfire Attack Level (BAL)



BAL - LOW	BAL - 12.5	BAL - 19	BAL - 29	BAL - 40	BAL - FZ
There is insufficient risk to warrant any specific construction requirements but there is still *some* risk.	Ember attack & radiant heat below **12.5 kW/m^2**	Increasing ember attack & windborne debris, radiant heat between **12.5 kW/m^2** & **19 kW/m^2**	Increasing ember attack & windborne debris, radiant heat between **19 kW/m^2** & **29 kW/m^2**	Increasing ember attack & windborne debris, radiant heat between **29 kW/m^2** & **40 kW/m^2** Exposure to flames from fire front likely.	Direct Exposure to flames, radiant heat & embers from the fire front.

www.total-hardware.com.au

WA saleswa@total-hardware.com.au
T (08) 9317 3860 **F** (08) 9317 2299

SA & NT salessa@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

total HARDWARE

Security, Barrier & Flyscreen Components

Shower & Mirror Components

Rollers, Carriages, Stops & Guides

Residential Hardware

Shopfront Hardware

Fixings & Fasteners

Glazing Products

Vinyls, Seals & Weather Strips

Sealants & Adhesives

*Please refer to the inside of the back cover for the **Standard Conditions of Sale**

NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

Quick Guide


Door Closers
Pages 43-46
Guides
Page 11
Fasteners
Pages 178-185
Remote Locks
Pages 34-41
Mesh Rolls
Pages 2-5
Lock Guards
Pages 30-31
Cylinders
Page 33
Mesh Sheets
Pages 6-7
Screen & Security Door Locks
Pages 34-41
Screen Door Latches
Pages 21-28 & 32
Pet Doors
Pages 47-48
Hinges
Page 14
Security Door Rollers
Pages 10-13
Corner Stakes
Pages 15-16

Insect Screen
Barrier Screen & Wedge
Spline & Spline Rollers
Rollers & Guides
Hinges & Spacers
Corner Stakes
Flyscreen Accessories
Locks, Latches & Pulls
Door Closers
Pet Doors & Accessories



Symbol Guide
for this section

Extra Heavy Duty
Capacity up to Xkg per unit

X% Actual Size
Image displayed is a proportion of the part's actual size

Not to Scale
Image displayed is not actual size

Keyed
Number of keys included

Call for Availability
Rare part - Please call us to check availability pior to ordering

Corrosion Resistant
Able to resist corrosion in the presence of water or air moisture

Patented Design
Protected against copyright infringement

Box Quantity
Number of units in a box

Midge Resistant
Low aperture screening designed to keep out midges and other small insects

Pet Resistant
High-strength screening designed to resist damage caused by pets and children

Bushfire Attack Level
Able to withstand one or more of the following: ember attack, radiant heat and direct flame contact

Offset Ability
Turn roller to offset by 1mm and avoid clashing frames

No Longer Available
Not currently available for sale

Bushfire Attack Level (BAL)



BAL - LOW	BAL - 12.5	BAL - 19	BAL - 29	BAL - 40	BAL - FZ
There is insufficient risk to warrant any specific construction requirements but there is still *some* risk.	Ember attack & radiant heat below **12.5 kW/m^2**	Increasing ember attack & windborne debris, radiant heat between **12.5 kW/m^2** & **19 kW/m^2**	Increasing ember attack & windborne debris, radiant heat between **19 kW/m^2** & **29 kW/m^2**	Increasing ember attack & windborne debris, radiant heat between **29 kW/m^2** & **40 kW/m^2** Exposure to flames from fire front likely.	Direct Exposure to flames, radiant heat & embers from the fire front.

AM

Corrosion Resistance ●●● | UV Resistance ●●●● | Strength Rating ●●●

Aluminium Mesh



Standard duty black HCO coated aluminium mesh, ideal for screening windows and doors.

Features

- Aluminium material
- Strong yet flexible, making it easy to install
- Minimises glare
- Excellent visibility and airflow through the screen

Specifications

- Powder coated aluminium
- 0.23 mm diameter wire
- 18 x 15 strands per inch
- Up to BAL-29 compliant

UP TO BAL 29*

*Meets BAL-12.5. Meets BAL-29 if metal fixings are used.

AM061030	AM076030	AM081030	AM091030	AM122030	AM152030
610mm x 30m roll.	760mm x 30m roll.	810mm x 30m roll.	910mm x 30m roll.	1220mm x 30m roll.	1520mm x 30m roll.

TS

Corrosion Resistance ●●●● | UV Resistance ●●●●● | Strength Rating ●●●●●

Tiger Screen Mesh

Similar to Tuff Screen® mesh



Heavy duty black powder coated aluminium mesh, ideal for screening windows and doors where superior toughness is required.

Features

- Super thick aluminium material
- Extra tough and durable
- Resistant to damage caused by pets
- Minimises glare but maintains visibility

PET RESISTANT

Specifications

- Powder coated aluminium
- 0.46 mm diameter wire
- 14 x 14 strands per inch
- Up to BAL-29 compliant

UP TO BAL 29*

*Meets BAL-12.5. Meets BAL-29 if metal fixings are used.

TS091015	TS122015
910mm x 15m roll.	1220mm x 15m roll.

SR

Corrosion Resistance ●●●●● UV Resistance ●●●●● Strength Rating ●●●●●

Stainless Steel Mesh



316 marine grade for corrosive conditions, ideal for screening windows and doors in bushfire-prone or coastal areas.

Features

- 316 marine grade for increased durability
- Corrosion resistant
- Strong stainless steel wire
- Fine wire for impressive visibility and airflow

Specifications

- 316 marine grade stainless steel
- 0.18 mm diameter yarn
- 18 x 16 strands per inch
- Up to BAL-40 compliant





*Meets BAL-29. Meets BAL-40 if metal fixings are used.

SR076030 760mm x 30m roll. 316 marine grade.
SR091030 910mm x 30m roll. 316 marine grade.
SR122030 1220mm x 30m roll. 316 marine grade.
SR152030 1520mm x 30m roll. 316 marine grade.

FM

Corrosion Resistance ●●●●● UV Resistance ●●●● Strength Rating ●

Fibreglass Mesh



Standard fibreglass insect screening, ideal for screening windows and doors.

Features

- Economical
- Flexible and pliable for easy installation
- Impressive visibility through the screen
- UV stabilised for a longer life span

Specifications

- PVC coated fibreglass yarn
- 0.25 mm diameter yarn
- 17 x 15 strands per inch

FM061050 610mm x 50m roll.
FM076050 760mm x 50m roll.
FM081050 810mm x 50m roll.
FM091050 910mm x 50m roll.
FM122050 1220mm x 50m roll.
FM152050 1520mm x 50m roll.
FM183030 1830mm x 30m roll.
FM244030 2440mm x 30m roll.

CM

Corrosion Resistance ●●●●● UV Resistance ●●●● Strength Rating ●●●●●

Claw Mesh



Heavy gauge polyester screening, ideal for screening doors where pets' claws are a problem.

Features

- Heavy gauge polyester material
- Resists damage from pets and children
- Flexible and pliable for easy installation
- UV stabilised for longer life

Specifications

- PVC coated polyester yarn
- 0.80 mm diameter yarn
- 15 x 11 strands per inch



CM091015 910mm x 15m roll.
CM091030 910mm x 30m roll.
CM122015 1220mm x 15m roll.
CM122030 1220mm x 30m roll.
CM152030 1520mm x 30m roll.
CM183030 1830mm x 30m roll.
CM213015 2130mm x 15m roll.

MW

Corrosion Resistance ●●●●● | UV Resistance ●●●●● | Strength Rating ●

Micro Weave Mesh

Similar to Mini Weave mesh



Fibreglass mesh with a high strand count, ideal for screening windows and doors from very small insects.

Features

- Small aperture size mesh to keep out tiny insects
- Minimises sun glare
- Flexible and pliable for easy installation
- UV stabilised for increased longevity

Specifications

- PVC coated fibreglass yarn
- 0.25 mm diameter yarn
- 18 x 30 strands per inch



MW091030
910mm x 30m roll.

MW122030
1220mm x 30m roll.

MW152015
1520mm x 15m roll.

LS

Corrosion Resistance ●●●●● | UV Resistance ●●●● | Strength Rating ● | Elasticity ●●●●● | Transparency ●●●●● | Air Flow ●●●●

Luxury Screen Mesh



Polypropylene mesh with a very high strand count, ideal for screening windows and doors where both visibility and insect deterrence take equal priority.

Features

- Impressive visibility through the screen
- Small aperture size mesh to keep out tiny insects
- Made using non-toxic, eco-friendly materials
- Corrosion resistant

Specifications

- 0.15 mm diameter yarn
- 33 x 33 strands per inch



LS091030
910mm x 30m roll.

LS122030
1220mm x 30m roll.

LS152030
1520mm x 30m roll.

LS182030
1820mm x 30m roll.

DM

Corrosion Resistance ●●●●● | UV Resistance ●●●● | Strength Rating ●●●●●

Dura Mesh



Polyethylene mesh with thicker stands, ideal for screening windows and doors where extra strength and durability are required.

Features

- Strong and durable high-density polyethylene
- Resistant to damage caused by pets and children
- Corrosion resistant to suit coastal conditions
- Impressive visibility through the screen

Specifications

- High-density polyethylene yarn
- 0.40 mm diameter yarn
- 16 x 16 strands per inch



DM090030
900mm x 30m roll.

DM120030
1200mm x 30m roll.

DM152030
1520mm x 30m roll.

DM183030
1830mm x 30m roll.

DM244030
2440mm x 30m roll.

Luxury Screen Mesh

Luxury Screen Mesh



Standard Flyscreen Mesh



Combining ultra-fine yarn with a high strand count, Luxury Screen is ideal for screening windows and doors where both visibility and small insect deterrence take equal priority.

Features

- Impressive visibility through the screen
- Superfine mesh to keep out tiny insects
- Made using non-toxic, eco-friendly materials
- Corrosion resistant

Specifications

- 0.15mm diameter yarn
- 33 x 33 strands per inch



Available in

LS091030 910mm x 30m roll	**LS122030** 1220mm x 30m roll
LS0152030 1520mm x 30m roll	**LS182030** 1820mm x 30m roll

Eco-Friendly	●●●●●
Transparency	●●●●●
Corrosion Resistance	●●●●●
Elasticity	●●●●●
Air Flow	●●●●
UV Resistance	●●●●

NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

SS316

Stainless Steel Sheet

BLACK POWDER COATED
MARINE GRADE

0.8mm diameter gauge wire
12 x 12 strands per inch



SS075020
750mm x 2000mm.

SS075024
750mm x 2400mm.

SS082020
820mm x 2000mm.

SS082024
820mm x 2400mm.

SS090020
900mm x 2000mm.

SS090024
900mm x 2400mm.

SS090027
900mm x 2700mm.

SS105020
1050mm x 2000mm.

SS105024
1050mm x 2400mm.

SS120020
1200mm x 2000mm.

SS120024
1200mm x 2400mm.

SS150020
1500mm x 2000mm.

SS150024
1500mm x 2400mm.

CORROSION RESISTANT

UP TO BAL 40*

***Meets BAL-29. Meets BAL-40 if metal fixings are used.**

NOTE: 5 sheet MOQ applies to all SS/GS sheet orders when shipped by courier (sizes can be mixed). Extra freight charges may apply.

DW

Door Wedge*

NOTE: 20 set delivery MOQ applies.



***Must be screwed or riveted into place.**

40 QTY



DW3100-O
Channel & wedge set
3100mm. Suits 0.8mm mesh sheet in standard 70mm frame. Set. PVC.

DW3100-A
Channel & wedge set
3100mm. Suits 0.8mm mesh sheet in Alspec SD13/14 and Capral D3898 frames. Set. PVC.

DWS200
Screws • Suit DW3100
CSK door wedge screws. Self tapping. Bag of 200. Black.

GS

Galvanised Steel Sheet

BLACK POWDER COATED

0.8mm diameter gauge wire
12 x 12 strands per inch



GS075020
750mm x 2000mm.

GS075024
750mm x 2400mm.

GS082020
820mm x 2000mm.

GS082024
820mm x 2400mm.

GS090020
900mm x 2000mm.

GS090024
900mm x 2400mm.

GS120020
1200mm x 2000mm.

GS120024
1200mm x 2400mm.

AW
Aluminium Wedge*

*Must be screwed or riveted into place.

NOTE: 20 length delivery MOQ applies.



AW3000-R
3000mm. Suits restricted vision sheet in standard 70mm door frame.



AW3000-P
3000mm. Suits perforated sheet in standard 70mm door frame.

RV075020
750mm x 2000mm.

RV075024
750mm x 2400mm.

RV082020
820mm x 2000mm.

RV082024
820mm x 2400mm.

RV090020
900mm x 2000mm.

RV090024
900mm x 2400mm.

RV120020
1220mm x 2000mm.

RV120024
1220mm x 2400mm.

RV
Restricted Vision Sheet
BLACK POWDER COATED
T5 Aluminium



NOTE: 5 sheet MOQ applies to all RV/PS sheet orders when shipped by courier (sizes can be mixed). Extra freight charges may apply.

PS
Perforated Sheet
BLACK POWDER COATED
T5 Aluminium
2.0mm thick



PS075020
750mm x 2000mm.

PS075024
750mm x 2400mm.

PS083020
830mm x 2000mm.

PS083024
830mm x 2400mm.

PS090020
900mm x 2000mm.

PS090024
900mm x 2400mm.

PS120020
1200mm x 2000mm.

PS120024
1200mm x 2400mm.



AW3000-P assembled in frame

NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

SPF
Foam Spline



SPF50550
5.0mm x 550m roll.
SPF53500
5.3mm x 500m roll.
SPF57457
5.7mm x 457m roll.
SPF60408
6.0mm x 408m roll.
SPF63365
6.3mm x 365m roll.

SPV
PVC Spline



SPV40300
4.0mm x 300m.
SPV50300
5.0mm x 300m.
SPV57300
5.7mm x 300m.
SPV60300
6.0mm x 300m.
SPV63300
6.3mm x 300m.

AF
Allfix Wedge



AF03100
3100mm. Suits Tiger Screen Mesh, Claw Mesh, Aluminium Mesh and Dura Mesh.



1-4831
Spline roller • Suit flyscreen spline
Light duty. Yellow plastic.
Nylon roller, no bearing.

1-4832
Spline roller • Suit flyscreen spline
Trade quality. 'Pro-Multi' multi-function.
Alloy handle. Polycarbonate rollers with bearings.
Includes 3mm concave, 4mm concave and 4mm convex bearing rollers, rotatable axle pin and 3 x axle pin caps (2 x spares).

Pro - Multi
FOR THE TRADESMAN

1-4832 Spline Roller

Features

- Pistol grip and gull-beaked design for improved comfort and performance
- Rapid-release axle pin and cap designed for fast wheel changeover
- Gull-beaked cornering tool



- Left and right handed to suit all users and applications
- Strong alloy construction
- Hanger hole

1-4832 includes Pro-Multi wheel set (3 x precision bearing roller wheels), rotatable axle pin and 3 x axle pin caps (2 x spares). As pictured below.

Parts to suit 1-4832. Also available separately.



1-4832-AP
Axle pin



1-4832-CAP
Axle pin cap



1-4832-3C
Spline roller • Suit flyscreen spline
Bearing spline roller. 3mm CONCAVE.



1-4832-4C
Spline roller • Suit flyscreen spline
Bearing spline roller. 4mm CONCAVE.



1-4832-4V
Spline roller • Suit flyscreen spline
Bearing spline roller. 4mm CONVEX.

NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

Part	Product Name	Weight Capacity	Strength Rating	Corrosion Resistance	Bearing Type	Axle Type
1-3030	Tru-Coastal	45kg	★★★★★	★★★★½	Stainless steel	Stainless steel
1-3032	Econo	25kg	★★★	★½	608ZZ	Zinc steel
1-3033	Mr Ratchet	30kg	★★★½	★★½	608ZZ	Zinc steel
1-3034	Mr Ratchet	40kg	★★★★½	★★★★	608RS	Stainless steel
1-3035	Snap-Set	30kg	★★★½	★★½	608ZZ	Zinc steel
1-3036	Snap-Set	40kg	★★★★½	★★★★	608RS	Stainless steel

Part	Adjustment Type	Adjustment Length	Adjustment Side	Offset Roller Function	Strengthened Tabs	Roller Anti-dislodge Feature
1-3030	Stop	11mm	Double	✓	✓	✓
1-3032	Stop	9mm	Single	⊗	✓	✓
1-3033	Stop/Ratchet	9mm	Double	✓	✓	✓
1-3034	Stop/Ratchet	9mm	Double	✓	✓	✓
1-3035	Continuous	11mm	Double	✓	✓	✓
1-3036	Continuous	11mm	Double	✓	✓	✓

SECURITY DOOR OFFSET ROLLER FUNCTION GUIDE

Suitable for 1-3030, 1-3033, 1-3034,1-3035 & 1-3036









Stop adjustment method





1-3030 Tru-Coastal

Corrosion Resistance ●●●●●

Strength Rating ●●●●●

Security door roller • 45kg
Glass filled nylon roller with stainless steel heavy duty corrosion resistant bearing.
Includes fast-fit wings.

Features
- Heavy duty
- Superior corrosion resistance
- Double-sided stop adjustment
- Offset roller function







Stop adjustment method



1-3032 Econo

Corrosion Resistance ●●

Strength Rating ●●●

Security door roller • 25kg
Includes fast-fit wings.
Bearing type 608Z.

Features
- Single-sided stop adjustment
- Strengthened tabs





1-1645G
Guide • Suit security door
21.5mm. Grey plastic.
Mounted on door top.



1-1646B
Guide • Suit security door
23.5mm. Black plastic.
Mounted on door top.



1-1647W
Guide • Suit security door
25.8mm. White plastic.
Mounted on door top.







1-3033 Mr Ratchet

Corrosion Resistance ●●◐ Strength Rating ●●●◐

Security door roller • 30kg
'Clicks' when adjusting under load.
Use 3-4141 or 3-4143 as replacement roller.

Features
- Double-sided stop/ratchet adjustment
- Offset roller function



1-3034 Mr Ratchet

Corrosion Resistance ●●●● Strength Rating ●●●●◐

Security door roller • 40kg
Glass filled nylon roller with RS heavy duty corrosion resistant bearing.
Includes fast-fit wings.
Use 3-4149 as replacement roller.

Features
- Corrosion resistant
- Double-sided stop/ratchet adjustment
- Offset roller function
- 'Clicks' when adjusting under load



1-1645G
Guide • Suit security door
21.5mm. Grey plastic.
Mounted on door top.



1-1646B
Guide • Suit security door
23.5mm. Black plastic.
Mounted on door top.



1-1647W
Guide • Suit security door
25.8mm. White plastic.
Mounted on door top.






Continuous adjustment method





1-3035 Snap-Set

Corrosion Resistance ●●●◖ Strength Rating ●●●●◖

Security door roller • 30kg
Includes fast-fit wings.
Use 3-4141 or 3-4143 as replacement roller.

Features
- Double-sided continuous adjustment
- Offset roller function






Continuous adjustment method



1-3036 Snap-Set

Corrosion Resistance ●●●● Strength Rating ●●●●◖

Security door roller • 40kg
Glass filled nylon roller with RS heavy duty corrosion resistant bearing.
Includes fast-fit wings.
Use 3-4149 as replacement roller.

Features
- Corrosion resistant
- Double-sided continuous adjustment
- Offset roller function



1-1672
Canoe clip • Natural finish
7.6mm D x 1.5mm H x 11.1mm L.
Use 1/8" drill bit.



1-1677
Canoe clip • Natural finish
7.9mm D x 2.5mm H x 11.1mm L.
Use 1/8" drill bit.



1-1690
Canoe clip 7.0mm D x 2.5mm H x 5.0mm L.
Black finish. Use 1/8" drill bit.



1-1674
Canoe clip • Natural finish
9.5mm D x 1.5 mm H x 11.1mm L.
Use 3/16" drill bit.



1-1679
Canoe clip • Natural finish
10.3mm D x 3.8mm H x 6.9mm L.
Use 1/8" drill bit.



1-1692
Canoe clip 12.0mm D x 3.2mm H x 10.5mm L.
Black finish. Use 3/16" drill bit.



1-1110BLK
Security door hinge
75mm. Zinc plated prior to powder coating. Hardened stainless steel pin. Black only.



1-1135BLK
Security door hinge • Wave • 316 stainless steel
75mm. Black.

1-1135PRI Primrose.
1-1135UP Unpainted.
1-1135WHT White.



1-1120BLK
Security door hinge • Wave
75mm. Zinc plated prior to powder coating. Hardened stainless steel pin. Black.

1-1120APO APO grey.
1-1120BRN Brown.
1-1120DUN Dune.
1-1120JAS Jasper.
1-1120MAG Magnolia.
1-1120MON Monument.
1-1120PBK Paperbark.
1-1120POT Pottery.
1-1120PRI Primrose.
1-1120SBE Stone beige.
1-1120SIL Silver.
1-1120SUR Surfmist.
1-1120WGR Woodland grey.
1-1120WHB White birch.
1-1120WHT White.
1-1120ZP Zinc plated.



1-1140BLK
Door hinge • Offset
75mm. Black.



1-1145BLK
Door hinge • Stepover
75mm. Black.



1-8655-1
Spacer • Suit striker plate or hinge
1mm thick. Black plastic. Includes stacking pips.



1-8655-2
Spacer • Suit striker plate or hinge
2mm thick. Black plastic. Includes stacking ribs.



1-2150
Corner stake • Suit security window
Suits 14mm x 8mm security frame. Aluminium.



1-2230
Corner stake • Suit flyscreen
Suits 22mm x 9mm flyscreen frame. Plastic.
Suits Ullrich.



1-2210
Corner stake • Suit flyscreen
Suits 25mm x 11mm flyscreen frame. Plastic.
Suits Vantage.

1-3111
Carriage adjustable & roller • Suit security door
Corner stake and roller combo. 15.9mm x 42mm. 25kg.
Acetal roller with bearing.
Suitable for screen and security door.





1-2240
Corner stake • Suit flyscreen
Suits 22mm x 9mm flyscreen frame. Plastic.
Suits Capral.



1-2270
Corner stake • Suit flyscreen
Suits 22mm x 9mm flyscreen frame. Plastic.



1-2330
Corner stake • Suit flyscreen
8.9mm x 14.2mm. Suits 25mm x 11mm frame.
Plastic. Suits Alspec FS2.



1-2250
Corner stake • Suit flyscreen
Suits 22mm x 9mm flyscreen frame. Plastic.



1-2310
Corner stake • Suit flyscreen
Suits 25mm x 11mm flyscreen frame. Plastic.
Suits Darley and Capral.



1-2340
Corner stake • Suit flyscreen
Suits 25mm x 11mm flyscreen frame. Plastic.
Suits Ullrich.



1-2260
Corner stake • Suit flyscreen
Suits 22mm x 9mm flyscreen frame. Plastic.
Suits Alspec FS3.



1-2360
Corner stake • Suit flyscreen
Suits 25mm x 11mm flyscreen frame. Plastic.
Suits Abra.



1-3611
Retaining spring clip • Suit flyscreen
Clear. Suits Jason awnings Benchmark model.



1-3612
Retaining spring clip • Suit flyscreen
Clear. Suits Jason awnings Residential model.



1-3614
Retaining spring clip • Suit flyscreen
Black. Suits old Boral.



1-3754
Plunger pin • Suit screen door
Spring loaded. Suits Trend.



1-3781
Retaining spring clip • Suit flyscreen
Mullion clip. Black. Suits Stegbar.



1-3782
Retaining spring clip • Suit flyscreen
Jamb clip. Black. Suits Stegbar.



1-4210BLK
Lift tab • Suit flyscreen
Suits most 25mm x 11mm frames.
Square shape. Black.



1-4215BLK
Lift tab • Suit flyscreen
Suits most 25mm x 11mm frames.
Round shape. Black.
Easy finger grip and anti-slip tail ridge.



1-4220BLK
Lift tab • Suit flyscreen
Suits Alspec 25mm x 11mm FS2 frame.
Round shape. Black.
Easy finger grip and anti-slip tail ridge.



1-4270
Handle • Suit flyscreen
Clear polycarbonate.



1-4271
Handle • Suit flyscreen
Black alloy.



1-4272
Handle • Suit flyscreen
Black alloy.
Rare part - Call for availability.

NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467



1-4300
Retaining spring clip • Suit flyscreen
Chrome plated steel.
Drill 2.4mm hole. Fix with AS33 rivet.



1-4305
Retaining spring clip • Suit flyscreen
Chrome plated steel. Includes locating fold.



1-4307
Retaining spring clip • Suit flyscreen
Black plastic.



1-4310
Retaining spring clip • Suit flyscreen
Chrome plated steel. Includes locating spike.
Drill 3.2mm hole. Fix with AS42 rivet.



1-4311
Retaining spring clip • Suit flyscreen
Suits Trimview.



1-4312BLK
Retaining spring clip • Suit flyscreen
Black plastic. Suits BST and old Comalco Windows.



1-4319BLK
Retaining spring clip
Suit flyscreen
9mm. Black plastic.
Suits Capral.

1-4319CLR
Clear plastic.



1-4320BLK
Retaining spring clip
Suit flyscreen
11mm. Black plastic. Suits Capral.

1-4320CLR
Clear plastic.



1-4350BLK
Retaining clip • Suit flyscreen
Black plastic.

1-4350CLR
Clear plastic.



1-4400
Cross brace clip • Suit flyscreen
Aluminium.



1-4410
Cross brace clip • Suit flyscreen
Universal. Black nylon.



1-4500BLK
Clip swivel • Suit flyscreen
1.6mm (1/16) swivel clip. Offset.
Black plastic.

1-4500CLR
Clear plastic.

1-4500WHT
White.



BAL 29

1-4500ZNC
Clip swivel • Suit flyscreen
1.6mm (1/16) swivel clip. Offset.
Zinc. BAL 29.



1-4505BLK
Clip swivel • Suit flyscreen
8mm (5/16) swivel clip. Offset.
Black plastic.

1-4505CLR
Clear plastic.



1-4510BLK
Clip swivel • Suit flyscreen
11mm (7/16) swivel clip. Offset.
Black plastic.

1-4510CLR
Clear plastic.

1-4510WHT
White.



BAL 29

1-4510ZNC
Clip swivel • Suit flyscreen
11mm (7/16) swivel clip. Offset.
Zinc. BAL 29.



1-4550CLR
Clip swivel • Suit flyscreen
Butterfly. Clear plastic.

1-4550WHT
White plastic.



1-4580
Clip swivel • Suit flyscreen
Left and right hand. Black plastic.
Suits Dowell. Includes rivets.



1-4600BLK
Plunger pin • Suit flyscreen
Black plastic.

1-4600CLR
Clear plastic.



1-4610
Plunger pin • Suit flyscreen
Spring loaded. Black plastic.



1-4620
Plunger pin • Suit flyscreen
Spring loaded. Zinc alloy.



NLA NO LONGER AVAILABLE

1-4630
Plunger stay • Suit flyscreen
Face mount. Spring loaded. Black plastic.
No longer available, use 1-4635.



1-4635
Plunger stay • Suit flyscreen
Face mount. Spring loaded. Black plastic.

1-4636
White plastic.



1-4637BLK
Lift tab with plunger stay • Suit flyscreen
Includes plunger. Black plastic.



1-4638
Plunger stay • Suit flyscreen
Suit awning window screen. Black plastic.
Use with 1-4639.
Suits Trend ASW and others.



1-4639
Clip • Suit flyscreen
Suit awning window screen. Black plastic.
Use with 1-4638.
Suits Trend ASW and others.



1-4767
Retaining clip • Suit flyscreen
Black. Suits Bradnams.



1-4640
Lift tab with plunger stay • Suit flyscreen
Includes plunger. Suits Bradnams. Black plastic.



1-3610
Retaining spring clips
Suit flyscreen
Top and bottom. Black.
Suits Jason.



1-3777
Retaining spring clip
Suit flyscreen
Suits Jason.



1-3890
Catch • Suit flyscreen
Magnetic.



1-4710CLR
Hinge press • Suit flyscreen
Suits 25mm x 11mm flyscreen frame.
Clear plastic. Top and bottom mount.



1-4720
Hinge press • Suit flyscreen
Suits 25mm x 11mm flyscreen frame.
Aluminium. Side mount.



1-4730
Hinge press • Suit flyscreen
Suits 25mm x 11mm flyscreen frame.
Aluminium. Top mount.



1-4750
Port access set • Suit flyscreen
Includes trimming knife.



1-8085BLK
Screen door latch • Suit hinged screen door
Type 'A'. Black.



1-6170
Door pull • Suit sliding screen door
Suits flyscreen door.



KEYED

1-8881BLK
Lock • Suit hinged screen door
Safety lock. Black.

1-8881BRN
Brown



1-6290
Latch • Suit sliding screen door
Suits old Wunderlich.



1-6060
Door pull • Suit sliding screen door
Suits Dowell and Boral Mk5C.



1-6070
Catch & spring • Suit sliding screen door
Suits Boral KM Cyclone.



1-6281
Latch • Suit sliding screen door
Left hand. Suits old Dowell.



1-6282
Latch • Suit sliding screen door
Right hand. Suits old Dowell.

Screen Door Latch



1-8100

Striker plate • Suit sliding screen door
Keeper 'U'. Suits 1-8080, 1-8081 and 1-8082.
Powdercoated steel. Black.



1-8110

Striker plate • Suit sliding screen door
Keeper 'L'. Suits 1-8080, 1-8081 and 1-8082.
Powdercoated steel. Black.

1-8110SS

304 stainless steel. **Non-stock - Indent order only**.



1-8120

Striker plate • Suit sliding screen door
Keeper 'Short Z'. Suits 1-8080, 1-8081 and 1-8082.
Powdercoated steel. Black.



1-8130

Striker plate • Suit sliding screen door
Keeper 'Long Z'. Suits 1-8080, 1-8081 and 1-8082.
Powdercoated steel. Black.

1-8130SS

304 stainless steel.



1-8132

Striker plate • Suit sliding screen door
Keeper 'X Long Z'. Suits 1-8080, 1-8081 and 1-8082.
Suits Stegbar.
Powdercoated steel. Black.

Screen Door Latch



✹ **Supplied with 304 stainless steel screws hidden under cover caps**

1-8082

Latch • Suit sliding screen door
Plastic handle with chrome plated zinc lever. Black.
Lock/unlock indicator and SS304 concealed screws.



✹ **Supplied with 304 stainless steel screws hidden under cover caps**

1-8086

Pull • Suit sliding screen door
Black. Round shape.
SS304 concealed screws.



✹ **Supplied with 304 stainless steel screws hidden under cover caps**

1-8082A

Latch • Suit sliding screen door
Set of 1-8082, 1-8086 and 1-8130. Black.
Lock/unlock indicator and SS304 concealed screws.

Screen Door Latch



✸ **Supplied with 304 stainless steel screws hidden under cover caps**

1-8082B

Latch • Suit sliding screen door
Set of 1-8082, 3 x 1-8086 and 1-8110. Black.
Lock/unlock indicator and SS304 concealed screws.



✸ **Supplied with 304 stainless steel screws hidden under cover caps**

1-8082C

Latch • Suit sliding screen door
Set of 1-8082, 3 x 1-8086 and 1-8130. Black.
Lock/unlock indicator and SS304 concealed screws.



1-8040
Back plate • Suit sliding screen door
Fits behind 1-8080 and 1-8050 screen door handle. Black.
Powdercoated zinc.



1-8080
Latch • Suit sliding screen door
Powdercoated zinc. Black.



1-8050
Latch • Suit sliding screen door
Dummy handle without back plate. Black.
Powdercoated zinc.



1-8060
Pull • Suit sliding screen door
Flush mounted. Black.
Powdercoated zinc.



1-8080A
Latch • Suit sliding screen door
Set of 1-8080, 1-8083 and 1-8130.
Powdercoated zinc. Black.



1-8081
Latch • Suit sliding screen door
Plastic handle with stainless steel lever. Black.



1-8081A
Latch • Suit sliding screen door
Set of 1-8081, 1-8083 and 1-8130. Black.



1-8081B
Latch • Suit sliding screen door
Set of 1-8081, 1-8083 (x3) and 1-8110. Black.



1-8083
Pull • Suit sliding screen door
Black plastic. Round shape.



1-8084-30
Pull • Suit sliding screen door
Black plastic. 30mm square shape.

1-8084-40
40mm square shape.



1-8090
Latch • Suit sliding screen door
Outer snib and pull. Used with 1-8080.
Powdercoated zinc. Black.



1-8200BLK
KEYED
Bolt lock • Suit patio door
High security. Black.



1-8242BLK
KEYED
Window lock • Suit sliding window
Remsafe Lylock. Key lockable. Black.

1-8242PRI
Primrose

1-8242WHT
White



1-8240BLK
KEYED
Window lock • Suit sliding window
Key lockable. Black.



1-8244BLK
Window lock • Suit sliding window
Remsafe Venlock. Key lockable. Black.

KEYED

1-8244WHT
White



1-8245BLK
Window lock • Suit sliding window
Remsafe Block Lock. Key lockable. Black.

KEYED

1-8245WHT
White



KEYED

1-8250BLK
Bolt lock • Suit sliding window
Remsafe wide window bolt. Key lockable. Black.

1-8250WHT
White



1-8248BLK
Cylinder plug • Suit sliding window
Remsafe cylinder plug. Black.
Suits Remsafe locks and restrictors.

1-8248WHT
White



1-8249BLK
Window stop • Suit sliding window
Remsafe window stop. Black.
Includes screws.

1-8249WHT
White



KEYED

1-8255BLK
Cable lock • Suit window
Remsafe universal cable lock.
Key lockable. Black.

1-8255SIL
Silver

1-8255WHT
White



1-8001
Lock guard • Suit screen door
4-hole screw fix. Tuff Polycarbonate. Clear.
Screws included.

Screws to the door





1-8002
Lock guard • Suit screen door
Under-lock fix. Tuff Polycarbonate.
Clear. 1-slot handle fix.

Fits behind the lock







1-8802LL Screen Door Latch

Suit sliding screen door • SDLL Long Latch

- Self-latching assembly with no cyclinder or snib
- Fits industry standard, centre lock cut-out
- Similar in shape to 1-8802
- Chrome operating levers
- Fitting instructions provided

Available in

1-8802BLK-LL
Black

10 QTY

Special Features

- Suits new and replacement sliding screen doors where a snib latch or deadlock is not required
- High quality screen door latch and striker



1-1672
Canoe clip • Natural finish
7.6mm D x 1.5mm H x 11.1mm L.
Use 1/8" drill bit.



1-1679
Canoe clip • Natural finish
10.3mm D x 3.8mm H x 6.9mm L.
Use 1/8" drill bit.



1-1674
Canoe clip • Natural finish
9.5mm D x 1.5 mm H x 11.1mm L.
Use 3/16" drill bit.



1-1690
Canoe clip
7.0mm D x 2.5mm H x 5.0mm L.
Black finish. Use 1/8" drill bit.



1-1677
Canoe clip • Natural finish
7.9mm D x 2.5mm H x 11.1mm L.
Use 1/8" drill bit.



1-1692
Canoe clip
12.0mm D x 3.2mm H x 10.5mm L.
Black finish. Use 3/16" drill bit.





1-1645G
Guide • Suit security door
21.5mm. Grey plastic.
Mounted on door top.



1-1646B
Guide • Suit security door
23.5mm. Black plastic.
Mounted on door top.



1-1647W
Guide • Suit security door
25.8mm. White plastic.
Mounted on door top.

Lock Cylinders

Inner 10 QTY Outer 100 QTY

✸ Most popular



1-8150

Cylinder & key • Suit screen door
Standard 5-pin, C4 'long barrel' cylinder with 3 keys and cylinder screw. Chrome-plated zinc body.
Suits 1- 8802, 1-8821, 1-8822, 1-8871, 1-8872, 1-8922, 1-8931 and 1-8932 series locks.

Inner 10 QTY Outer 100 QTY



1-8151

Cylinder & key • Suit screen door
Premium 5-pin, C4 'long barrel' cylinder with 3 keys and cylinder screw. Chrome-plated brass body.
Suits 1- 8802, 1-8821, 1-8822, 1-8871, 1-8872, 1-8922, 1-8931 and 1-8932 series locks.

Inner 10 QTY Outer 100 QTY

✸ Most popular



1-8158

Cylinder & key • Suit screen door
4-pin, C4 'short barrel' cylinder with 3 keys and cylinder screw. Chrome-plated zinc body.
Suits 1- 8802, 1-8821, 1-8822, 1-8871, 1-8872, 1-8922, 1-8931 and 1-8932 series locks.

Inner 10 QTY Outer 100 QTY

✸ Most popular



1-8190

Cylinder & key • Suit screen door
5-wafer 'short barrel' cylinder with 3 keys and cylinder screw. Chrome-plated zinc body.
Suits 1- 8802, 1-8821, 1-8822, 1-8871, 1-8872, 1-8922, 1-8931 and 1-8932 series locks.

1-8190KD

Keyed to differ.



1-8802 Barrier Door Lock

Suit sliding barrier door • SL1

- Cylinder not included
- Includes remote locking arms
- Can use 1-8150, 1-8151, 1-8158 or 1-8190 cylinders
- Fitting instructions provided

Available in these colours

1-8802BLK Black	1-8802SIL Silver
1-8802PRI Primrose	1-8802WHT White

10 QTY



With remote locking arms



35% ACTUAL SIZE

1-8802BLK-SP Black



Single point lock only
No remote locking arms



1-8802-HKIT

Lock remote • Suit sliding barrier door • SL1
Suits 1-8802 (SL1). 'High Kit' remote lock kit. Black.
Includes top and bottom locks and rods.

1-8802-LKIT

Lock remote • Suit sliding barrier door • SL1
Suits 1-8802 (SL1). 'Low Kit' remote lock kit. Black.
Includes top and bottom locks and rods.

Compatible Cylinders



80% ACTUAL SIZE

KEYED

1-8150

Cylinder & key • Suit screen door
Standard 5-pin, C4 'long barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated zinc body.



80% ACTUAL SIZE

KEYED

1-8151

Cylinder & key • Suit screen door
Premium 5-pin, C4 'long barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated brass body.



1-8922 Barrier Door Lock

Suit hinged barrier door • ST2

- Cylinder not included
- Can use 1-8150, 1-8151, 1-8158 or 1-8190 cylinders
- Fitting instructions provided



Available in these colours

1-8922BLK Black	1-8922JAS Jasper	1-8922WHT White
1-8922BRN Brown	1-8922PBK Paper Bark	1-8922WHB White Birch
1-8922DUN Dune	1-8922PRI Primrose	1-8922WGR Woodland Grey
	1-8922SIL Silver	

10 QTY

20% ACTUAL SIZE

1-8922-KITP

Lock remote • Suit hinged security door • HPB

Suits 1-8922 (ST2). 'Projection Bolt' remote lock kit. Black. Includes top and bottom locks, rods and connector bar.

1-8922-SROD

Short rod • Suit hinged security door

Short rod only (505mm). Suits HPB and HPS hinged remote lock kits.

Compatible Cylinders



80% ACTUAL SIZE

KEYED

1-8158

Cylinder & key • Suit screen door

4-pin, C4 'short barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated zinc body.



80% ACTUAL SIZE

KEYED

1-8190

Cylinder & key • Suit screen door

5-wafer 'short barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated zinc body.



1-8822 Barrier Door Lock

Suit sliding barrier door • TD7

- Cylinder not included
- Can use 1-8150, 1-8151, 1-8158 or 1-8190 cylinders
- Fitting instructions provided
- 'Lock n Latch' feature (provides more locking options)

Available in these colours

1-8822BLK Black	1-8822PRI Primrose	1-8822WHT White

10 QTY

40% ACTUAL SIZE



1-8821-HKIT

Lock remote • Suit sliding barrier door
Suits 1-8821 and 1-8822.
'High Kit' remote lock kit. Black.
Includes top and bottom locks and cables.

1-8821-LKIT

Lock remote • Suit sliding barrier door
Suits 1-8821 and 1-8822.
'Low Kit' remote lock kit. Black.
Includes top and bottom locks and cables.

Compatible Cylinders



80% ACTUAL SIZE

KEYED

1-8150

Cylinder & key • Suit screen door
Standard 5-pin, C4 'long barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated zinc body.



80% ACTUAL SIZE

KEYED

1-8151

Cylinder & key • Suit screen door
Premium 5-pin, C4 'long barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated brass body.



1-8932 Barrier Door Lock

Suit hinged barrier door • TXC

- Cylinder not included
- Can use 1-8150, 1-8151, 1-8158 or 1-8190 cylinders
- Fitting instructions provided
- 'Lock n Latch' feature (provides more locking options)

10 QTY

Available in these colours

1-8932BLK Black | **1-8932PRI Primrose** | **1-8932WHT White**

30% ACTUAL SIZE



1-8931-HKIT

Lock remote • Suit hinged barrier door

Suits 1-8931 and 1-8932.
'High Kit' remote lock kit. Black.
Includes top and bottom locks and cables.

1-8931-LKIT

Lock remote • Suit hinged barrier door

Suits 1-8931 and 1-8932.
'Low Kit' remote lock kit. Black.
Includes top and bottom locks and cables.

Compatible Cylinders



80% ACTUAL SIZE

KEYED

1-8158

Cylinder & key • Suit screen door

4-pin, C4 'short barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated zinc body.



80% ACTUAL SIZE

KEYED

1-8190

Cylinder & key • Suit screen door

5-wafer 'short barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated zinc body.



1-8871 Security Door Lock

Suit sliding security door • AR1

- Cylinder not included
- Archie® AR1
- Can use 1-8150, 1-8151, 1-8158 or 1-8190 cylinders
- Fitting instructions provided
- 'Safe Select' feature (provides more locking options)

Available in

1-8871BLK
Black

10 QTY



1-8871-KITH

Lock remote • Suit sliding security door • SHB

Suits 1-8871. 'High Kit' remote lock kit. Black. Includes top and bottom locks, rods and connector bar.

20% ACTUAL SIZE

Compatible Cylinders



80% ACTUAL SIZE

KEYED

1-8150

Cylinder & key • Suit screen door

Standard 5-pin, C4 'long barrel' cylinder with 3 keys and cylinder screw. Chrome-plated zinc body.



80% ACTUAL SIZE

KEYED

1-8151

Cylinder & key • Suit screen door

Premium 5-pin, C4 'long barrel' cylinder with 3 keys and cylinder screw. Chrome-plated brass body.

1-8872 Security Door Lock

Suit hinged security door • AR2



- Cylinder not included
- Archie® AR2
- Can use 1-8150, 1-8151, 1-8158 or 1-8190 cylinders
- Fitting instructions provided
- 'Safe Select' feature (provides more locking options)

This Lock is a Security Product & Complies with AS 5039-2003* & has been Verified by a NATA ACCREDITED TEST LABORATORY

*Contact Total Hardware for more details



Available in these colours

- 1-8872BLK Black
- 1-8872PRI Primrose
- 1-8872WHT White

10 QTY

20% ACTUAL SIZE

1-8872-KITP

Lock remote • Suit hinged security door • HPB

Suits 1-8872. 'Projection Bolt' remote lock kit. Black. Includes top and bottom locks, rods and connector bar.

Compatible Cylinders



80% ACTUAL SIZE

KEYED

1-8158

Cylinder & key • Suit screen door

4-pin, C4 'short barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated zinc body.



80% ACTUAL SIZE

KEYED

1-8190

Cylinder & key • Suit screen door

5-wafer 'short barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated zinc body.



1-8821 Security Door Lock

Suit sliding security door • SD7

- Cylinder not included
- Austral® SD7
- Can use 1-8150, 1-8151, 1-8158 or 1-8190 cylinders
- Fitting instructions provided

Available in these colours

1-8821BLK Black

1-8821PRI Primrose

1-8821WHT White

10 QTY

40% ACTUAL SIZE



1-8821-HKIT

Lock remote • Suit sliding security door

Suits 1-8821 and 1-8822.
'High Kit' remote lock kit. Black.
Includes top and bottom locks and cables.

1-8821-LKIT

Lock remote • Suit sliding security door

Suits 1-8821 and 1-8822.
'Low Kit' remote lock kit. Black.
Includes top and bottom locks and cables.

Compatible Cylinders



80% ACTUAL SIZE

KEYED

1-8150

Cylinder & key • Suit screen door

Standard 5-pin, C4 'long barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated zinc body.



80% ACTUAL SIZE

KEYED

1-8151

Cylinder & key • Suit screen door

Premium 5-pin, C4 'long barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated brass body.



1-8931 Security Door Lock

Suit hinged security door • AXC

- Cylinder not included
- Austral® Elegance XC
- Can use 1-8150, 1-8151, 1-8158 or 1-8190 cylinders
- Fitting instructions provided

10 QTY

Available in these colours

1-8931BLK Black	1-8931PRI Primrose	1-8931WHT White



30% ACTUAL SIZE

1-8931-HKIT

Lock remote • Suit hinged security door
Suits 1-8931 and 1-8932.
'High Kit' remote lock kit. Black.
Includes top and bottom locks and cables.

1-8931-LKIT

Lock remote • Suit hinged security door
Suits 1-8931 and 1-8932.
'Low Kit' remote lock kit. Black.
Includes top and bottom locks and cables.

Compatible Cylinders



80% ACTUAL SIZE

KEYED

1-8158

Cylinder & key • Suit screen door
4-pin, C4 'short barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated zinc body.



80% ACTUAL SIZE

KEYED

1-8190

Cylinder & key • Suit screen door
5-wafer 'short barrel' cylinder with 3 keys and cylinder screw.
Chrome-plated zinc body.



1-8681
Lock striker • Suit sliding screen door
Suits 1-8802 (SL1) and 1-8802LL. Zinc.



1-8683
Lock striker • Suit hinged security door
Extended/wide strike. Suits 1-8922 (ST2).



1-8933
Lock striker • Suit hinged screen door
Extended/wide strike. Suits 1-8932 (TXC).

- **Ideal for timber frames**
- **Covers misplaced screw holes**

Thickness: 1.20mm



1-8922ESPX
Lock striker • Suit hinged security door
Long strike plate without curved tongue guide. Suits 1-8922 (ST2).
Made to order. Minimum order quantities apply.

- **Ideal for timber frames**
- **Covers misplaced screw holes**

Width inc. lip: 37mm
Thickness: 1.20mm



1-8922ESP
Lock striker • Suit hinged security door
Long strike plate with curved tongue guide. Suits 1-8922 (ST2).
Made to order. Minimum order quantities apply.

1-6600 Easy Door Closer
20KG PNEUMATIC

EDC

PATENTED DESIGN

20 QTY

60% ACTUAL SIZE





EDC EASY SCREEN DOOR CLOSER

BLK	
PRI	
WHT	

PATENTED



- Just push the catch to keep the door open
- Simply push the door to release the catch

Look for the white box with the red end!

Available in these colours

1-6600BLK Black | **1-6600PRI Primrose** | **1-6600WHT White**

Features

- Patented design
- Easy door hold-open catch
- Easy one-step door release
- Universal fit
- Sure-close release slot
- Adjustable closing speed
- Extra split pin
- Suits fly, barrier and security doors

Fitting Instructions

1

Jamb Bracket

Fasten the Jamb Bracket 12-25mm from the inside of the door face on the hinge side and 25mm down from the top of the door jamb, with the 25mm self tapping screws, as shown.



2

Closer Setting

Connect the Rod to the Jamb Bracket using the Split Pin. DON'T deform the Split Pin. Tension by pulling the unit until flush with the pinch in the Rod, as shown. Press the Hold-Open Catch to lock the Rod in place.



3

Door Bracket

Insert the Door Bracket onto the Door Closer's foot. Close & latch the door. Swing the Closer onto the door & level.
If the Door Bracket is facing away from the door, rotate the End Cap & Door Bracket 180° anti-clockwise until flush with the door.



4

Door Bracket

In the centre of Screw Slot A, fix the Bracket with a 19mm screw. Remove the Split Pin & closer & fasten the other 19mm screw into Slot B. Refit the Closer and Split Pin. Spread apart the Split Pin.



5

Closing Speed

Open the door to unlatch the Hold-Open Catch.
Test the door closing speed.
Use a philips Screwdriver on the Valve Screw to adjust the door closing speed.



Pack Contents

- 1 x door closer and rod
- 1 x jamb bracket
- 1 x door bracket
- 2 x split pin (1 x spare)
- 3 x 25mm x 10g self-tapping screws
- 2 x 19mm x 10g self-tapping screws
- 2 x 19mm x 10g self-drilling screws

NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

1-6600 Easy Door Closer
20KG PNEUMATIC

Available in these colours

1-6600BLK Black	1-6600PRI Primrose	1-6600WHT White

EDC



60% ACTUAL SIZE

20 QTY

PATENTED DESIGN



Look for the white box with the red end!

Features

- Patented design
- Easy door hold-open catch
- Easy one-step door release
- Universal fit
- Sure-close release slot
- Adjustable closing speed
- Extra split pin
- Suits fly, barrier and security doors

Pack Contents

- 1 x door closer and rod
- 1 x jamb bracket
- 1 x door bracket
- 2 x split pins (1 x spare)
- 3 x 25mm x 10g self-tapping screws
- 2 x 19mm x 10g self-tapping screws
- 2 x 19mm x 10g self-drilling screws

1-6610 Screen Door Closer
20KG PNEUMATIC

Available in these colours

1-6610BLK Black	1-6610PRI Primrose	1-6610WHT White

SCW



50% ACTUAL SIZE

20 QTY

- Includes plastic retaining clip to secure rod to jamb bracket





Look for the white box with the green end!

Features

- Universal fit
- Easy to install
- Sure-close release slot
- Adjustable closing speed
- Suits fly, barrier and security doors

Pack Contents

- 1 x door closer and rod
- 1 x jamb bracket
- 1 x door bracket
- 1 x stop washer
- 2 x split pins (1 x spare)
- 3 x 25mm x 10g self-tapping screws
- 2 x 19mm x 10g self-tapping screws
- 2 x 19mm x 10g self-drilling screws

1-6615 Screen Door Closer
20KG PNEUMATIC

SCA

Available in these colours

1-6615BLK Black	1-6615PRI Primrose	1-6615WHT White



55% ACTUAL SIZE

20 QTY

- Heavy duty bracket



Look for the white box with the blue end!

Features

- Strong construction
- Universal fit
- Sure-close release slot
- Adjustable closing speed
- Auto spacing and speed adjustment tool
- Extra split pin
- Suits fly, barrier and security doors

Pack Contents

- 1 x door closer and rod
- 1 x jamb bracket
- 1 x door bracket
- 1 x stop washer
- 1 x spacer tool
- 2 x split pins (1 x spare)
- 3 x 25mm x 10g self-tapping screws
- 2 x 19mm x 10g self-tapping screws
- 2 x 19mm x 10g self-drilling screws

1-6630 Heavy Duty Closer
45KG HYDRAULIC

HDH

Available in

1-6630BLK Black

40% ACTUAL SIZE

EXTRA HEAVY DUTY 45KG PER UNIT

20 QTY



- Heavy duty
- Narrow profile



Look for the white box with the yellow end!

Features

- Hydraulic closer
- Universal fit
- Sure-close release slot
- Adjustable closing speed
- Suitable in coastal or windy environments
- Extra split pin
- Suits fly, barrier and security doors

Pack Contents

- 1 x door closer and rod
- 1 x jamb bracket
- 1 x door bracket
- 1 x stop washer
- 2 x retaining pins and end caps (1 x spare)
- 2 x split pins (1 x spare)
- 4 x 25mm x 10g self-tapping screws
- 2 x 19mm x 10g self-tapping screws
- 2 x 19mm x 10g self-drilling screws

1-6620 Heavy Duty Closer
45KG PNEUMATIC

Available in **1-6620BLK Black**

HDP



50% ACTUAL SIZE

EXTRA HEAVY DUTY 45KG PER UNIT

20 QTY

- Heavy duty
- Double springs



Look for the white box with the orange end!

Features

- Universal fit
- High closing strength
- Sure-close release slot
- Adjustable closing speed
- Suitable in coastal or windy environments
- Suits fly, barrier and security doors

Pack Contents

- 1 x door closer and rod
- 1 x jamb bracket
- 1 x door bracket
- 1 x stop washer
- 2 x retaining pins and end caps (1 x spare)
- 2 x split pins (1 x spare)
- 4 x 25mm x 10g self-tapping screws
- 2 x 19mm x 10g self-tapping screws
- 2 x 19mm x 10g self-drilling screws

Luxury Screen Mesh **Standard Flyscreen Mesh**

See page 5 for details!



Combining ultra-fine yarn with a high strand count, Luxury Screen is ideal for screening windows and doors where both visibility and small insect deterrence take equal priority.

Pet Door Screen



SMALL
External Dimensions: 282mm W x 332mm H
Cut-out Size: 250mm W x 300mm H
Flap Opening Size: 190mm W x 240mm H

MEDIUM
External Dimensions: 316mm W x 405mm H
Cut-out Size: 285mm W x 375mm H
Flap Opening Size: 225mm W x 305mm H

LARGE
External Dimensions: 353mm W x 490mm H
Cut-out Size: 325mm W x 462mm H
Flap Opening Size: 260mm W x 400mm H

PDSBLK
Pet door • Suit barrier or screen door*
Petway. Small. Black.

PDSBRN
Brown.

PDSBRZ
Bronze.

PDSPRI
Primrose.

PDSSBE
Stone beige.

PDSWHT
White.

PDMBLK
Pet door • Suit barrier or screen door*
Petway. Medium. Black.

PDMBRN
Brown.

PDMBRZ
Bronze.

PDMPRI
Primrose.

PDMSBE
Stone beige.

PDMWHT
White.

PDLBLK
Pet door • Suit barrier or screen door*
Petway. Large. Black.

PDLBRN
Brown.

PDLBRZ
Bronze.

PDLPRI
Primrose.

PDLSBE
Stone beige.

PDLWHT
White.

Accessories



PDSFF
Pet door • Flexible flap
Petway. Small.

PDMFF
Medium.

PDLFF
Large.

PDS-LBRK
Pet door • L-bracket
Petway. Small.

PDM-LBRK
Medium.

PDL-LBRK
Large.

*The Petway L-bracket is an adaptor that fits into the corner of a screened door or patio enclosure. Once the adaptor has been installed, push the pet door down and across (into the corner) to complete the installation without the need for a rail or cross brace.

Pet Door Glass



GPDSCLR
Pet door • Suit glass
Petway. Small. Clear.
External dimensions 377mm dia.
Hole size 306mm (12”) dia.

GPDMCLR
Medium.
External dimensions 450mm dia.
Hole size 382mm (15 1/16”) dia.

Suits double-glazed panels up to 18mm thick. For thicker double-glazed units, additional components are required. Call for availability.

Pet Door Timber



TPDSWHT
Pet door • Suit timber
Petway. Small. White.
External dimensions 282mm W x 332mm H
Flap opening size 186mm W x 230mm H

TPDMWHT
Medium.
External dimensions 314mm W x 405mm H
Flap opening size 223mm W x 311mm H

TPDLWHT
Large.
External dimensions 353mm W x 490mm H
Flap opening size 258mm W x 395mm H

Suits timber doors that are minimum 34mm thick and maximum 43mm thick. Refer to fitting instructions for cut-out size/template and more information.

Hopper Hatch



SWHHBLK
Hopper hatch • Suit security window
Petway. Black.

SWHHWHT
White.

Shower Components – Sliding
Shower Components – Pivot & Hinged
Shower Components – Handles & Knobs
Shower Components – Seals



NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467



2-7010BLK
Carriage • Suit shower screen
Suits Boral Elite. Use with 3-4290 roller. Black.
Fixing screws (not supplied) may vary by length required, depending on the shower suite.

2-7010WHT
White.



2-7015BLK
Guides, blocks & brackets • Suit shower screen
Bottom guide blocks. **L&R set**. Suits Boral Elite. Black.

2-7015WHT
White.



3-4290
Roller • Suit shower door
19mm. Hub: 6mm. Load: 8kg.
Threaded hub.
Acetal convex roller with bearing.
Suits Boral Elite. Use with 2-7010 bracket.



2-7016BLK
Guides, blocks & brackets • Suit shower screen
Second panel stop blocks. **L&R set**. Suits Boral Elite. Black.



2-7280BLK
Guides, blocks & brackets • Suit shower screen
Double sash adaptor and fixed sash support blocks. **Set of 3**.
Suits Boral Elite. Black.



2-7080BLK
Guides, blocks & brackets
Suit shower screen
Second panel lower pick-up block.
Suits Classic. Black.



2-7090BLK
Guides, blocks & brackets
Suit shower screen
Fixed panel lower guide. Suits Classic. Black.



2-7110BLK
Guides, blocks & brackets
Suit shower screen
Fixed panel top retaining bracket.
Suits Classic. Black.



2-7165BLK
Guides, blocks & brackets • Suit shower screen
Guide and pick-up blocks. **Set of 3**. Suits Classic. Black.
Includes leading panel lower guide, second panel lower front guide and top pick-up block.



2-7127BLK
Guides, blocks & brackets • Suit shower screen
Shower screen repair kit. **Set of 5**. Suits Ultima. Black.
Includes 2 x rail end caps, L&R bottom guide blocks and fixed panel anchor.



2-7320BLK
Guides, blocks & brackets • Suit shower screen
Shower screen repair kit. **Set of 16**. Black.

2-7320WHT
White.



2-7205M
Cord • Suit shower screen
Nylon cord to suit three-panel shower screens.
Allows the two sliding panels to operate simultaneously.
Sold per metre. Suits Dias and others.



2-7233BLK
Guides, blocks & brackets • Suit shower screen
Shower screen repair kit. **Set of 11**. Black.
Suits Elegant and Series 9300.

2-7233WHT
White.



2-7310BLK
Guides, blocks & brackets • Suit shower screen
Sill blocks. **Set of 3**. Black.
Suits Ideal, Regency, Showerite, Norfe and BGC.

2-7310WHT
White.



2-7300BLK
Guides, blocks & brackets • Suit shower screen
Pick-up block. Black.
Suits Ideal, Regency, Showerite, Norfe and BGC.

2-7300WHT
White.



2-7260BLK
Guides, blocks & brackets
Suit shower screen
Panel guide top hook. Black.



2-7270
Corner stake
Suit shower screen
Suits Trimview and others.



2-7272
Corner stake
Suit shower screen
Plastic. Includes screw.
Suits Dias.



2-7440
Carriage & roller set • Suit shower screen
Set of 4. Suits many old shower screens including Alcan, Comalco and Regency.



3-4281
Roller • Suit shower, flyscreen or wardrobe door
19.0mm. Hub: 3mm. Load: 8kg.
Threaded hub.
Acetal flat roller with bearing.
Suits shower screen or flyscreen door.
Can use 3-4300.



3-4285
Roller • Suit shower, flyscreen or wardrobe door
28mm. Hub: 3.2mm. Load: 8kg.
Threaded hub.
Acetal flat roller with bearing.
Suits Dias and others.



3-4286
Roller • Suit shower door
19mm. Hub: 3.1mm. Load: 8kg.
Threaded hub.
Acetal flat roller with bearing.
Suits Dias.



3-4300
Roller • Suit shower, flyscreen or wardrobe door
19mm. Hub: 3.3mm. Load: 8kg.
Threaded hub.
Acetal blue flat roller with bearing.
Earlier model had no bearing.
Suits Trimview and others. Can use 3-4281.



3-4290
Roller • Suit shower door
19mm. Hub: 6mm. Load: 8kg.
Threaded hub.
Acetal convex roller with bearing.
Suits Boral Elite. Use with 2-7010 bracket.



3-4340
Roller • Suit shower, flyscreen or wardrobe door
19mm. Hub: 4.4mm. Load: 8kg.
Threaded hub.
Acetal convex roller with bearing.



3-4350
Roller • Suit shower, flyscreen or wardrobe door
19mm. Hub: 2mm. Load: 8kg.
Threaded hub.
Acetal convex roller with bearing.



3-4341
Roller • Suit shower, flyscreen or wardrobe door
18mm. Hub: 4mm. Load: 12kg.
Threaded hub.
Acetal convex V roller, no bearing.

✹ **For more roller measurements, refer to the table on page 111.**



2-7585
Hinge • Suit shower screen
50mm. Stainless steel.
Suits Dias.



2-7188BLK
Pivot set • Suit hinged shower screen
Saddle blocks, pin block assemblies, covers and screws. **Set of 8**.
Suits Dimension and Phoenix. Black.



2-7194BLK
Pivot set • Suit hinged shower screen
Saddle blocks, pin blocks and covers. **Set of 8**.
Suits AB Pivot. Black



2-7197BLK
Pivot set • Suit hinged shower screen
Saddle blocks, inside pin blocks and outside pin blocks. **Set of 6**. Black. Suits Series 9300.

2-7197WHT
White.



2-7350
Pivot set • Suit hinged shower screen
Glass support blocks, screw sets, sleeves, pin block assemblies, covers and caps. **Set of 20**. Chrome. Suits Mirage and Contour Frameless.



2-7510BLK
Pivot set • Suit hinged shower screen
Blocks, pins, covers and caps. **Set of 8.** Suits Integrity. Black.

2-7510WHT
White.



2-7640
Handle & knob • Suit shower screen
Handle and knob set. Round, finger pull. Black.
19mm D x 200mm L.
Suits 10mm hole size with 180mm hole centres.



2-7630
Handle knob • Suit shower screen
Knob set. Round, finger pull. Chrome.
24mm D x 31mm L.
Suits 10mm hole size.



2-7635
Handle knob • Suit shower screen
Knob set. Round, grooved. Black.
25mm D x 30mm L.
Suits 10mm hole size.



2-7638
Handle knob • Suit shower screen
Knob set. Square, grooved. Black.
22mm H x 22mm W x 36mm L.
Suits 10mm hole size.



2-7173BLK
Handle • Suit shower screen
Includes cover caps.
Suits AB Pivot. Black.

2-7173WHT
White.



2-7225BLK
Handle • Suit shower screen
Suits Series 9300. Black.



2-7227BLK
Handle • Suit shower screen
Suits Framed Slider. Black.



2-7229BLK
Handle • Suit shower screen
Handle set with screws and caps. **Set of 8**.
Suits Phoenix, Framed Slider and Dimension. Black.



8-7610
Seal • Suit shower screen
Single flap. PVC clear.
Suits 6mm glass. 2.1m.



8-7620
Seal • Suit shower screen
Double flap. PVC clear.
Suits 6mm glass. 2.0m.



8-7640
Seal • Suit shower screen
Bulb. PVC clear.
Suits 6mm glass. 2.1m.



Door Carriages & Rollers
Door Clips, Stops & Guides
Shed Carriages & Rollers
Timber & Wardrobe Guides, Carriages & Rollers
Screen Door Guides, Carriages & Rollers
Rollers with Bores, Axles & Nuts
Window Carriages & Rollers

Symbol Guide
for this section

Heavy Duty
Capacity up to Xkg per unit

Extra Heavy Duty
Capacity up to Xkg per unit

X% Actual Size
Image displayed is a proportion of the part's actual size

Call for Availability
Rare part - Please call us to check availability pior to ordering

Corrosion Resistant
Able to resist corrosion in the presence of water or air moisture

No Longer Available
Not currently available for sale

Offset Roller
Roller offsets by 1mm to avoid clashing frames

Patented Design
Protected against copyright infringement



3-1010
Carriage adjustable & roller • Suit patio door
90 degree fins. 25kg.
Acetal roller with bearing.
Suits Trimview, Alcan, Olympic, Spacemaster, Old Crane, Versalite, Clearview, Airlie and others.



3-1011
Packing bridge
Suits 3-1010, 3-1013 and 3-1018.



3-1040
Carriage adjustable & roller • Suit patio door
17mm wide. Rectangular 'A' washer. 25kg.
Acetal roller with bearing.



3-1018
Similar to 3-1010 • Premium heavy duty
Corrosion resistant bearing. 90 degree fins. 35kg.
Metal carriage with 3-4068 premium, corrosion-resistant 32mm roller. Glass-filled acetal roller, stainless steel bearing and axle.



3-1013
Similar to 3-1010 • Stainless steel roller & bearing
90 degree fins. 25kg.



3-1051
Bracket • Suit patio door
Bracket for 3-1061. 25kg.
Suits Boral KM Cyclone, GJames and some wardrobes.



3-1061
Carriage & roller • Suit patio door
Use with 3-1051 bracket. 25kg.
Acetal roller with bearing.
Suits Boral KM Cyclone, GJames and some wardrobes.



3-1062
Carriage adjustable & roller • Suit patio door
Combo of 3-1051 & 3-1061. 25kg.
Acetal roller with bearing.
Suits Boral KM Cyclone, GJames and some wardrobes.



3-1071-17
Carriage adjustable & roller • Suit patio door
Aluminium carriage. 17.5mm flared wings. 25kg.
Acetal roller with bearing. Rectangular 'A' washer.
Suits Frontline, Allulite, Statesman, Vincent, Naco, Trend, Vantage and others.



3-1070-17
Carriage adjustable & roller • Suit patio door
17mm flared wings. Rectangular 'A' washer. 25kg.
Acetal roller with bearing.
Suits Frontline, Allulite, Statesman, Vincent, Naco, Trend, Vantage and others.

3-1070-22
22mm flared wings.



3-1078SP-17
Similar to 3-1070-17 • Premium heavy duty
Corrosion resistant carriage and bearing. 35kg.
Stainless steel carriage with 3-4148 premium, corrosion-resistant 32mm roller. High-tech polymer roller, stainless steel bearing and axle.



3-1078SS-17
Similar to 3-1070-17 • Premium heavy duty
Corrosion resistant carriage, roller and bearing. 35kg.
Stainless steel carriage with 3-4210 premium, corrosion-resistant 32mm roller. Stainless steel roller, bearing and axle.

NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467



3-1080
Carriage adjustable & roller • Suit sliding door
Flat sided. 15mm wide. Round washer. 25kg.
Acetal roller with bearing.
Suits wardrobes, sliding timber doors and some sliding patio doors.



3-1081
Carriage adjustable & roller • Suit sliding door
Flat sided. 15mm wide. Round washer. 35kg.
Brass roller with bearing.
Suits wardrobes, sliding timber doors and some sliding patio doors.



3-1089SS
Similar to 3-1080 • Premium heavy duty
Corrosion resistant carriage, roller and bearing. 35kg.
Stainless steel carriage with 3-4210 premium, corrosion-resistant 32mm roller. Stainless steel roller, bearing and axle.



3-1088
Carriage adjustable & roller • Heavy duty
Corrosion resistant and heavy duty. 100kg.
Stainless steel carriage, brass roller with bearing.



3-1089SP
Similar to 3-1080 • Premium heavy duty
Corrosion resistant carriage and bearing. 35kg.
Stainless steel carriage with 3-4148 premium, corrosion-resistant 32mm roller. High-tech polymer roller, stainless steel bearing and axle.



3-1083-14
Carriage adjustable & roller • Heavy duty
Aluminium carriage. Flat sided. 14mm wide. 35kg.
Round washer. Acetal roller with bearing.



3-1090
Carriage adjustable & roller • Suit patio door
Plastic carriage. 25kg.
Acetal roller with bearing.
Suits old BGC and Jason (1982 - 2000).
Use 3-4140 as replacement roller.



3-1110
Carriage adjustable & roller • Suit patio door
Cast zinc body. 25kg.
Acetal roller with bearing.
Use 3-4060 and 3-4440 as replacement roller and axle.



3-1092
Carriage adjustable & roller • Suit patio door
Same as 3-1090 with raised nibs. 25kg.
Acetal roller with bearing.
Suits BGC from 2004 to Mk2.
Use 4140 as replacement roller.



3-1120
Carriage adjustable & roller • Suit patio door
Plastic carriage. Suits JG. 25kg.
Acetal roller with bearing.
Can use 3-1121. Use 3-4145 as replacement roller.



3-1091
Carriage adjustable & roller • Suit patio door
Aluminium carriage. 25kg.
Acetal roller with bearing.
Can use 3-1090. Suits 2V series Wunderlich.
Use 3-4060 as replacement roller.
For top guide, use 3-1640.



3-1121
Carriage adjustable & roller • Suit patio door
Metal carriage. Suits JG. 25kg.
Acetal roller with bearing.
Can use 2-1120. Use 3-4145 as replacement roller.



3-1130
Carriage adjustable & roller • Suit patio door
Aluminium carriage. Suit Comalco. 25kg.
Acetal roller with bearing.
Use 3-4060 and 3-4450 as replacement roller and axle.



3-1132
Carriage adjustable & roller • Suit patio door
Zinc plated steel carriage. 25kg.
Acetal roller with bearing.
Suits old Comalco.
Use 3-4060 and 3-4440 as replacement roller and axle.
No longer available, use 3-1130.



3-1139
Carriage adjustable & roller • Suit patio door
Metal carriage. 25kg.
Acetal roller with bearing.
Suits Comalco 2C and Jason (1982 - 2000).
Can use 3-1130. Use 3-4060 as replacement roller with original axle. Rare part - Call for availability.



3-1150
Carriage adjustable & roller • Suit patio door
Metal roller. 25kg.
Metal roller with bearing.
Can replace 3-1349.



3-1151
Carriage adjustable & roller • Suit patio door
Aluminium carriage. 15kg.
Small acetal roller with bearing.
Roller unavailable separately.



3-1160
Carriage adjustable & roller • Suit patio door
Metal carriage. Stainless steel roller. 25kg.
Rare part - Call for availability.



3-1170
Carriage adjustable & roller • Suit patio door
Plastic carriage. 25kg.
Acetal roller with bearing.
Suits old BGC and Jason (1982 - 2000), and others.
Can use 3-1090. Use 3-4140 as replacement roller.



3-1171
Carriage adjustable & roller • Suit patio door
Plastic carriage. 25kg.
Acetal roller with bearing.
Suits Boral/Dowell Mk5C.
Can use 3-1240. Use 3-4140 as replacement roller.



3-1177
Carriage adjustable & roller • Suit patio door
Plastic carriage. 25kg.
Acetal roller with bearing.
Suits old BGC and Jason (1982 - 2000), and others.
Can use 3-1090. Use 3-4140 as replacement roller.



3-1200
Carriage adjustable & roller • Suit patio door
Stainless steel roller. Suits Jason pre-1982.
Aluminium carriage and stainless roller with bearing.
Replaces Rolltrak's 1209. Use 3-4220 as replacement roller.



3-1203-ICS
Carriage • Suit patio door
Interlock connector for stacking doors.
Suits Bradnams Airlie stacking doors.
Housing for 3-1203.



3-1203
Carriage adjustable & roller • Suit patio door
Inner housing plastic carriage. Acetal V groove roller with bearing. 25kg.
Suits Bradnams Airlie.
Use 3-1203-ICS housing for an outer carriage. Note: Other outer carriages for the Airlie door suite also suit this part.



3-1190
Carriage adjustable & roller • Suit patio door
10mm wide. Corrosion resistant. 25kg.
Stainless roller with bearing.
Suits Prongers and Lidco.
Can replace 3-1220.



3-1185
Carriage adjustable & roller • Suit window
Stainless steel carriage. 25kg.
Acetal roller with bearing.



3-1180
Carriage adjustable & roller • Suit patio door
Corrosion resistant. 100kg.
Stainless steel carriage and roller with bearing.
Suits GJames and others. Replaces Rolltrak's 1300.



3-1206
Carriage adjustable & roller • Suit patio door
With spring. Suits Bradnams. 25kg.
Plastic carriage. Acetal roller with bearing.

3-1207
Without spring.



3-1204
Carriage adjustable & roller • Suit patio door
Rear carriage and roller. 25kg.
Cast zinc carriage with rubber stopper.
Acetal roller with bearing.
Suits Rylock, Alulite and GTI.
Use 3-1205 for the front of the door.



3-1205
Carriage adjustable & roller • Suit patio door
Front carriage and roller. 25kg.
Cast zinc carriage and acetal roller with bearing.
Suits Rylock, Alulite and GTI.
Use 3-1204 for the back of the door.



Inner carriage.
Not sold separately.

3-1208
Carriage adjustable & roller • Suit patio door
Suits Southern Star. 25kg.
Acetal roller with bearing.



3-1210
Carriage adjustable & roller • Suit patio door
Plastic carriage 3 slot adjustment. 25kg.
36mm acetal roller with bearing.
Suits Dowell and AMP.
Use 3-4130 as replacement roller.



3-1212
Carriage adjustable & roller • Heavy duty
Plastic carriage 3 slot adjustment. 35kg.
32mm acetal roller with bearing.
Suits Dowell and AMP.
Use 3-4142 as replacement roller.



3-1213
Carriage adjustable & roller • Heavy duty
Plastic carriage 3 slot adjustment. 35kg.
36mm brass roller with bearing.
Suits Dowell and AMP.



3-1216
Similar to 3-1210 • Premium heavy duty
Corrosion resistant carriage and roller. 40kg.
3-4138 premium, corrosion-resistant 36mm roller. High tech polymer roller, stainless steel bearing and axle.
Suits Dowell and AMP.
Use 3-4138 as replacement roller.



3-1218
Carriage adjustable & roller • Suit patio door
Plastic carriage 4 slot adjustment. 25kg.
Acetal roller with bearing.
Suits Robb & Brown.
Use 3-4160 as replacement roller.



3-1219
Carriage adjustable & roller • Suit patio door
Plastic carriage 4 slot adjustment. 25kg.
Acetal roller with bearing.
Suits Bradnams.
Use 3-4140 as replacement roller.



3-1220
Carriage adjustable & roller • Suit patio door
10mm wide. Corrosion resistant. 25kg.
Stainless steel carriage and stainless steel roller with bearing.
Tail not available. Use the tail from existing carriage. Can use 3-1190.



3-1240
Carriage adjustable & roller • Suit patio door
Plastic carriage. 25kg.
Acetal roller with bearing.
Suits Boral Mk5C, Nu-Look, Dowell and others.
The roller is not replaceable.



3-1241
Similar to 3-1240 • Premium heavy duty
Corrosion resistant. 35kg.
Plastic carriage and stainless steel roller with bearing.
Suits Boral Mk5C, Nu-Look, Dowell and others.
The roller is not replaceable.



3-1250
Carriage adjustable & roller • Suit timber door
Heavy duty. Narrow body. Brass roller. 115kg.
Steel carriage and brass roller with bearing.
Can use with Rolltrak's 1261 plastic foot.



3-1260
Carriage adjustable & roller • Suit commercial door
Heavy duty. Wide body. Brass roller. 115kg.
Steel carriage and brass roller with bearing.
Can use with Rolltrak's 1261 plastic foot.
Can substitute with 3-1262.



3-1266
Carriage adjustable & rollers • Heavy duty
Tandem acetal rollers. 60kg.
Metal carriage and acetal rollers with bearing.
Suits heavy timber doors.



3-1266-STN
Similar to 3-1266 • Stainless steel carriage
Heavy duty. Tandem acetal rollers. 80kg.
Stainless steel carriage and acetal rollers with bearings.
Suits heavy timber doors.



3-1266-STST
Similar to 3-1266 • Stainless carriage & rollers
Heavy duty. Tandem stainless steel rollers. 100kg.
Stainless steel carriage and stainless steel rollers with bearings.
Suits heavy timber doors.



3-1262
Carriage adjustable & rollers • Heavy duty
Tandem acetal rollers. 60kg.
Plastic carriage and acetal rollers with bearing.
Suits commercial sliding doors.





3-1270
Carriage & roller • Heavy duty
Flat brass roller. 50kg.
Metal carriage and brass roller with bearing.
Suits commercial sliding doors.



3-1273
Carriage adjustable & rollers • Heavy duty
Tandem acetal rollers. 60kg.
Metal carriage and acetal rollers with bearing.
Suit timber sliding doors.



3-1271
Carriage adjustable & roller • Top fix

EXTRA HEAVY DUTY 100 KG PER UNIT

Top hung commercial door roller. 100kg.
Aluminium carriage and acetal roller with bearing.
Suits Masterglide, Tomma, Glidemaster and others.
Use 3-4630 as replacement roller.



3-1272
Carriage & roller • Heavy duty

EXTRA HEAVY DUTY 100 KG PER UNIT

Roller and anti-bounce guide. 100kg.
Aluminium carriage and acetal rollers with bearing.



3-1284

Carriage adjustable & rollers • Suit sliding door panel

Tandem roller assembly. 22mm wide. 150kg.
Stainless steel inner and outer. High performance machined polymer roller.
Suits large timber and some commercial aluminium doors.



3-1289

Carriage adjustable & rollers • Suit sliding door panel

Quad roller assembly. 22mm wide. 225kg.
Stainless steel inner and outer. High performance machined polymer roller.
Suits large timber and some commercial aluminium doors.



3-1290
Carriage adjustable & roller • Suit wardrobe door
Metal carriage. 25kg.
Acetal roller with bearing.
Can also use 3-1290-K.



3-1290-K
Carriage adjustable & roller • Suit wardrobe door
Metal carriage. 25kg.
Acetal roller with bearing.
Can also use 3-1290.



3-1300
Carriage adjustable & roller • Heavy duty
Stainless steel carriage. 113kg.
Brass roller with bearing.
Suits internal and external doors.
Can use 3-1319.

EXTRA HEAVY DUTY 113 KG PER UNIT



3-1310
Carriage adjustable & roller • Heavy duty
Plastic carriage. 40kg.
Acetal roller with bearing.
Suits A&L Windows. Can use 3-1319.

EXTRA HEAVY DUTY 40KG PER UNIT



3-1316
Carriage adjustable & roller • Suit patio door
Metal carriage. 25kg.
Acetal roller with bearing.
No longer available, use 3-1319.

NLA NO LONGER AVAILABLE



3-1317
Carriage adjustable & roller • Suit patio door
Metal carriage. 25kg.
Acetal roller with bearing.



3-1318
Carriage adjustable & roller • Suit patio door
Metal carriage. 25kg.
Acetal roller with bearing.



3-1319
Carriage adjustable & roller • Suit patio door
Metal carriage. 25kg.
Acetal roller with bearing.
Can use 3-1310.



3-1349
Carriage adjustable & roller • Suit patio door
Metal carriage. 25kg.
Acetal roller with bearing.
Suits old Stegbar. Original had a stainless steel carriage.



3-1320
Carriage adjustable & roller • Suit timber door
60kg. Suits Dowell and others. Plastic carriage and acetal roller with bearing. Suits timber or wardrobe sliding doors.



3-1330
Carriage adjustable & roller • Suit patio door
Right hand. 25kg. Use 3-1340 for left hand.
Plastic carriage and acetal roller with bearing.
Replaces longer, older model. Roller not available separately.
Suits Stegbar.



3-1340
Carriage adjustable & roller • Suit patio door
Left hand. 25kg. Use 3-1330 for right hand.
Plastic carriage and acetal roller with bearing.
Replaces longer, older model. Roller not available separately.
Suits Stegbar.



3-1350-NFN040

Carriage adjustable & block • Suit fixed door panel

Fixed panel adjuster. 18.75mm wide. 40kg.
Nylon outer and inner. Adjustable block - short.
Suits some Capral, Vantage, Ullrich and others.

EXTRA HEAVY DUTY 40KG PER UNIT



3-1350-NFB090

Carriage adjustable & block • Suit fixed door panel

Fixed panel adjuster. 17.5mm wide. 90kg.
Nylon outer and inner. Adjustable block - long.
Suits some Alspec, Capral, Ullrich, GJames and Vantage.

EXTRA HEAVY DUTY 90KG PER UNIT



3-1351-ZCN040

Carriage adjustable & roller • Suit sliding door panel

Single roller assembly. 18.75mm wide. 40kg.
Nylon outer, zinc plated steel inner.
Acetal roller with bearing.
Suits some Capral, Vantage, Ullrich and others.

EXTRA HEAVY DUTY 40KG PER UNIT



3-1352-SSY090

Carriage adjustable & rollers • Suit sliding door panel

Tandem roller assembly. 15.5mm wide. 90kg.
Nylon outer, stainless steel inner.
Acetal rollers with bearings.
Suits timber and some aluminium doors.



3-1352-SSA090

Carriage adjustable & rollers • Suit sliding door panel

Tandem roller assembly. 18mm wide. 90kg.
Nylon outer, stainless steel inner.
Acetal rollers with bearings.
Suits some Alspec high-end residential and commercial doors.



3-1352-SSB090

Carriage adjustable & rollers • Suit sliding door panel

Tandem roller assembly. 17.5mm wide. 90kg.
Nylon outer, stainless steel inner.
Acetal rollers with bearings.
Suits some Alspec, Capral, Ullrich, GJames and Vantage.



3-1352-STB120

Carriage adjustable & rollers • Suit sliding door panel

Tandem roller assembly. 17.5mm wide. 120kg.
Nylon outer, stainless steel inner.
Stainless steel rollers with bearings.
Suits some Alspec, Capral, Ullrich, GJames and Vantage.









3-1354-SSB150
Carriage adjustable & rollers • Suit sliding door panel
Quad roller assembly. 17.5mm wide. 150kg.
Nylon outer, stainless steel inner.
Acetal rollers with bearings.
Suits some Alspec, Capral, Ullrich, GJames and Vantage.



3-1360
Carriage adjustable & roller • Heavy duty
Corrosion resistant. 40kg.
Plastic carriage and stainless roller with bearing.
Suits Lidco, Dowell and Nu-Look.





3-1361
Similar to 3-1360 • Suit patio door
15kg.
Plastic carriage & acetal roller with bearing.
Suits Lidco, Dowell and Nu-Look.



3-1362
Carriage adjustable & roller • Suit patio door
12mm wide. 20kg.
Steel carriage and acetal roller with bearing.





3-1369
Carriage adjustable & roller • Suit patio door
Corrosion resistant. 30kg. No longer available.
Steel carriage and acetal roller with bearing.
Suits Lidco. Can use 3-1360 or 3-1361.



3-1370
Carriage adjustable & rollers • Heavy duty
Tandem rollers. Suits Vantage and others. 45kg.
Stainless steel carriage and acetal rollers with bearings.



3-1380
Carriage adjustable & roller • Suit patio door
Medium duty. 15kg.
Plastic carriage and acetal roller with bearing.
Suits BGC Mk2.
Roller not available separately.



3-1400
Carriage adjustable & roller • Suit commercial door
Steel carriage. 25kg.
Acetal roller with bearing.
Rare item - Call for availability.



3-1410
Carriage adjustable & roller • Suit patio door
Corrosion resistant. 25kg.
Stainless steel carriage and metal roller with bearing.



3-1610
Guide • Suit timber door
Floor mount. Plastic.



3-1630
Guide floor mount • Suit cavity door
Butterfly. Plastic.



3-1631
Guide floor mount • Suit cavity door
Left and right. Plastic.



3-1640
Guide • Suit patio door
Head guide door mounted. Plastic.
Suits Jason and Wunderlich.
Replaces old version with roller.



3-1650
Retaining clip • Suit patio door
External fixed panel retaining clip. Bottom fix.
Suits Boral KM Cyclone and old GJames.



3-1660
Retaining clip • Suit patio door
External fixed panel retaining clip. Bottom fix.
Suits Dowell.



3-1694
Guide spacer • Suit patio door
Suits Trimview.
Rare part - Call for availability.



3-1700
Guide • Suit sliding window
Top guide. Suits Trimview.



3-1701
Guide • Suit sliding window
Bottom guide. Suits Trimview.
Rare part - Call for availability.



3-1710
Sleeve nut • Long
5/32 BSW. Includes screw.
Suits lock pulls 4-8590 and 4-8660.



3-1711
Sleeve nut • Short
5/32 BSW. Includes screw.
Suits Boral KM Cyclone handle 4-8610.



3-1720
Door stop • Suit sliding door
Plastic.



3-1730
Guide • Suit timber door
Architrave mount.
Metal two-piece.





3-1731
Guide • Suit timber door
Architrave and floor mount.
Plastic two-piece.



3-1741
Guide • Suit timber door
Architrave and floor mount. Aluminium two-piece.



3-1760
Door stop • Suit sliding door
Metal with rubber stopper.



3-1781
Door stop • Suit sliding door
Plastic. Suit top track.



3-1870
Guide • Suit timber door
62mm. Floor mount. Plastic.
Suits Robe Runner, Tudor and other wardrobe and cupboard doors. TT30.



3-1880
Guide • Suit timber door
63mm. Floor mount. Plastic.
Suits Manhattan, Arrow and Triumph wardrobe and cupboard doors. TT208.



3-1881
Guide • Suit timber door
Includes additional metal architrave mount.
Suits Manhattan, Arrow and Triumph wardrobe and cupboard doors. P209.

Shed Carriages & Rollers



3-1900
Carriage & roller • Suit shed door
Plastic body and acetal roller.
This will replace old version without roller.
Suits Treco, Victa, Shed Man and many others.



3-1920
Carriage adjustable & roller • Suit shed door
22mm roller.
Off-angle to flex correctly into shape under load.
Suits Heritage, Span Built, Absco and others.



3-2022
Carriage & roller • Suit double-hung window
Brass roller with bearing. 36kg.



3-2020
Carriage & roller • Suit timber door
Also suits double-hung windows. 34kg.
Acetal roller with bearing.



3-2030
Carriage & roller • Suit timber door
Brass roller with bearing. 35kg.
38mm brass roller with bearing.
Replaces stainless steel roller version.



3-2050
Carriage & roller • Suit timber door
Suits Horizon. 30kg.
Acetal roller with bearing.



3-2085
Carriage & roller • Suit timber door
Also suits cupboard doors. 8kg.
Acetal roller, no bearing roller.
Rare part - Call for availability.



3-2051
Carriage & roller • Suit timber door
Suits Horizon. 60kg.
Metal roller with bearing.



3-2100
Trolley adjustable & rollers • Suit hanging door
Tandem bogie rollers. Includes fixing plate. 34kg.
Acetal convex rollers with bearings.
Suits Triumph Track System.



3-2062
Carriage adjustable & roller • Suit timber door
Includes anti-bounce guide. Suits hanging doors. 30kg.
Acetal convex roller with bearing.
Suits Centor, Trak, Sylon, Henderson, Smart and many others.
Use 3-4400 as replacement roller.



3-2102
Carriage & rollers • Suit timber door
Bogie rollers. Also suits cupboard doors. 10kg.
Acetal convex rollers with bearings.



3-2130
Carriage adjustable & roller • Suit timber door
Includes anti-bounce guide. Suits hanging doors. 15kg.
Acetal convex roller with bearing.
Suits Arrow. Use 3-4361 as replacement roller.



3-2145
Carriage adjustable & roller • Suit timber door
Use 3-4360 as replacement roller. 12kg.
Acetal convex roller with bearing.



3-2151
Trolley adjustable & rollers • Suit hanging door
Bogie rollers. Also suit wardrobe doors. 16kg.
Acetal convex rollers with bearings.



3-2170
Carriage adjustable & roller • Suit wardrobe door
Front door fit. Top hung. Includes screws. 12.5kg.
Acetal convex roller with bearing. White roller.
Suits some shed manufacturers.



3-2180
Carriage adjustable & roller • Suit wardrobe door
Back door fit. Top hung. Includes screws. 12.5kg.
Acetal convex roller with bearing. Black or blue roller.
Suits some shed manufacturers.



3-1290
Carriage adjustable & roller • Suit wardrobe door
Metal carriage. 25kg.
Acetal roller with bearing.
Can also use 3-1290-K.



3-1290-K
Carriage adjustable & roller • Suit wardrobe door
Metal carriage. 25kg.
Acetal roller with bearing.
Can also use 3-1290.



3-1320
Carriage adjustable & roller • Suit timber door
60kg. Suits Dowell and others. Plastic carriage and acetal roller with bearing. Suits timber or wardrobe sliding doors.



3-2700
Carriage adjustable & roller • Suit wardrobe door
Suits Stegbar, Aki and others. 25kg.
Acetal roller with bearing.
Various versions have been manufactured with different wheel sizes. This replaces all. Includes 12.5mm (wider) axle and full support rail.



3-2300
Trolley adjustable & rollers • Suit hanging door
Tandem bogie. Includes fixing plate. 32kg.
Acetal convex V rollers with bearings.
Includes 3-2301 retaining bracket and 3-2302 floor guide.



3-2710
Carriage adjustable & roller • Suit wardrobe door
Concave roller. Suits cupboards and wardrobes. 25kg.
Concave acetal roller with bearing.



3-2720
Carriage adjustable & roller • Suit wardrobe door
Convex roller. Suits cupboards and wardrobes. 25kg.
Convex acetal roller with bearing.
Suits MCK Pacific.



3-2711
Carriage adjustable & roller • Suit wardrobe door
Convex roller. Suits cupboards and wardrobes. 25kg.
Convex acetal roller with bearing.



3-2722
Carriage adjustable & roller • Suit wardrobe door
Convex roller. Suits cupboards and wardrobes. 20kg.
Convex acetal roller with bearing.
Suits Robemaker. Use 3-2723 as top guide.



3-2721
Guide nylon • Suit wardrobe door
Round. Black nylon. Suits Robemaker, Dias and others.



3-2723
Guide nylon • Suit wardrobe door
Nylon.



3-2724
Guide nylon • Suit wardrobe door
Nylon. Suits Dias.



3-2726
Guide nylon • Suit wardrobe door
Left and right hand. Nylon.



3-2728
Guide nylon • Suit wardrobe door
Left and right hand. Nylon. Suits Dias.



3-2730
Carriage adjustable & roller • Suit wardrobe door
Suits cupboards and wardrobes. 25kg.
Acetal roller with bearing.
Use 3-4140 as replacement roller.



3-1081
Carriage adjustable & roller • Suit sliding door
Flat sided. 15mm wide. Round washer. 35kg.
Brass roller with bearing.
Suits wardrobes, sliding timber doors and some sliding patio doors.



3-3010
Carriage adjustable & roller • Suit screen door
Corner stake and roller combo. 16mm x 30mm. 12kg.
Acetal roller with bearing.
Use 3-4250 as replacement roller.



3-3045
Carriage adjustable & roller • Suit screen door
Acetal roller with bearing.
Suits Bradnams.



3-3050
Carriage adjustable & roller • Suit screen door
15kg. Acetal roller with bearing.
Can use 1-3030, 1-3032 or 1-3036 as replacement.
Use 3-4170 as replacement roller.

Part	Product Name	Weight Capacity	Strength Rating	Corrosion Resistance	Bearing Type	Axle Type
1-3030	Tru-Coastal	45kg	★★★★★	★★★★½	Stainless steel	Stainless steel
1-3032	Econo	25kg	★★★	★½	608ZZ	Zinc steel
1-3033	Mr Ratchet	30kg	★★★½	★★½	608ZZ	Zinc steel
1-3034	Mr Ratchet	40kg	★★★★½	★★★★	608RS	Stainless steel
1-3035	Snap-Set	30kg	★★★½	★★½	608ZZ	Zinc steel
1-3036	Snap-Set	40kg	★★★★½	★★★★	608RS	Stainless steel

Part	Adjustment Type	Adjustment Length	Adjustment Side	Offset Roller Function	Strengthened Tabs	Roller Anti-dislodge Feature
1-3030	Stop	11mm	Double	✓	✓	✓
1-3032	Stop	9mm	Single	⊗	✓	✓
1-3033	Stop/Ratchet	9mm	Double	✓	✓	✓
1-3034	Stop/Ratchet	9mm	Double	✓	✓	✓
1-3035	Continuous	11mm	Double	✓	✓	✓
1-3036	Continuous	11mm	Double	✓	✓	✓

SECURITY DOOR OFFSET ROLLER FUNCTION GUIDE

Suitable for 1-3030, 1-3033, 1-3034,1-3035 & 1-3036








Stop adjustment method





1-3030 Tru-Coastal

Corrosion Resistance ●●●●● Strength Rating ●●●●●

Security door roller • 45kg
Glass filled nylon roller with stainless steel heavy duty corrosion resistant bearing.
Includes fast-fit wings.

Features
- Heavy duty
- Superior corrosion resistance
- Double-sided stop adjustment
- Offset roller function






Stop adjustment method



1-3032 Econo

Corrosion Resistance ●●● Strength Rating ●●●

Security door roller • 25kg
Includes fast-fit wings.
Bearing type 608Z.

Features
- Single-sided stop adjustment
- Strengthened tabs





1-1645G
Guide • Suit security door
21.5mm. Grey plastic.
Mounted on door top.



1-1646B
Guide • Suit security door
23.5mm. Black plastic.
Mounted on door top.



1-1647W
Guide • Suit security door
25.8mm. White plastic.
Mounted on door top.







1-3033 Mr Ratchet

Corrosion Resistance ●●◐ Strength Rating ●●●◐

Security door roller • 30kg
'Clicks' when adjusting under load.
Use 3-4141 or 3-4143 as replacement roller.

Features
- Double-sided stop/ratchet adjustment
- Offset roller function



1-3034 Mr Ratchet

Corrosion Resistance ●●●● Strength Rating ●●●●◐

Security door roller • 40kg
Glass filled nylon roller with RS heavy duty corrosion resitant bearing.
Includes fast-fit wings.
Use 3-4149 as replacement roller.

Features
- Corrosion resistant
- Double-sided stop/ratchet adjustment
- Offset roller function
- 'Clicks' when adjusting under load



1-1645G
Guide • Suit security door
21.5mm. Grey plastic.
Mounted on door top.



1-1646B
Guide • Suit security door
23.5mm. Black plastic.
Mounted on door top.



1-1647W
Guide • Suit security door
25.8mm. White plastic.
Mounted on door top.






Continuous adjustment method





1-3035 Snap-Set

Corrosion Resistance ●●●◖ Strength Rating ●●●●◖

Security door roller • 30kg
Includes fast-fit wings.
Use 3-4141 or 3-4143 as replacement roller.

Features
- Double-sided continuous adjustment
- Offset roller function






Continuous adjustment method



1-3036 Snap-Set

Corrosion Resistance ●●●● Strength Rating ●●●●◖

Security door roller • 40kg
Glass filled nylon roller with RS heavy duty corrosion resistant bearing.
Includes fast-fit wings.
Use 3-4149 as replacement roller.

Features
- Corrosion resistant
- Double-sided continuous adjustment
- Offset roller function



1-1672
Canoe clip • Natural finish
7.6mm D x 1.5mm H x 11.1mm L.
Use 1/8" drill bit.



1-1677
Canoe clip • Natural finish
7.9mm D x 2.5mm H x 11.1mm L.
Use 1/8" drill bit.



1-1690
Canoe clip 7.0mm D x 2.5mm H x 5.0mm L.
Black finish. Use 1/8" drill bit.



1-1674
Canoe clip • Natural finish
9.5mm D x 1.5 mm H x 11.1mm L.
Use 3/16" drill bit.



1-1679
Canoe clip • Natural finish
10.3mm D x 3.8mm H x 6.9mm L.
Use 1/8" drill bit.



1-1692
Canoe clip 12.0mm D x 3.2mm H x 10.5mm L.
Black finish. Use 3/16" drill bit.



3-3060
Carriage adjustable & roller • Suit screen door
Corner stake and roller combo. 13mm x 29mm. 11kg.
Acetal roller, no bearing.
Use 3-4250 as replacement roller.



3-3070
Carriage adjustable & roller • Suit screen door
Corner stake and roller combo. 10mm x 29mm. 11kg.
Acetal roller, no bearing.
No replacement roller is available.



3-3080
Carriage adjustable & roller • Suit screen door
Corner stake and roller combo. 16mm x 30mm. 12kg.
Acetal roller with bearing. Old version has no bearing.
Use 3-3240 or 3-3260 as replacement cassette.
Use 3-3250 as replacement spring.



3-3090
Carriage adjustable & roller • Suit screen door
15kg. Acetal roller with bearing. Old version has no bearing.
Can use 1-3030, 1-3032 or 1-3036 as replacement.
Use 3-4170 as replacement roller.



3-3091
Carriage adjustable & roller • Suit screen door
11kg. Suits Wintec. Can use 3-3440.
Acetal roller with bearing.
Rare part - Call for availability.



3-3100
Carriage adjustable & roller • Suit screen door
Corner stake and roller combo. 16mm x 42mm. 15kg.
Acetal roller with bearing.
Use 3-4170 as replacement roller.



3-3110
Carriage adjustable & roller • Suit screen door
Corner stake and roller combo. 16mm x 42mm. 12kg.
Acetal roller with bearing. Old version has no bearing.
Use 3-3240 or 3-3260 as replacement cassette.
Use 3-3250 as replacement spring.

1-3111
Carriage adjustable & roller • Suit security door
Corner stake and roller combo. 15.9mm x 42mm. 25kg.
Acetal roller with bearing.
Suitable for screen and security door.





3-3180
Corner stake • Suit screen door
15.5mm x 29mm.
Suits Dowell.
Use 3-3120 as bottom corner stake.



3-3120
Carriage adjustable, no roller • Suit screen door
Corner stake. 15.5mm x 29mm. Roller not included. Suits Dowell.
Use 3-3180 as top corner stake, or remove guides from 3-3120 as indicated above.
Use 3-4250 as replacement roller with metal axle and upgraded bearing.



1-3610
Retaining spring clips • Suit flyscreen
Top and bottom. Black. Suits Jason.



3-3860
Tension spring • Suit screen door
Top. Black plastic.



3-3130
Carriage adjustable & roller • Suit screen door
Corner stake and roller combo. 13.5mm x 26mm. 12kg.
Acetal roller with bearing. Suits old Comalco.
Use 3-4250 as replacement roller with metal axle and upgraded bearing.



3-3190
Carriage adjustable & roller • Suit screen door
12kg. Use 3-4250 as replacement roller
Acetal roller with bearing.
Use 3-4250 as replacement roller with metal axle and upgraded bearing.



3-3148
Carriage adjustable & roller • Suit screen door
Suits A&L. 12kg.
Acetal roller, no bearing.



3-3200
Carriage adjustable & roller • Suit screen door
Acetal roller with bearing. 15kg.
Suits Dowell, Nu-Look and some caravan sliding doors.
Use 3-4180 as replacement roller.



NLA
NO LONGER AVAILABLE

3-3140
Hanger adjustable & roller • Suit screen door
Top. Left and right hand. Die cast hanger and roller.
Blue acetal flat roller, no bearing.
Suits old Stegbar Mk7.
Use 3-4300 as replacement roller.
Rare part - Call for availability.



3-3160
Hanger adjustable & roller • Suit screen door
Top. Die-cast hanger. 12kg.
Acetal convex roller with bearing.
Suits modern Jason and Wunderlich 2V series and others.
Use 3-3340 bottom guide.



3-3340
Guide adjustable
Suit screen door
Bottom. Suits Jason, Wunderlich V2 and others.
Use 3-3160 as replacement top roller.



3-3150
Hanger adjustable & roller • Suit screen door
Top. Left and right hand. Polycarbonate hanger and roller.
Acetal convex roller, no bearing.
No replacement roller.



3-3233
Guide • Suit screen door
Left and right set. Suits old Stegbar Mk8.
Your door will require only one of the two types of black legs provided. Top roller is 3-3150.
Comes with fitting instructions.





3-3541
Guide adjustable
Suit screen door
Bottom. Suits Bradnams.
Use 3-3161 as top roller.

3-3161
Hanger adjustable & roller • Suit screen door
Top. Die-cast hanger. 12kg.
Acetal convex roller with bearing.
Suits Bradnams.
Use 3-3541 bottom guide.



3-3481
Hanger adjustable & roller • Suit screen door
Top. Die-cast hanger and acetal convex roller with bearing. Suits Alcan.
Rare part - Call for availability.



3-3480
Hanger adjustable & roller • Suit screen door
Top. Left and right hand. Die-cast hanger and roller.
Acetal convex roller with bearing. Suits old Bradnams.



3-3482
Hanger adjustable & roller • Suit screen door
Top. Acetal convex roller with bearing.
Suits A&L. Use 3-3542 for bottom.



3-3220
Guide • Suit screen door
Bottom. Spring loaded. Suits Trimview.
Use 3-4300 as the replacement top roller.



3-3240
Carriage adjustable & roller
Suit screen door
Acetal roller with bearing.
Suits some Stegbar, Frontline and others.
Use 3-4250 as replacement roller with metal axle and upgraded bearing.
Will fit in 3-3080 and 3-3110 as replacement corner stakes.



3-3250
Spring • Suit 3-3240 & 3-3260



3-3260
Carriage adjustable & roller
Suit screen door
Narrow body cassette. 12kg.
Acetal roller, no bearing.
Suits some Stegbar, Frontline and others.
There is no replacement roller.
Will fit in 3-3080 and 3-3110 as replacement corner stakes.



3-3280
Guide • Suit screen door
Bottom. Spring loaded.
Suits Boral KM Cyclone, old GJames and others.
Can use 3-3281. Use 3-3290 or 3-3291 as top guide.



3-3281
Guide • Suit screen door
Bottom. Spring loaded.
Use with 3-3290. 15kg.
Suits Boral KM Cyclone, old GJames and others.
Can use 3-3280. Use 3-3290 or 3-3291 as top guide.



3-3289
Guide • Suit screen door
Old version. Bottom. 15kg.
Suits Boral KM Cyclone, old GJames and others.
Can use 3-3280 or 3-3281.
Use 3-3280 or 3-3281 as top guide.
Rare part - Call for availability



3-3290
Guide adjustable • Suit screen door
Top. Suits Boral KM Cyclone, old GJames and others. Can use 3-3281. Use 3-3280 or 3-3281 as bottom guide.



3-3291
Guide • Suit screen door
Top. Includes roller. 15kg.
Acetal offset radial roller with bearing.
Suits Boral KM Cyclone, old GJames and others. Can use 3-3290. Use 3-3280 or 3-3281 as bottom guide.



3-3299
Guide • Suit screen door
Old version. Top. 15kg.
Suits Boral KM Cyclone, old GJames and others.
Can use 3-3290 or 3-3291. Use 3-3280, 3-3281 or 3289 as bottom guide/roller.
Rare part - Call for availability.



3-3300
Spring & roller • Suit screen door
Concave roller. Top tension spring. 7kg.
Acetal roller, no bearing.
Suits old Comalco.



3-3350
Guide top tension spring • Suit screen door



3-3310
Spring & roller • Suit screen door
Flat roller. Top tension spring. 7kg.
Acetal roller, no bearing.
Suits old Comalco.



3-3360
Guide top tension spring • Suit screen door



3-3320
Spring & roller • Suit screen door
Concave roller. Tension spring. 7kg.
Acetal roller, no bearing.
Suits old Trimview and others.
Note: Original spring was metal.



3-3333
Guide caps • Suit screen door
Left and right. Suits Jason.
Use 3-3340 and 3-3160 as the bottom guide and top hung roller, respectively.



3-3340
Guide adjustable Suit screen door
Bottom. Suits Jason, Wunderlich V2 and others.
Use 3-3160 as replacement top roller.



3-3541
Guide adjustable Suit screen door
Bottom. Suits Bradnams.
Use 3-3161 as top roller.



3-3370
Guide • Suit screen door
Top. Suits Comalco.



1-3777
Retaining spring clip Suit flyscreen
Suits Jason.



3-3380
Guide top tension spring • Suit screen door
Top. Side mount.
Suits Boral Mk5C, Dowell and others.



3-3400
Guide top tension spring
Suit screen door



3-3410
Carriage & roller • Suit screen door
Suits Jason, Speedy Glass Cutters and others. 15kg.
Acetal roller with bearing.
Use 3-4180 as replacement roller.
Carriage and roller colours may vary between black or white.



3-3411
Carriage adjustable & roller • Suit screen door
Steel roller with bearing. 20kg.



3-3430
Carriage adjustable & roller • Suit screen door
Use 3-4170 as replacement roller. 12kg.
Acetal roller with bearing.



3-3440
Carriage adjustable & roller • Suit screen door
Use 3-4130 as replacement roller. 25kg.
Acetal roller with bearing.
Roller can offset to improve door clearance.



3-3470
Carriage adjustable & roller • Suit screen door
Use 3-4180 as replacement roller. 15kg.
Acetal roller with bearing.



3-4010
Roller • Suit patio door
43.5mm. Bore: 6.4mm. Load: 35kg.
Acetal concave roller with bearing.
See page 109 for more measurements.



3-4040
Roller • Suit patio door
38mm. Bore: 6.4mm. Load: 30kg.
Acetal concave roller with bearing.
See page 109 for more measurements.



3-4068
Similar to 3-4060 • Heavy duty Corrosion resistant
32mm. Bore: 6.4mm. Load: 35kg.
High-tech polymer roller, stainless steel bearing.
Suits many sliding door carriages.
See page 109 for more measurements.



3-4670
Roller • Suit screen door
31mm. Bore: 6.4mm.
Load: 30kg.
Acetal flat roller with bearing.
See page 109 for more measurements.



3-4020
Roller • Suit screen door
39.3mm. Bore: 6.4mm. Load: 12kg.
Acetal concave roller with bearing.
See page 109 for more measurements.
Suits old Clearlite and others.
Rare part - Call for availability.



3-4050
Roller
Suit patio & screen door
36mm. Bore: 6.4mm. Load: 30kg.
Acetal concave roller with bearing.
See page 109 for more measurements.



3-4200
Roller • Suit patio & screen door
32mm. Bore: 6.4mm. Load: 35kg.
Stainless steel concave roller with bearing.
Heavy duty. Corrosion resistant.
See page 109 for more measurements.



3-5260
Roller • Suit window
Acetal concave roller and brass axle pin.
10kg.



3-4030
Roller • Suit screen door
39.3mm. Bore: 6.4mm. Load: 12kg.
Acetal concave roller with bearing.
See page 109 for more measurements.
Suits old Clearlite and others.
Rare part - Call for availability.



3-4060
Roller
Suit patio & screen door
32mm. Bore: 6.4mm.
Load: 25kg. Acetal concave roller with bearing.
See page 109 for more measurements.



3-4660
Roller
Suit screen door
25mm. Bore: 6.4mm.
Load: 15kg.Acetal concave roller with bearing.
See page 109 for more measurements.



3-4041
Roller • Suit patio & screen door
38mm. Axle: 6.4mm. Load: 25kg.
Acetal concave roller with bearing.
See page 110 for more measurements.



3-4138
Similar to 3-4130 • Heavy duty
Corrosion resistant
36mm. Axle: 6.4mm. Load: 35kg.
High-tech polymer roller, stainless steel bearing and axle.
See page 110 for more measurements.



3-4141
Roller • Suit security door
OFFSET AXLE. 32mm. Axle: 6.4mm.
Load: 25kg.
Acetal concave roller with bearing.
Suits 1-3030, 1-3033, 1-3034, 1-3035 and 1-3036 security door carriage only.
See page 110 for more measurements.



3-4130
Roller • Suit patio & screen door
36mm. Axle: 6.4mm. Load: 25kg.
Acetal concave roller with bearing.
See page 110 for more measurements.



3-4125
Roller • Suit screen door
28.7mm. Axle: 6.4mm. Load: 25kg.
Acetal V grooved roller and axle with bearing.
See page 110 for more measurements.



3-4142
Similar to 3-4140 • Heavy duty
32mm. Axle: 6.4mm. Load: 35kg.
Glass filled nylon roller with heavy duty bearing.
Suits many screen and patio doors.
See page 110 for more measurements.



3-4135
Roller • Suit patio & screen door
35mm. Axle: 6.4mm. Load: 25kg.
Brass concave roller with bearing.
See page 110 for more measurements.



3-4140
Roller • Suit patio & screen door
32mm. Axle: 6.4mm. Load: 25kg.
Acetal concave roller with bearing.
Suits many screen and patio doors.
See page 110 for more measurements.



3-4143
Similar to 3-4141 • Heavy duty
OFFSET AXLE. 32mm. Axle: 6.4mm.
Load: 35kg.
Acetal concave roller with bearing.
Suits 1-3030, 1-3033, 1-3034, 1-3035 and 1-3036 security door carriage only.
See page 110 for more measurements.



3-4145
Roller • Suit security door
31mm. Axle: 6.4mm. Load: 25kg. Axle length: 12mm.
Acetal concave roller with bearing.
See page 110 for more measurements.



3-4148
Similar to 3-4140 • Heavy duty Corrosion resistant
32mm. Axle: 6.4mm. Load: 35kg.
High-tech polymer roller, stainless steel bearing and axle.
Suits many screen and patio doors.
See page 110 for more measurements.



3-4149
Similar to 3-4141 • Heavy duty Corrosion resistant
OFFSET AXLE. 32mm. Axle: 6.4mm. Load: 35kg.
High-tech polymer roller, stainless steel bearing and axle.
Suits 1-3030, 1-3033, 1-3034, 1-3035 and 1-3036 security door carriage only.
See page 110 for more measurements.



3-4160
Roller • Suit patio & screen door
32mm. Axle: 4.8mm. Load: 25kg.
Acetal concave roller with bearing.
See page 110 for more measurements.



3-4170
Roller • Suit screen door
29mm. Axle: 4.2mm. Load: 15kg.
Acetal concave roller with bearing.
See page 110 for more measurements.



3-4180
Roller • Suit screen door
27mm. Axle: 5mm. Load: 15kg.
Acetal concave roller with bearing.
Suits Jason flyscreen door and Speedy Cutter.
Wheel colour may be black or white.
See page 110 for more measurements.



3-4190
Roller • Suit window & screen door
16mm. Axle: 3.2mm Load: 12kg.
Acetal concave roller with bearing.
See page 110 for more measurements.



3-4191
Roller • Suit window & screen door
14mm. Axle: 3.4mm. Load: 12kg.
Stainless steel concave roller with bearing.
See page 110 for more measurements.



3-4192
Roller • Suit window & screen door
16.6mm. Axle: 3.2mm. Load: 12kg.
Acetal concave roller with bearing.
See page 110 for more measurements.



3-4210
Roller • Suit patio & screen door
32mm. Axle: 6.4mm. Load: 35kg.
Stainless steel concave roller with bearing.
Suits many screen and patio doors.
See page 110 for more measurements.



3-4220
Roller • Suit patio door
25mm. Axle: 4.6mm. Load: 25kg.
Stainless steel concave roller with bearing.
Not corrosion resistant.
Suits old Jason pre-1982. Use 3-1200 as replacement carriage and roller.
See page 110 for more measurements.



3-4240
Roller • Suit screen door
25.3mm. Axle: 6.4mm. Load: 12kg.
Acetal concave roller with bearing.
See page 110 for more measurements.



3-4250
Roller • Suit screen door
23.6mm. Axle: 5.0mm Load: 12kg.
Acetal concave roller with metal axle and upgraded bearing.
See page 110 for more measurements.



3-4251
Roller • Suit screen door
24mm. Axle: 4.4mm. Load: 15kg.
Acetal concave roller with bearing.
Suits 3-3010 flyscreen door corner stake.
Wheel colour may be black and white.
See page 110 for more measurements.



3-4281
Roller • Suit shower, flyscreen or wardrobe door
19.0mm. Hub: 3mm. Load: 8kg.
Threaded hub.
Acetal flat roller with bearing.
Suits shower screen or flyscreen door.
Can use 3-4300.
See page 111 for more measurements.



3-4285
Roller • Suit shower, flyscreen or wardrobe door
28mm. Hub: 3.2mm. Load: 8kg.
Threaded hub.
Acetal flat roller with bearing.
Suits Dias and others.
See page 111 for more measurements.



3-4286
Roller • Suit shower door
19mm. Hub: 3.1mm. Load: 8kg.
Threaded hub.
Acetal flat roller with bearing.
Suits Dias.
See page 111 for more measurements.



3-4300
Roller • Suit shower, flyscreen or wardrobe door
19mm. Hub: 3.3mm. Load: 8kg.
Threaded hub.
Acetal blue flat roller with bearing.
Earlier model had no bearing.
Suits Trimview and others. Can use 3-4281.
See page 111 for more measurements.



3-4310
Roller • Suit screen door
18mm. Hub: 3mm. Load: 12kg.
Threaded hub.
Stainless steel convex V roller with bearing.
See page 111 for more measurements.



3-4270
Roller • Suit screen door
23.4mm. Hub: 3mm. Load: 12kgs.
Threaded hub.
Acetal concave roller with bearing.
See page 111 for more measurements.



3-4290
Roller • Suit shower door
19mm. Hub: 6mm. Load: 8kg.
Threaded hub.
Acetal convex roller with bearing.
Suits Boral Elite. Use with 2-7010 bracket.
See page 111 for more measurements.



3-4340
Roller • Suit shower, flyscreen or wardrobe door
19mm. Hub: 4.4mm. Load: 8kg.
Threaded hub.
Acetal convex roller with bearing.
See page 111 for more measurements.



3-4341
Roller • Suit shower, flyscreen or wardrobe door
18mm. Hub: 4mm. Load: 12kg.
Threaded hub.
Acetal convex V roller, no bearing.
See page 111 for more measurements.



3-4361
Roller • Suit wardrobe door
25mm. Hub: 6mm.
6mm threaded axle. Load: 15kg.
Acetal convex roller with bearing.
Suits Arrow sliding door track system.
See page 111 for more measurements.



3-4350
Roller • Suit shower, flyscreen or wardrobe door
19mm. Hub: 2mm. Load: 8kg.
Threaded hub.
Acetal convex roller with bearing.
See page 111 for more measurements.



3-4360
Roller • Suit wardrobe door
19.5mm. Hub: 3.6mm.
1/4" threaded axle. Load: 12kg.
Acetal convex roller with bearing.
See page 111 for more measurements.



3-4365
Roller • Suit wardrobe door
19mm. Hub: 4mm.
5mm threaded axle. Load: 8kg.
Acetal convex roller with bearing.
Suits Silent Glide wardrobe doors.
See page 111 for more measurements.



3-4390
Roller • Suit hanging door
31mm. Hub: 6mm.
3/8" threaded axle. Load: 30kg.
Acetal convex roller with bearing.
Use with 3-2062 bracket.
See page 111 for more measurements.



3-4400
Roller • Suit hanging door
29mm. Hub: 6mm.
3/8" threaded axle. Load: 30kg.
Acetal convex roller with bearing.
Suits Trak, Sylon Junior, Smart Home Products, Centor and Henderson.
Use with 3-2062 bracket.
See page 111 for more measurements.





3-4630
Roller
Suit commercial hanging door
50mm. Hub: 14mm. 3/8" UNF stud.
Load: 136kg.
Acetal concave roller with bearing.
Suits commercial hanger 3-1271. Also suits Masterglide, Tomma, Glidemaster and others.
See page 111 for more measurements.



ROLLER TYPES



ROLLER WITH FIXED AXLE



Rollers with fixed axles are normally utilised in carriages and attached to housings via a pop-in axle groove.

ROLLER WITH AXLE & NUT



Rollers with axle and nut are normally utilised on hangers and attached via an opening in a bracket. The nut fastens onto a threaded axle projecting out of the wheel hub.

ROLLER WITH AXLE SCREW



Rollers with axle screw are normally utilised on hangers and attached via an opening in a bracket. The screw fastens onto a threaded bore inside the wheel hub.

ROLLER WITH BORE



Rollers with bore are normally utilised in carriages and attached to housings via a pressed or removable axle, pin or rivet.

WA saleswa@total-hardware.com.au
T (08) 9317 3860 **F** (08) 9317 2299
SA & NT salessa@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

MEASUREMENTS FOR ROLLERS WITH BORES





Part	A	B	C	D	E	F	Load Kg	HD/CR/OR
3-4010	43.5	6.4	8.7	12.0	17.4	37.8	35	
3-4020	39.3	6.4	5.5	7.0	12.7	31.0	12	
3-4030	39.0	6.4	5.5	12.6	12.7	31.0	12	
3-4040	38.0	6.4	8.4	9.5	12.0	32.0	30	
3-4050	36.0	6.4	7.5	9.5	12.0	28.0	30	
3-4060	32.0	6.4	8.0	9.5	12.0	27.0	25	
3-4068	32.0	6.4	8.0	9.5	12.0	27.0	35	
3-4200	33.0	6.4	8.4	9.5	12.0	27.0	35	
3-4660	25.0	6.4	7.0	8.0	10.5	20.2	15	
3-4670	31.0	6.4	9.0	10.2	14.0	Flat	30	

Symbol types featured in this chart:







3-4440
Axle rivet • Suit roller
16mm. Diameter: 6.4mm.
Aluminium.



3-4445
Axle rivet • Suit roller
14.3mm. Diameter: 6.4mm.
Steel.



3-4450
Axle • Suit roller
17mm. Diameter: 6.4mm.
End knurled. Steel.



3-4460
Axle • Suit roller
16mm. Diameter: 6.4mm.
Centre knurled. Steel.

MEASUREMENTS FOR ROLLERS WITH FIXED AXLE





Part	A	B	C	D	E	F	G	Load Kg	HD/CR/OR
3-4041	38.0	6.4	8.4	9.6	12.6	32.5	15.0	25	
3-4125	28.7	6.4	8.0	9.0	12.6	26.0	12.0	25	
3-4130	36.0	6.4	8.0	9.6	12.0	28.0	14.3	25	
3-4135	35.0	6.4	9.4	9.6	12.0	30.0	13.9	25	
3-4138	36.0	6.4	8.0	9.6	12.0	26.0	15.5	35	HD CR
3-4140	32.0	6.4	8.0	9.6	12.0	26.0	15.5	25	
3-4141	32.0	6.4	8.0	10.0	12.0	26.0	14.4	25	OR
3-4142	32.0	6.4	8.0	10.0	11.8	26.0	14.5	35	HD
3-4143	32.0	6.4	8.0	10.0	11.8	26.0	14.5	35	HD OR
3-4145	31.0	6.4	8.0	9.0	12.7	25.6	12.0	25	
3-4148	32.0	6.4	8.0	9.6	12.0	26.0	15.5	35	HD CR
3-4149	32.0	6.4	8.0	9.6	12.0	26.0	15.5	35	HD CR OR
3-4160	32.0	4.8	8.0	9.6	12.0	26.0	15.5	25	
3-4170	29.0	4.2	8.0	8.4	10.5	24.0	11.4	15	
3-4180	27.0	5.0	5.2	6.0	12.5	24.0	9.1	15	
3-4190	16.0	3.2	4.6	6.4	5.2	14.0	9.0	12	
3-4191	14.0	3.4	5.0	6.0	7.5	11.7	9.0	12	
3-4192	16.6	3.2	5.0	6.6	8.0	13.8	10.1	12	
3-4210	31.7	6.4	7.6	9.6	12.0	26.0	15.6	35	HD CR
3-4220	25.0	4.6	6.0	6.6	8.8	22.8	10.7	25	
3-4240	21.0	6.4	7.0	9.0	10.5	20.5	12.6	12	
3-4250	23.6	5.0	6.8	7.5	9.5	18.0	10.0	12	
3-4251	24.0	4.4	6.9	7.4	8.0	19.0	9.8	12	

Symbol types featured in this chart:







MEASUREMENTS FOR ROLLERS WITH AXLE & NUT





Part	A	B	C	D	E	F	G	Load Kg	HD/CR/OR
3-4270	23.4	-	6.9	2.6	-	18.0	9.6	12	
3-4281	19.0	-	6.3	3.0	-	Flat	9.3	8	
3-4285	28.0	-	6.1	3.2	-	Flat	9.3	8	
3-4286	19.0	-	6.2	3.1	-	Flat	9.3	8	
3-4290	19.0	-	6.0	6.0	-	Convex	12.2	8	
3-4291	19.0	4.7mm bore	6.4	2.0	-	Convex	8.0	5	
3-4300	19.2	-	6.3	3.3	-	Flat	9.8	8	
3-4310	18.0	-	5.5	3.0	-	V-shape	8.6	12	
3-4340	19.0	-	6.0	4.4	-	Convex	11.0	8	
3-4341	18.0	-	5.6	4.0	-	V-shape	9.7	12	
3-4350	19.0	-	6.0	2.0	-	Convex	8.9	8	
3-4360	19.5	1/4” thread	6.2	3.6	7.0	Convex	17.0	12	
3-4361	25.0	6mm thread	6.0	6.0	9.0	Convex	21.0	15	
3-4365	19.0	5mm thread	6.4	4.0	5.0	Convex	15.5	8	
3-4370	41.0	3/8” thread	11.0	7.0	15.0	Convex	33.0	40	40KG
3-4380	31.0	1/4” thread	8.0	7.4	11.0	Convex	27.5	30	
3-4390	31.0	3/8” thread	8.7	6.0	13.0	Convex	28.0	30	
3-4400	29.0	3/8” thread	8.7	6.0	13.0	Convex	28.0	30	
3-4630	50.0	UNF 3/8”	14.0	5.0	14.0	40.2	40.0	136	136KG
3-4631	34.9	8mm thread	9.3	1.0	17.0	30.5	27.0	30	

Symbol type featured in this chart: EXTRA HEAVY DUTY 40KG PER UNIT



3-5010
Carriage adjustable & roller
Suit window
Three adjustment heights. 12kg.
Acetal concave roller and brass axle pin.



3-5011
Carriage adjustable & roller
Suit window
Three adjustment heights. 8kg.
Acetal concave roller and brass axle pin.
Suits Alcan and GJames School Suite.
For heavier duty (12kg), use 3-4190 as a replacement roller, or use 3-5111.



3-5013
Carriage adjustable & roller
Suit window
Three adjustment heights. 12kg.
Acetal concave roller with bearing and brass axle pin.
Suits Robb & Brown series 40.



3-5020
Carriage & roller
Suit window
Acetal concave roller and brass axle pin. 12kg.



3-5030
Carriage & roller
Suit window
Acetal concave roller and brass axle pin. 12kg.



3-5031
Carriage & roller
Suit window
Replaces 3-4230 steel roller. 12kg.
Acetal concave roller and brass axle pin.



3-5032
Carriage & roller
Suit window
Use 3-4190 as replacement roller. 12kg.
Acetal concave roller and brass axle pin.



3-5040
Carriage & roller
Suit window
Acetal concave roller and brass axle pin. 12kg.



3-5050
Carriage adjustable & roller
Suit window
Three adjustment heights. 12kg.
Acetal concave roller and brass axle pin.
Suits JG Windows.



3-5052
Carriage adjustable & roller
Suit window
Three adjustment heights. 12kg.
Acetal concave roller and brass axle pin.
Suits Advantage.



3-5053
Carriage adjustable & rollers
Suit window
Tandem rollers. Three adjustment heights.
12kg. Acetal concave roller and brass axle pin.
Suits Frontline. Replaces 3-5051.
Use 3-4190 as replacement roller.



3-5055
Carriage adjustable & roller
Suit window
Three adjustment heights. 12kg.
Acetal concave roller with bearing.
Suits Caparal 580 series.
Use 3-4190 replacement roller.



3-5060
Carriage adjustable & roller
Suit window
Three adjustment heights. 12kg.
Acetal flat roller and brass axle pin.



3-5061
Carriage adjustable & roller
Suit window
Two adjustment heights. 12kg.
Suits Nu-Look.
Acetal concave roller with bearing and brass axle pin.



3-5071
Carriage adjustable & roller
Suit window
Stainless steel concave roller and bearing. 14kg. Colours may be black or white.
Can use 3-4191 as replacement roller.
Suits Rylock, Lidco, Seaview and others.



3-5113
Carriage adjustable & roller
Suit window
Left and right. Three adjustment heights. 12kg. Acetal concave rollers and brass axle pins.
Suits old Trend.



3-5062
Carriage adjustable & roller
Suit window
Two adjustment heights. Left and right.
Acetal flat roller and brass axle pin.
Suits old Stegbar. Old model was white in colour and shorter.



3-5090
Carriage adjustable & roller
Suit window
Three adjustment heights. 12kg.
Acetal concave roller and brass axle pin.



3-5120
Carriage adjustable & roller
Suit window
Acetal concave roller and brass axle pin. 12kg. Suits BGC. Can use 3-5070.



3-5063
Carriage adjustable & rollers
Suit window
Tandem rollers. Two adjustment heights. 12kg. Suits Wintec.
Acetal flat roller and brass axle pin.



3-5110
Carriage adjustable & roller
Suit window
Three adjustment heights. 12kg.
Acetal concave V roller and brass axle pin.



3-5140
Carriage adjustable & roller
Suit window
Acetal concave roller and brass axle pin. 12kg.
Adjustable vertically.
12.5mm diameter roller.
Suits Vision, Stegbar and others.



3-5070
Carriage adjustable & roller
Suit window
Acetal concave roller and brass axle pin. 12kg.
Colours may be black or white.
Suits Rylock, Lidco, Seaview and others.



3-5111
Carriage adjustable & roller
Suit window
Three adjustment heights. 12kg.
Stainless steel concave roller and bearing.
Suits GJames and others.
Can use 3-4191 as replacement roller.
Nylon version is 3-5011.



3-5140C
Carriage • Suit window
3-5140 carriage without roller.



3-5130
Carriage adjustable & roller
Suit window
Acetal concave roller and brass axle pin.
12kg. Narrow carriage. Adjustable vertically.
12.4mm diameter roller.
Suits Airlie and others.



3-5141
Carriage adjustable & roller
Suit window
Acetal concave roller and
brass axle pin. 12kg.
Adjustable vertically.
Suits old Bradnams.



3-5142
Carriage adjustable & roller
Suit window
Acetal concave roller and
brass axle pin. 12kg.
Adjustable vertically.
Suits old Bradnams.



3-5143
Carriage adjustable & roller
Suit window
Acetal concave V roller and
brass axle pin. 12kg.
Adjustable vertically.
Suits old Wunderlich.



3-5145
Carriage adjustable & roller
Suit window
Acetal concave roller and brass axle pin.
12kg. Adjustable vertically.
Suits old Viewtec and others.



3-5146
Carriage adjustable & roller
Suit window
Acetal convex roller with bearing.
18kg. Adjustable vertically.
Suits old Alumalite.



3-5147
Carriage adjustable & roller
Suit window
Acetal concave roller and
brass axle pin. 12kg.
Adjustable vertically.
Suits Bradnams.



3-5150
Carriage adjustable & roller
Suit window
Acetal concave roller and brass
axle pin. 12kg.
Adjustable vertically.
12.5mm diameter roller.
Suits Vision, Stegbar, Versalite,
Vincent and others.



3-5155
Carriage adjustable & roller
Suit window
Acetal concave roller and brass
axle pin. 12kg.
Adjustable vertically.



3-5160
Carriage adjustable & roller
Suit window
Use 3-4191 as replacement roller. 12kg.
Stainless steel concave roller with bearing.



3-5170
Carriage adjustable & roller
Suit window
Acetal flat roller and plastic axle pin.
12kg. Black.
Suits Old Boral, KM and Cyclone.



3-5181
Carriage adjustable & roller
Suit window
Adjustable vertically. 12kg.
Rare part - Call for availability.



3-5191
Carriage adjustable & roller
Suit window
Wide flange. 10kg.
Acetal concave roller and brass axle pin.
Replaces 3-5190. Suits Jason.



3-5220
Carriage adjustable & roller
Suit window
Two adjustment heights. 12kg.
Acetal flat roller and brass axle pin.
Suits Comalco, Wunderlich,
Robb & Brown and old Frontline.



3-5240
Carriage adjustable & roller
Suit door & window
Metal concave roller with bearing. 13kg.
Metal roller. Suits very old Jason.



3-5200
Carriage & roller • Suit window
Multi-link. 15kg. Black.
Acetal flat roller and plastic axle pin.
Replaces old model. Can use 3-5201.
Suits Boral BST.



3-5230
Carriage adjustable & roller
Suit window
Narrow 7.9mm carriage. Universal fit. 9kg.
Acetal concave roller and brass axle pin.
Adjust with the two grub screws supplied.



3-5250
Corner stake • Suit window
Use 3-5260 for replacement roller.
Suits Trimview.



3-5201
Carriage adjustable & rollers
Suit window
Multi-link. 15kg. Grey.
Acetal flat roller and plastic axle pin.
Replaces old model. Can use 3-5200.
Suits Boral BST.



3-5231
Carriage adjustable & roller
Suit window
Narrow 9.5mm carriage. Universal fit. 9kg.
Acetal concave roller and brass axle pin.
Adjust with the two grub screws supplied.



3-5260
Roller • Suit window
Acetal concave roller and
brass axle pin. 10kg.



3-5210
Carriage & skid block
Suit window
Slide block only. 12kg.
Does not come with
rollers. Suits Dowell.



3-5232
Carriage adjustable & roller
Suit window
Narrow 7.9mm carriage. Universal fit. 9kg.
Acetal flat roller and brass axle pin.
Adjust with the two grub screws supplied.



3-5270
Carriage adjustable & roller • Suit window
Left and right. 12kg.
Acetal roller and brass axle pin.
Suit Jason pre-1982.



3-5280
Carriage adjustable & roller
Suit door & window
Stainless steel carriage and roller. 16kg.
Stainless steel roller with bearing.
9.5mm carriage. Suits Lidco Showcase.



3-1185
Carriage adjustable & roller • Suit window
Stainless steel carriage. 25kg.
Acetal roller with bearing.



3-5300
Carriage adjustable & roller
Suit window
Suits GJames 131 series. 15kg.



3-5310
Carriage adjustable & roller
Suit window
Two adjustment heights. 12kg.
Acetal flat roller and brass axle pin.
10mm roller. Suits Aluminex, Boka,
Stegbar, Yamba, Crane and others.



3-5320
Carriage adjustable & roller
Suit window
Adjustable vertically. 9kg.
Acetal flat roller and brass axle pin.



3-5321
Similar to 3-5320 • Grooved roller
Adjustable vertically. 9kg.
Acetal concave roller and brass axle pin.



3-5331
Carriage adjustable & roller
Suit window
15mm roller. 15kg.
Acetal concave roller with bearing.



3-5332
Similar to 3-5331 • Stainless steel roller
15mm roller. 16kg.
Stainless steel concave roller with bearing.



3-5350
Carriage & roller • Suit window
Metal housing. 4kg.
Acetal concave roller and brass axle pin.



3-5360
Carriage adjustable & roller
Suit window
Two adjustment heights. 10kg.
Acetal roller and brass axle pin.
16.5mm diameter roller.
Suits Grandview, Dowell, BJ Hanlon,
Expo, Jensen and others.



Window & Door Accessories
Double-Hung Windows
Awning & Casement Windows
Window Catches & Locks
Sliding Door Locks
Track & Accessories



Symbol Guide
for this section

Heavy Duty
Capacity up to Xkg per unit

X% Actual Size
Image displayed is a proportion of the part's actual size

Not to Scale
Image displayed is not actual size

Keyed
Number of keys included

Call for Availability
Rare part - Please call us to check availability pior to ordering

No Longer Available
Not currently available for sale

Box Quantity
Number of units in a box

Track Delivery Surcharge
All track deliveries incur a track delivery surcharge to offset the extra freight and packaging costs

Sliding Door Lock Measurements
Height and width measurements for sliding door locks

NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467



4-0016
Packer • Suit window & door
1.6mm. Blue.
1000 QTY



4-0032
Packer • Suit window & door
3.2mm. Red.
800 QTY



4-0050
Packer • Suit window & door
5mm. White.
600 QTY



4-0064
Packer • Suit window & door
6.4mm. Yellow.
500 QTY



4-0100
Packer • Suit window & door
10.0mm. Black.
300 QTY



3-2022
Carriage & roller • Suit double-hung window
Brass roller with bearing. 36kg.



3-2024
Cover plate brass • Suit double-hung window
Suits 3-2022.



3-2020
Carriage & roller • Suit timber door
Also suits double-hung windows. 34kg.
Acetal roller with bearing.



4-2053
Awning pulley • Suit double-hung windows
Tandem pulley. Max sash weight 60kg (30kg each).
Stainless steel.



4-2052
Awning pulley • Suit double-hung windows
High-sided. Black electro-plated steel housing.
Acetal roller with bearing.



4-2052SS
Awning pulley • Suit double-hung windows
High-sided. 35kg. Stainless steel housing.
Stainless steel roller with bearing.



4-2056
Awning pulley • Suit double-hung windows
Heavy duty. Key hole fix. Stainless steel carriage. 35kg.
48mm acetal roller with bearing.
Suits Austview, Dayview, Shugg and others.



4-2057B
Awning pulley
Suit double-hung windows
Key hole fix. Stainless steel carriage.
21.3mm x 9.3mm acetal roller with pin bearing.
Suits Austview, Dayview, Shugg and others.



4-2103
Lock push • Suit sliding window
7mm shaft and 4mm thread. Suits extension pins.
Use extension pins 4-2105, 4-2112, 4-2133 and 4-2175 for extra length shaft.



4-2105
Extension pin • Suit lock push
5mm.



4-2112
Extension pin • Suit lock push
12mm.



4-2133
Extension pin • Suit lock push
33mm.



4-2175
Extension pin • Suit lock push
75mm.





4-6115
Lock sash • Suit double-hung window
Suits Boral.

KEYED



60% ACTUAL SIZE

Adjustable chain lengths: 10cm, 15cm and 30cm

To switch between lengths, loosen the Phillips-head screw, shift it to the desired interval and re-tighten



60% ACTUAL SIZE

4-3000BLK
Chain winder • Non-lockable
Left-handed. Zinc-plated chain. Black.

4-3000DUN
Dune.

4-3000JAS
Jasper.

4-3000PBK
Paperbark.

4-3000PRI
Primrose.

4-3000SUR
Surfmist.

4-3000ULS
Ultra silver.

4-3000WHB
White birch.

4-3000WHT
White.



KEYED

60% ACTUAL SIZE

4-3005BLK
Chain winder • Lockable
Left-handed. Zinc-plated chain. Black.

4-3005DUN
Dune.

4-3005JAS
Jasper.

4-3005PBK
Paperbark.

4-3005PRI
Primrose.

4-3005SUR
Surfmist.

4-3005ULS
Ultra silver.

4-3005WHB
White birch.

4-3005WHT
White.



4-3009BLK
Chain winder • Lockable
Right-handed. Zinc plated chain. Black.

4-3009BRN
Brown.

4-3009PBK
Paperbark.

4-3009PRI
Primrose.

4-3009ULS
Ultra silver.

4-3009WHB
White birch.

4-3009WHT
White.



4-3015BLK
Chain winder • Lockable
Left-handed. 304 stainless steel chain. Black.

4-3015PBK
Paperbark.

4-3015PRI
Primrose.

4-3015SIL
Silver.

4-3015STC
Satin chrome.

4-3015WHT
White.



4-3216BLK
Spacer plate • Suit chain winder
16mm. Black.

4-3216CTP
Citi pearl.

4-3216SIL
Silver.

4-3216WHT
White.

4-3220BLK
Spacer plate • Suit chain winder
20mm. Black

4-3220CTP
Citi pearl.

4-3220SIL
Silver.

4-3220WHT
White.



4-2100
Lock push • Suit sliding window
Angled. 13.5mm throw. Black. Metal.



4-2100P
Lock push • Suit sliding window
Angled. 12.5mm throw. Black. Plastic.



4-2101
Lock push • Suit sliding window
Standard. 13.5mm throw. Black. Metal.



4-2101P
Lock push • Suit sliding window
Standard. 12.5mm throw. Black. Plastic.



4-2102
Lock push • Suit sliding window
Medium. 10.5mm throw. Black. Metal.
Bolt protrudes 8mm in open position, 18.5mm in closed position.



4-1997BLK
Cover • Suit weep hole
Suits Bradnams. Black.

4-1997CLR
Clear.



4-6011
Catch & spring • Suit sliding window
100mm. Suits CTL.



4-6012
Catch & spring • Suit sliding window
Suits Bradnams and Clearview.



4-6015
Catch & spring • Suit sliding window
Suits Statesman Windows.



4-6016
Catch & spring • Suit sliding window
Suits GJames.



4-6018
Catch & spring • Suit sliding window
Suits GJames.



4-6020
Catch & spring • Suit sliding window
Suits Dowell Ventura.



4-6030
Catch & spring • Suit sliding window
Suits old Trimview. Black only.



4-6030S
Spring • Suit sliding window
Suits old Trimview.



4-6040
Catch & spring • Suit sliding window
Suits old Comalco. Similar to 4-6050.
Care should be taken as one does not fit the other.



4-6050
Catch & spring • Suit sliding window
Suits old Bristile and Wunderlich. Similar to 4-6040.
Care should be taken as one does not fit the other.



4-6080
Catch & spring • Suit sliding window
Suits Precision. Keyed version not available.



4-6101
Catch & spring • Suit sliding window
Multifit. Black. Suits Ullrich Pentagon 60 suite.



4-6305BLK
Catch & spring • Suit sliding window
Multifit. Black.



4-6045
Catch & spring • Suit sliding window
Suits A&L.



4-6082
Lock vent with key • Suit sliding window
Suits BGC.



4-6081
Lock vent with key • Suit sliding window
Suits current Frontline.



4-6085
Lock vent with key • Suit sliding window
Suits Boral and Dowell.



Barrel diameter: 23mm

KEYED

4-6094
Lock plunger • Suit glass sliding panel
Suits Clearview, Dayview and others.
Includes cover plate.

4-6094CP
Cover plate • Suit 4-6094



4-6113
Catch & spring • Suit sliding window
Suits Boral BST.

Left hand shown.



KEYED

4-6124
Catch & spring • Suit sliding window
Left hand. Suits Jason Window Breeze lock.
Replaces Rolltrak's 6121.

4-6125
Right hand. Replaces Rolltrak's 6122.



4-6120
Catch & spring • Suit sliding window
Suits Jason.



KEYED

4-6112
Catch & spring • Suit sliding window
Suits Boral BST.
The plastic spring is built into the handle and not available separately.





4-6138
Catch & spring
Suit sliding window
Non-keyed.
Suits Bradnams.





KEYED

4-6139
Catch & spring • Suit sliding window
Suits Bradnams.





KEYED

4-6142
Catch & spring
Suit sliding window
Suits Bradnams, Wideline and Clearview.

4-6141
Non-keyed.



4-6151
Catch & spring • Suit sliding window
Suits Frontline and old Robb & Brown.



KEYED

4-6144
Catch & spring • Suit sliding window
Suits Stegbar.

4-6143
Non-keyed.





4-6160
Catch & spring
Suit sliding window





KEYED

4-6148
Catch & spring • Suit sliding window
Suits Wintec.

4-6147
Non-keyed.





4-6173
Catch & spring
Suit sliding window
Suits AMP, Allulite, Dowell and others.

KEYED





4-6201
Catch & spring • Suit sliding window
Suits JG. Can replace 4-6200.
Beware of the small springs that can dislodge easily before assembly.

KEYED



4-6190
Catch & spring • Suit sliding window
Suits View-Max.

KEYED





4-6270
Catch & spring • Suit sliding window
Suits Comalco and Wunderlich. Snail back.





4-6206
Catch & spring • Suit sliding window
Suits Vincent and Trend.



4-6225
Catch & spring • Suit sliding window
Rare part - Call for availability.









4-6230
Catch & spring
Suit sliding window
Suits Capral and Crane.







4-6231
Catch & spring • Suit sliding window



4-6220
Catch & spring
Suit sliding window
Suits Comalco and others.
Can replace 4-6040.

4-6219
Non-keyed.





4-6234
Catch & spring
Suit sliding window
Suits MTM and Adelaide.
Can replace Rolltrak's 6233.



4-8530 Sliding Door Lock

Suit sliding patio door

- Non-keyed
- Zinc construction
- Includes 4-8570 outer pull and 4-8540 striker plate
- For flush outer pull, use 4-8590



Available in

4-8530BLK Black

Longer stainless steel screws for thicker doors are available and sold separately.

4-8501
4mm x 50mm.



4-8502
4mm x 55mm.



4-8503
4mm x 60mm.



4-8504
4mm x 65mm.



4-8630 Sliding Door Lock

Suit sliding patio door

- 5-pin cylinder, outside only
- Zinc construction
- Includes 4-8580 outer pull, 4-8160 cylinder and 4-8540 striker plate
- For flush outer pull, use 4-8660

KEYED





Available in

4-8630BLK
Black



Longer stainless steel screws for thicker doors are available and sold separately.

4-8501
4mm x 50mm.



4-8503
4mm x 60mm.



4-8502
4mm x 55mm.



4-8504
4mm x 65mm.



NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467



4-8142
Cylinders & keys • Suit patio door
Twin pin cylinders. Suits 4-8640.

4-8501
Screw • Suit patio door handle
4mm x 50mm. Stainless steel.



4-8502
Screw • Suit patio door handle
4mm x 55mm. Stainless steel.



4-8503
Screw • Suit patio door handle
4mm x 60mm. Stainless steel.



4-8504
Screw • Suit patio door handle
4mm x 65mm. Stainless steel.



4-8160
Cylinder & key • Suit patio door
Pin cylinder with C4 keys. Includes cuttable tail.
Suits 4-8630 and others.



4-8540BLK
Lock striker • Suit sliding patio door
Universal cover. Black. Suits 4-8530 and 4-8630. Zinc construction.



4-8570BLK
Lock pull • Suit sliding patio door lock
No cylinder hole. Includes screws. Black.
Suits 4-8530 and 4-8531.

4-8580BLK
Lock pull • Suit sliding patio door lock
With cylinder hole. Includes screws. Black.
Suits 4-8630 and 4-8631.



4-8590

Lock pull • Suit sliding patio door lock

Flush pull. Plastic. No cylinder hole. Black.
Includes 2 x 3-1710 sleeve nuts and screws.
Suits lock 4-8530 and 4-8531.



4-8660

Lock pull • Suit sliding patio door lock

Flush pull. Plastic. With cylinder hole.
Includes 2 x 3-1710 sleeve nuts and screws.
Suits 4-8630 and 4-8631 sliding door lock.





4-8531BLK

Lock • Suit sliding patio door

Non-keyed. Zinc construction. Matt Black.
Includes 4-8570 outer pull and 4-8540 striker plate.
For flush outer pull, use 4-8590.









4-8631BLK

Lock • Suit sliding patio door

Key lockable (outside only). Zinc construction. Matt black.
Includes 4-8580 outer pull, 4-8540 striker plate and 4-8160 cylinder.
For flush outer pull, use 4-8660.

KEYED

4-8610 Sliding Door Lock

Suit sliding patio door

NLA NO LONGER AVAILABLE

NOT TO SCALE



- Use 4-8610 as replacement for 4-8619

- Lock body and screws
- Suits Boral KM Cyclone and GJames
- Use 4-8710 outer pull and 4-8210 cylinder if required (sold separately)

Available in

4-8610BLK Black





3-1711 x 2 included with the 4-8610 lock.



4-8710
Lock pull • Suit sliding patio door lock
Cylinder hole. Black.
Suits Boral KM Cyclone and old GJames.



4-8210
Cylinder & keys • Suit sliding patio door lock
5-pin with tail. C4 keys.
Suits Boral KM Cyclone and GJames.

KEYED

4-8611 Sliding Door Lock

Suit sliding patio door

- Lock body, outer pull and screws
- Non-keyed
- Suits GJames commerical and high-end residential

Available in

4-8611BLK
Black







4-8638BLK

Lock • Suit sliding patio door

D-shaped plastic handle. 5-pin cylinder, inside and out.
Includes outer pull, striker, screws and 2 x C4 keys.
Suits Bradnams. Black.







4-8639BLK

KEYED

Lock • Suit sliding patio door

D-shaped plastic handle. 5-pin cylinder, outside only.
Includes handle packer, 'small D' flush outer pull,
striker, screws and 2 x C4 keys.
Suits Bradnams. Black.





4-8640BLK

Lock • Suit sliding patio door

KEYED

D-shaped plastic handle. Black.
Includes cylinders with 2 x C4 keys,
outer pull and striker plate.
This lock will replace the Boral Digilock.
For Flush outer pull, use 4-8660.

4-8640WHT

White.











4-8670BLK
Lock • Suit sliding patio door
Vista. 5-pin cylinder, inside and out.
16mm strike. Black.

KEYED

4-8670PRI
Primrose.

4-8670SIL
Silver.

4-8670WHT
White.



4-8671BLK
Lock • Suit sliding patio door
Vista. 5-pin cylinder, inside only.
16mm strike. Black.

KEYED

4-8671PRI
Primrose.

4-8671SIL
Silver.

4-8671WHT
White.





4-8672BLK
Lock • Suit sliding patio door
Vista. 5-pin cylinder, outside only.
16mm strike. Black.

KEYED

4-8672PRI
Primrose.

4-8672SIL
Silver.

4-8672WHT
White.



4-8680BLK
Lock • Suit sliding patio door
Vista. 5-pin cylinder, inside and out.
25mm strike. Black.

KEYED

4-8680PRI
Primrose.

4-8680SIL
Silver.

4-8680WHT
White.





4-8681BLK
Lock • Suit sliding patio door
Vista. 5-pin cylinder, inside only.
25mm strike. Black.

KEYED

4-8681PRI
Primrose.

4-8681SIL
Silver.

4-8681WHT
White.











4-8682BLK
Lock • Suit sliding patio door
Vista. 5-pin cylinder, outside only.
25mm strike. Black.

4-8682PRI
Primrose.

4-8682SIL
Silver.

4-8682WHT
White.



4-8678BLK
Packer • Suit Vista strike
6mm packer. Suits Vista 16mm strike. Black.



4-8688BLK
Packer • Suit Vista strike
6mm packer. Suits Vista 25mm strike. Black.



4-8685BLK
Lock striker • Suit sliding patio door lock
Suits Vista. 25mm strike.



4-8667
Striker plate • Suit sliding patio door lock
Suits Bradnams lock 4-8869BLK.



4-8892BLK
Lock lever • Suit sliding patio door
Replacement lever only.
Suit Jason bolt lock 4-8838. Black.

4-8892AGR
Anotec grey.

4-8892CHL
Charcoal lustre.

4-8892MAG
Magnolia.

4-8892WHT
White.



4-8650
Packer • Suit sliding patio door lock
Suits 4-8530, 4-8531, 4-8630 and 4-8631.
Black. For longer screws, use 4-8503.



4-8658
Packer • Suit sliding patio door lock
Suits 4-8638, 4-8639 and 4-8640 deadlocks.
Clear.



4-8831SIL
Lock • Suit sliding patio door
Lever lock. Suits Jason. Left hand. Silver pearl.

80% ACTUAL SIZE

4-8832SIL
Lock • Suit sliding patio door
Lever lock. Suits Jason. Right hand. Silver pearl.

80% ACTUAL SIZE





4-8857BLK
Lock • Suit sliding patio door
Mortice lock and handle set.
Includes striker.
Use 1-8150 or 1-8190 security door cylinder (not included).
Suits Jason. Black.

4-8857AGR
Anotec grey.

4-8857DOS
Doeskin.

4-8857MAG
Magnolia.

4-8857WHT
White.









4-8856BLK
Lock • Suit sliding patio door
COMPLETE LOCK SET.
Includes mortice lock, handles, wafer cylinder and striker.
Suits BGC Mk2. Black.
Can use 4-8857.

4-8856WHT
White.

4-8851BLK
Lock • Suit sliding patio door
HANDLE SET ONLY.
Suits BGC Mk2. Black.
Can use 4-8857.

4-8851MAG
Magnolia.

4-8851WHT
White.

4-8856BLK-LB
Lock • Suit sliding patio door
MORTICE LOCK BODY ONLY.
Suits BGC Mk2. Black.
Can use 4-8857.

4-8856WHT-LB
White.



4-8868BLK

Lock • Suit sliding patio door

Handle set only. Metal construction.
Cylinder and lock body NOT included.
Use 1-8150 security door cylinder.
Suits Bradnams. Black.





4-8869BLK

Lock • Suit sliding patio door

Mortice lock and handle set. Plastic construction.
Cylinder NOT included. Use 1-8150 security door cylinder.
Suits Bradnams. Black.



COVER TRACKS WITHOUT LEG

NOTE: 5 length delivery MOQ applies. Can be mixed.

$10 Track Delivery Surcharge

All track deliveries incur a track delivery surcharge to offset the extra freight and packaging costs.



4-9000-T1
Track cover • Suit sliding door & window
Cover track, no leg.
2375mm. Stainless steel.
Track 1. Fix with builders bog.



4-9000-T4
Track cover • Suit sliding door & window
Cover track, no leg.
2375mm. Stainless steel.
Track 4. Fix with builders bog.



4-9000-T6
Track cover • Suit sliding door & window
Cover track, no leg.
2375mm. Stainless steel.
Track 6. Fix with builders bog.



4-9000-T2
Track cover • Suit sliding door & window
Cover track, no leg.
2375mm. Stainless steel.
Track 2. Fix with builders bog.



4-9000-T5
Track cover • Suit sliding door & window
Cover track, no leg.
2375mm. Stainless steel.
Track 5. Fix with builders bog.



4-9000-T7
Track cover • Suit sliding door & window
Cover track, no leg.
2375mm. Stainless steel.
Track 7. Fix with builders bog.



4-9000-T3
Track cover • Suit sliding door & window
Cover track, no leg.
2375mm. Stainless steel.
Track 3. Fix with builders bog.

NOT TO SCALE

7-5050
Scraper • 50mm
Plastic.
Refer to page 198 for more sizes.



4-GAUGE9000
Track gauge • Without leg set
Suit tracks 4-9000-T1 to 4-9000-T7.
Track measuring guide.

$10
Track Delivery Surcharge

All track deliveries incur a track delivery surcharge to offset the extra freight and packaging costs.

COVER TRACKS WITH LEG

NOTE: 5 length delivery MOQ applies. Can be mixed.



4-9010-P2
Track cover • Suit sliding door & window
Cover track with leg.
2440mm. Stainless steel.
Profile 2. Screw fix track.
Can also use builders bog.



4-9010-P4
Track cover • Suit sliding door & window
Cover track with leg.
2440mm. Stainless steel.
Profile 4. Screw fix track.
Can also use builders bog.



4-9010-P6
Track cover • Suit sliding door & window
Cover track with leg.
2440mm. Stainless steel.
Profile 6. Screw fix track.
Can also use builders bog.



4-9010-P3
Track cover • Suit sliding door & window
Cover track with leg.
2440mm. Stainless steel.
Profile 3. Screw fix track.
Can also use builders bog.



4-9010-P5
Track cover • Suit sliding door & window
Cover track with leg.
2440mm. Stainless steel.
Profile 5. Screw fix track.
Can also use builders bog.



4-9010-P7
Track cover • Suit sliding door & window
Cover track with leg.
2440mm. Stainless steel.
Profile 7. Screw fix track.
Can also use builders bog.



4-9010-P8
Track cover • Suit sliding door & window
Cover track with leg.
2440mm. Stainless steel.
Profile 8. Screw fix track.
Can also use builders bog.



4-GAUGE9010
Track gauge • With leg set
Suit tracks 4-9010-P2 to 4-9000-P8.
Track measuring guide.
Left side for determining radius.
Right side for checking profile of track.

NOT TO SCALE



7-5050
Scraper • 50mm
Plastic.
Refer to page 198 for more sizes.



4-9100-24
Track cover • Suit sliding door
Aluminium cover track. 2.4m. Mill finish.
Can fit over some damaged tracks.



4-9110PD-20
Track replacement • Suit sliding door
Aluminium track. 2.0m. Mill finish.
Pre-drilled.

4-9110PD-25
2.5m



4-9120PD-20
Track replacement • Suit sliding door
Brass track. 2.0m. Mill finish.
Pre-drilled.

4-9120PD-25
2.5m



4-9160PD-20
Track 'T' • Suit sliding door
Aluminium 'T' track. 25mm x 25mm. 2.0m. Mill finish.
Pre-drilled.

4-9160PD-25
2.5m



Track Delivery Surcharge

All track deliveries incur a track delivery surcharge to offset the extra freight and packaging costs.

NOTE: 5 length delivery MOQ applies. Can be mixed.



4-9140M
Track replacement • Suit sliding door
PVC cover track. Short side wall. Frosted.
Suits old Jason and others.
Sold per metre.



4-9150M
Track replacement • Suit sliding door
PVC cover track. Long side wall. Frosted.
Suits old Jason and others.
Sold per metre.



Throw Style Locks
Surface Mounted Door Closers
Concealed Overhead Door Closers
Hinges
Flush Bolts



Symbol Guide
for this section

Heavy Duty
Capacity up to Xkg per unit

Extra Heavy Duty
Capacity up to Xkg per unit

Corrosion Resistant
Able to resist corrosion in the presence of water or air moisture

Not to Scale
Image displayed is not actual size

Keyed
Number of keys included

NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467



Lock mortice • Ryobi 20 Series short throw
Bolt style mortice lock with 23mm backset for narrow stile aluminium doors.
22mm 'short throw' bolt. Suits hinged commercial, single entrance doors.
Available in both cylinder and turn (5-2001), and double cylinder (5-2002) options.
Silver.

- Suits 32mm to 40mm thick aluminium doors
- Heavy duty, 5-blade, case hardened riveted bolt with concealed pin
- Includes long and short aluminium faceplates with stainless steel screws







5-2001

Short throw lock with cylinder & turn • Ryobi 20 Series ST2001CTS

Bolt style lockset with 22mm 'short throw' bolt.
Includes lock, 5-pin cylinder, turn, faceplates, screws and escutcheons.
Suits hinged commercial, single entrance doors. Silver.

KEYED







5-2002

Short throw lock with double cylinder • Ryobi 20 Series ST2001DCS

Bolt style lockset with 22mm 'short throw' bolt.
Includes lock, 5-pin cylinders, faceplates, screws and escutcheons.
Suits hinged commercial, single entrance doors. Silver.

KEYED



5-2025

Lever escape • Ryobi 20 Series

Escape lever for fire and safety. Sold separately.
Replaces inside cylinder or turn for fast escape.
Suits all Ryobi 20 Series mortice locks. Silver.



Lock mortice • Ryobi 20 Series long throw
Bolt style mortice lock with 23mm backset for narrow stile aluminium doors.
37mm 'long throw' bolt. Suits hinged commercial, double entrance doors.
Available in both cylinder and turn (5-2011), and double cylinder (5-2012) options.
Silver.

- Suits 32mm to 40mm thick aluminium doors
- Heavy duty, 5-blade, case hardened riveted bolt with concealed pin
- Includes long and short aluminium faceplates with stainless steel screws







5-2011

Long throw lock with cylinder & turn • Ryobi 20 Series LT2011CTS

Bolt style lockset with 37mm 'long throw' bolt.
Includes lock, 5-pin cylinder, turn, faceplates, screws and escutcheons.
Suits hinged commercial, double entrance doors. Silver.

KEYED







5-2012

Long throw lock with double cylinder • Ryobi 20 Series LT2011DCS

Bolt style lockset with 37mm 'long throw' bolt.
Includes lock, 5-pin cylinders, faceplates, screws and escutcheons.
Suits hinged commercial, double entrance doors. Silver.

KEYED



5-2025

Lever escape • Ryobi 20 Series

Escape lever for fire and safety. Sold separately.
Replaces inside cylinder or turn for fast escape.
Suits all Ryobi 20 Series mortice locks. Silver.



Lock mortice • Ryobi 20 Series hook throw
Bolt style mortice lock with 23mm backset for narrow stile aluminium doors.
29mm 'hook throw' bolt. Suits sliding commercial entrance doors.
Available in both cylinder and turn (5-2021), and double cylinder (5-2022) options.
Silver.

- Suits 32mm to 40mm thick aluminium doors
- Heavy duty, 5-blade, case hardened riveted bolt with concealed pin
- Includes striker box, long, short and striker aluminium faceplates with stainless steel screws







5-2021

Hook throw lock with cylinder & turn • Ryobi 20 Series ST2021CTS

KEYED

Bolt style lockset with 29mm 'hook throw' bolt.
Includes lock, striker box, 5-pin cylinder, turn, faceplates, screws and escutcheons.
Suits sliding commercial entrance doors. Silver.







5-2022

Hook throw lock with double cylinder • Ryobi 20 Series ST2021DCS

KEYED

Bolt style lockset with 29mm 'hook throw' bolt.
Includes lock, striker box, 5-pin cylinders, faceplates, screws and escutcheons.
Suits sliding commercial entrance doors. Silver.



5-2025

Lever escape • Ryobi 20 Series

Escape lever for fire and safety. Sold separately.
Replaces inside cylinder or turn for fast escape.
Suits all Ryobi 20 Series mortice locks. Silver.

SURFACE MOUNTED DOOR CLOSER SELECTION CHART

Door & Closer

Total Code	Closer Model	Max. Door Weight (Kg)	Standard Arm	Parrallel Arm	Slide Arm	Spring Strength	Hold Open Function	Price Guide
5-2100	2100BCV	80	✓	✓		2-4 by position	Optional arm	●●●
5-2101	2100BCT	60			✓	2-3 by position	Optional device	●●●
5-2120	1200BCV	80	✓	✓		2-4 by position		●
5-2121	1200BCT	40			✓	2	Included device	●
5-2152	1502BCV	45	✓	✓		2	Optional arm	●
5-2153	1503BCV	60	✓	✓		3	Optional arm	●
5-2154	1504BCV	80	✓	✓		4	Optional arm	●●
5-2550	2550DABCV	80	✓	✓		1-4 by valve	Optional arm	●●●
5-2551	2550DABCT	60			✓	1-3 by valve	Optional device	●●●
5-2580	2580BCV	80	✓	✓		1-4 by valve		●●●●●
5-2620	62	45	✓			2		●
5-2623	62P	45		✓		2		●
5-2624	162	45	✓			2	80° fixed	●●
5-2627	162P	45		✓		2	80° fixed	●●
5-2630	63	60	✓			3		●●
5-2633	63P	60		✓		3		●●
5-2634	163	60	✓			3	80° fixed	●●
5-2637	163P	60		✓		3	80° fixed	●●
5-2640	64	80	✓			4		●●
5-2643	64P	80		✓		4		●●
5-2882	8802BCV	45	✓	✓		2	Optional arm	●
5-2883	8803BCV	65	✓	✓		3	Optional arm	●
5-2884	8804BCV	80	✓	✓		4	Optional arm	●
5-3550	3550DABCV	150	✓	✓		2-6 by valve	Optional arm	●●●●
5-4550	4550BCV	200	✓	✓		2-7 by valve	Optional arm	●●●●●

Delayed action control is designed to delay the closing cycle of the door. Once the door is opened, this feature slows the closing speed between the maximum opening angle and about 75 degrees, allowing the elderly, those in wheelchairs or those pushing prams, trolleys, etc., more time to pass through the opening.

Fire doors are a specialist area that is heavily regulated, tested, inspected and certified as a whole of door. Frames, seals, fixings, installation method and accuracy are important and in some duristrictions, licenced installers are required. Installers should research their local compliance and situational requirements.

SURFACE MOUNTED DOOR CLOSER SELECTION CHART

Site & Situation

Total Code	Closer Model	Door Width External (mm)	Door Width Internal (mm)	Max. Opening Angle	Back Check	Delayed Action	Fire Rated	Drop Plate Available
5-2100	2100BCV	1050	1200	180°	✓		✓	✓
5-2101	2100BCT	850	950	180°	✓		✓	✓
5-2120	1200BCV	1000	1100	180°	✓		✓	
5-2121	1200BCT	800	850	180°	✓		✓	
5-2152	1502BCV	800	900	180°	✓		✓	✓
5-2153	1503BCV	900	1050	180°	✓		✓	✓
5-2154	1504BCV	950	1200	180°	✓		✓	✓
5-2550	2550DABCV	950	1200	180°	✓	✓	✓	✓
5-2551	2550DABCT	900	1050	180°	✓	✓	✓	✓
5-2580	2580BCV	950	1200	180°	✓			
5-2620	62	800	900	180°				
5-2623	62P	800	900	180°				
5-2624	162	800	900	180°				
5-2627	162P	800	900	180°				
5-2630	63	900	950	180°				
5-2633	63P	900	950	180°				
5-2634	163	900	950	180°				
5-2637	163P	900	950	180°				
5-2640	64	950	1050	180°				
5-2643	64P	950	1050	180°				
5-2882	8802BCV	800	900	180°	✓		✓	
5-2883	8803BCV	900	950	180°	✓		✓	
5-2884	8804BCV	950	1000	180°	✓		✓	
5-3550	3550DABCV	1350	1500	180°	✓	✓	✓	✓
5-4550	4550BCV	1400	1500	180°	✓			

Door widths quoted are indicative maximum widths that can be affected by site location and conditions. Widths can also be affected by closer model design, spring strength, arm and bracket location. For more information, refer to the installation instructions supplied with the door closer.

Back check control is designed to dampen the opening of a hinged door and is generally adjustable between 75 and 180 degrees. Doors opened at speed or assisted by strong winds could injure people or cause damage to door frames, walls, furniture etc. When choosing a door closer with back check control, consider using extra, larger or stronger hinges.



- Adjustable back check, latching and closing speeds
- Spring strength varies by closer position
- Refer to door closer selection charts on pages 166-167 for more info

5-2100
Door closer • Suit hinged commercial door
Ryobi 2100BCV-F4. Surface mounted. 60-80kg. Silver.
Suits both pull and push side installations.
Includes closer body, arm set, both standard and parallel arm brackets and screws.

5-2101
Door closer • Suit hinged commercial door
Ryobi 2100BCT-F4. Surface mounted. Slide arm. 60kg. Silver.
Suits pull side installations only.
Includes closer body, slide arm, channel and screws.

5-2107
Arm set • Suit Ryobi 2100 series
Standard, hold open. Silver.

5-2108
Arm set • Suit Ryobi 2100 series
Parallel, hold open. Silver.

5-2109
Drop plate • Suit Ryobi 2100 series
Silver.



- Adjustable back check, latching and closing speeds
- Spring strength varies by closer position
- Available in silver and black
- Refer to door closer selection charts on pages 166-167 for more info

5-2120BLK
Door closer • Suit hinged commercial door
Ryobi 1200BCV-F2. Surface mounted. 40-80kg. Black.
Suits both pull and push side installations.
Includes closer body, arm set, both standard and parallel arm brackets and screws.

5-2120SIL
Door closer • Suit hinged commercial door
Ryobi 1200BCV-F2. Surface mounted. 40-80kg. Silver.
Suits both pull and push side installations.
Includes closer body, arm set, both standard and parallel arm brackets and screws.

5-2121BLK
Door closer • Suit hinged commercial door
Ryobi 1200BCT-F2. Surface mounted. Slide arm. 40kg. Black.
Suits pull side installations only.
Includes closer body, slide arm, channel, screws and hold open device.

5-2121SIL
Door closer • Suit hinged commercial door
Ryobi 1200BCT-F2. Surface mounted. Slide arm. 40kg. Silver.
Suits pull side installations only.
Includes closer body, slide arm, channel, screws and hold open device.



- Adjustable back check, latching and closing speeds
- Spring strength varies by closer model
- Suits both pull and push side installations
- Includes closer body, arm set, both standard and parallel arm brackets and screws
- Refer to door closer selection charts on pages 166-167 for more info

5-2152
Door closer • Suit hinged commercial door
Ryobi 1502BCV-F2. Surface mounted. 45kg. Silver.

5-2153
Door closer • Suit hinged commercial door
Ryobi 1503BCV-F2. Surface mounted. 60kg. Silver.

5-2154
Door closer • Suit hinged commercial door
Ryobi 1504BCV-F2. Surface mounted. 80kg. Silver.

5-2155
Cover box • Suit Ryobi 1500 series
Optional extra. Silver.

5-2557
Arm set • Suit Ryobi 1500 and 2550 series
Standard, hold open. Silver.

5-2558
Arm set • Suit Ryobi 1500 and 2550 series
Parallel, hold open. Silver.

5-2159
Drop Plate • Suit Ryobi 1500 series
Silver.



- Adjustable back check, latching and closing speeds
- Includes delayed action feature
- Spring strength varies by adjustment valve
- Refer to door closer selection charts on pages 166-167 for more info

5-2550
Door closer • Suit hinged commercial door
Ryobi 2550DABCV-F1.5. Surface mounted. 80kg. Silver.
Suits both pull and push side installations.
Includes closer body, cover, arm set, both standard and parrallel arm brackets and screws.

5-2551
Door closer • Suit hinged commercial door
Ryobi 2550DABCT-F1.5. Surface mounted. Slide arm. 60kg. Silver.
Suits pull side installations only.
Includes closer body, cover, slide arm, channel and screws.

5-2557
Arm set • Suit Ryobi 1500 and 2550 series
Standard, hold open. Silver.

5-2558
Arm set • Suit Ryobi 1500 and 2550 series
Parallel, hold open. Silver.

5-2559
Drop Plate • Suit Ryobi 2550 series
Silver.



- Adjustable back check, latching and closing speeds
- Spring strength varies by adjustment valve
- Suits both pull and push side installations
- Includes closer body, 304 stainless steel cover, arm set, both standard and parallel arm brackets and screws
- Refer to door closer selection charts on pages 166-167 for more info

5-2580
Door closer • Suit hinged commercial door
Ryobi 2580BCV. Surface mounted. 80kg. Stainless steel. Includes 304 stainless steel cover, arm set and brackets.



- Adjustable latching and closing speeds
- Spring strength and hold open function varies by closer model
- Suits pull side installations only
- Includes closer body, arm set, standard arm bracket and screws
- Refer to door closer selection charts on pages 166-167 for more info

5-2620
Door closer • Suit hinged commercial door
Ryobi 62. Surface mounted. Standard arm. Non hold open. 45kg. Silver.

5-2630
Door closer • Suit hinged commercial door
Ryobi 63. Surface mounted. Standard arm. Non hold open. 60kg. Silver.

5-2640
Door closer • Suit hinged commercial door
Ryobi 64. Surface mounted. Standard arm. Non hold open. 80kg. Silver.

5-2624
Door closer • Suit hinged commercial door
Ryobi 162. Surface mounted. Standard arm. Hold open. 45kg. Silver.

5-2634
Door closer • Suit hinged commercial door
Ryobi 163. Surface mounted. Standard arm. Hold open. 60kg. Silver.



- Adjustable back check, latching and closing speeds
- Spring strength varies by closer model
- Suits both pull and push side installations
- Includes closer body, arm set, both standard and parallel arm brackets and screws
- Refer to door closer selection charts on pages 166-167 for more info

5-2882
Door closer • Suit hinged commercial door
Ryobi 8802BCV-F2. Surface mounted. 45kg. Silver.

5-2883
Door closer • Suit hinged commercial door
Ryobi 8803BCV-F2. Surface mounted. 65kg. Silver.

5-2884
Door closer • Suit hinged commercial door
Ryobi 8804BCV-F2. Surface mounted. 80kg. Silver.



- Adjustable latching and closing speeds
- Spring strength and hold open function varies by closer model
- Suits push side installations only
- Includes closer body, arm set, parallel arm bracket and screws
- Refer to door closer selection charts on pages 166-167 for more info

5-2623
Door closer • Suit hinged commercial door
Ryobi 62P. Surface mounted. Parallel arm. Non hold open. 45kg. Silver.

5-2633
Door closer • Suit hinged commercial door
Ryobi 63P. Surface mounted. Parallel arm. Non hold open. 60kg. Silver.

5-2643
Door closer • Suit hinged commercial door
Ryobi 64P. Surface mounted. Parallel arm. Non hold open. 80kg. Silver.

5-2627
Door closer • Suit hinged commercial door
Ryobi 162P. Surface mounted. Parallel arm. Hold open. 45kg. Silver.

5-2637
Door closer • Suit hinged commercial door
Ryobi 163P. Surface mounted. Parallel arm. Hold open. 60kg. Silver.



- Adjustable back check, latching and closing speeds
- Includes delayed action feature
- Spring strength varies by adjustment valve
- Suits both pull and push side installations
- Includes closer body, cover, arm set, both standard and parallel arm brackets and screws
- Refer to door closer selection charts on pages 166-167 for more info

5-3550
Door closer • Suit hinged commercial door
Ryobi 3550DABCV-F4. Surface mounted. 150kg. Silver.

5-3557
Arm set • Suit Ryobi 3550 and 4550 series
Standard, hold open. Silver.

5-3558
Arm set • Suit Ryobi 3550 and 4550 series
Parallel, hold open. Silver.

5-3559
Drop plate • Suit Ryobi 3550 series
Silver.



- Adjustable back check, latching and closing speeds
- Spring strength varies by adjustment valve
- Suits both pull and push side installations
- Includes closer body, cover, arm set, both standard and parallel arm brackets and screws
- Refer to door closer selection charts on pages 166-167 for more info

5-4550
Door closer • Suit hinged commercial door
Ryobi 4550BCV. Surface mounted. 200kg. Silver.

5-3557
Arm set • Suit Ryobi 3550 and 4550 series
Standard, hold open. Silver.

5-3558
Arm set • Suit Ryobi 3550 and 4550 series
Parallel, hold open. Silver.

CONCEALED OVERHEAD DOOR CLOSER SELECTION CHART

Total Code	Closer Model	Max. Door Weight (Kg)	Door Width External (mm)	Door Width Internal (mm)	Max. Opening Angle	Hold Open	Price Guide
5-3021	30-21	70	750	950	105°		●●●
5-3022	30-22	70	750	950	90°	✓	●●●
5-3023	30-23	70	750	950	90°		●●●
5-3030	30-30	110	900	1050	105°	✓	●●●
5-3031	30-31	110	900	1050	105°		●●●
5-3032	30-32	110	900	1050	90°	✓	●●●
5-3033	30-33	110	900	1050	90°		●●●
5-3040	30-40	170	1050	1250	105°	✓	●●●
5-3041	30-41	170	1050	1250	105°		●●●
5-3042	30-42	170	1050	1250	90°	✓	●●●
5-3043	30-43	170	1050	1250	90°		●●●



EXTRA HEAVY DUTY 70 to 170 KG PER LEAF

NOT TO SCALE

- Reliable, high performance, double action closer tested beyond 1 million open/close cycles
- Includes closer body, fixing packs, arm, channel and floor pivot assembly

5-3021
Door closer • Suit hinged commercial door
Ryobi 30-21. Concealed overhead. 105°. Non hold open. 70kg.

5-3022
Door closer • Suit hinged commercial door
Ryobi 30-22. Concealed overhead. 90°. Hold open. 70kg.

5-3023
Door closer • Suit hinged commercial door
Ryobi 30-23. Concealed overhead. 90°. Non hold open. 70kg.

5-3030
Door closer • Suit hinged commercial door
Ryobi 30-30. Concealed overhead. 105°. Hold open. 110kg.

5-3031
Door closer • Suit hinged commercial door
Ryobi 30-31. Concealed overhead. 105°. Non hold open. 110kg.

5-3032
Door closer • Suit hinged commercial door
Ryobi 30-32. Concealed overhead. 90°. Hold open. 110kg.

5-3033
Door closer • Suit hinged commercial door
Ryobi 30-33. Concealed overhead. 90°. Non hold open. 110kg.

5-3040
Door closer • Suit hinged commercial door
Ryobi 30-40. Concealed overhead. 105°. Hold open. 170kg.

5-3041
Door closer • Suit hinged commercial door
Ryobi 30-41. Concealed overhead. 105°. Non hold open. 170kg.

5-3042
Door closer • Suit hinged commercial door
Ryobi 30-42. Concealed overhead. 90°. Hold open. 170kg.

5-3043
Door closer • Suit hinged commercial door
Ryobi 30-43. Concealed overhead. 90°. Non hold open. 170kg.

5-3050
Arm channel • Suit Ryobi 30 series

5-3051
Adjustable side loading arm • Suit Ryobi 30 series
Includes fixing pack.

5-3052
Fixing pack for side loading arm • Suit Ryobi 30 series

5-3056
Floor pivot assembly • Suit Ryobi 30 series



5-5603

Fast fix hinges • Suit hinged commercial door

ST3 fast fix ball bearing hinges. Pair.
100mm. 304 stainless steel.
Suits aluminium frame to aluminium door.



5-5609

Fast fix hinges • Suit hinged commercial door

ST9 fast fix ball bearing hinges. Pair.
100mm. 304 stainless steel.
Suits aluminium and some timber frames to aluminium and some timber doors.



5-5610
Fast fix hinge
Suit hinged commercial door
104S double fast fix ball bearing hinge. Small. 100mm. 304 stainless steel. Suits some retro fit installations where standard fast fix hinges have failed. Suits aluminium frame to aluminium door.



5-5711NAT
Fast fix hinge
Suit hinged commercial door
104M double fast fix hinge. Medium. 110mm. Aluminium. Clear anodised. Suits aluminium frame to aluminium and some timber doors.



5-5713BLK
Fast fix hinge
Suit hinged commercial door
104L double fast fix hinge. Large. 130mm. Aluminium. Black. Suits aluminium frame to aluminium and some timber doors.

5-5713NAT
Clear anodised.

5-5713WHT
White.



5-6102BLK
Flush bolt • Suit commercial door
Ryobi. Metal rod with plastic tip. 266mm.
Black.



5-6102SIL
Flush bolt • Suit commercial door
Ryobi. Metal rod with plastic tip. 266mm.
Silver.



5-6105
Extension rod • Suit flush bolt
Ryobi. Metal rod with plastic tip. 533mm.



Rivets
Screws
Drill & Driver Bits



Symbol Guide
for this section

NOT TO SCALE

Not to Scale
Image displayed is not actual size

NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

AS

Aluminium Head Steel Mandrel



AS32
2.4mm x 6.0mm. Mill.

AS33
2.4mm x 8.2mm. Mill.

AS41
3.2mm x 5.1mm. Mill.

AS42
3.2mm x 6.7mm. Mill.

AS42AGR
3.2mm x 6.7mm. Anotec Grey.

AS42BLK
3.2mm x 6.7mm. Black.

AS42CGR
3.2mm x 6.7mm. Cottage Green.

AS42DOC
3.2mm x 6.7mm. Deep Ocean

AS42DOS
3.2mm x 6.7mm. Doeskin.

AS42DUN
3.2mm x 6.7mm. Dune.

AS42IST
3.2mm x 6.7mm. Iron Stone.

AS42JAS
3.2mm x 6.7mm. Jasper.

AS42LBZ
3.2mm x 6.7mm. Light Bronze.

AS42MAG
3.2mm x 6.7mm. Magnolia.

AS42MON
3.2mm x 6.7mm. Monument.

AS42MRE
3.2mm x 6.7mm. Manor Red.

AS42PBK
3.2mm x 6.7mm. Paper Bark.

AS42PEU
3.2mm x 6.7mm. Pale Eucalypt.

AS42PRI
3.2mm x 6.7mm. Primrose.

AS42RBR
3.2mm x 6.7mm. Ranch Brown.

AS42SBE
3.2mm x 6.7mm. Stone Beige.

AS42SGR
3.2mm x 6.7mm. Shale Grey.

AS42SUR
3.2mm x 6.7mm. Surf Mist.

AS42ULS
3.2mm x 6.7mm. Ultra Silver.

AS42WGR
3.2mm x 6.7mm. Woodland Grey.

AS42WHB
3.2mm x 6.7mm. White Birch.

AS42WHT
3.2mm x 6.7mm. White.

AS43
3.2mm x 8.2mm. Mill.

AS43AGR
3.2mm x 8.2mm. Anotec Grey.

AS43BAR
3.2mm x 8.2mm. Barley.

AS43BLK
3.2mm x 8.2mm. Black.

AS43CGR
3.2mm x 8.2mm. Cottage Green.

AS43DOC
3.2mm x 8.2mm. Deep Ocean.

AS43DOS
3.2mm x 8.2mm. Doeskin.

AS43DUN
3.2mm x 8.2mm. Dune.

AS43IST
3.2mm x 8.2mm. Ironstone.

AS43JAS
3.2mm x 8.2mm. Jasper.

AS43LBZ
3.2mm x 8.2mm. Light Bronze.

AS43MAG
3.2mm x 8.2mm. Magnolia.

AS43MON
3.2mm x 8.2mm. Monument.

AS43MRE
3.2mm x 8.2mm. Manor Red.

AS43PBK
3.2mm x 8.2mm. Paper Bark.

AS43PEU
3.2mm x 8.2mm. Pale Eucalypt.

AS43POT
3.2mm x 8.2mm. Pottery.

AS43PRI
3.2mm x 8.2mm. Primrose.

AS43RBR
3.2mm x 8.2mm. Ranch Brown.

AS43SBE
3.2mm x 8.2mm. Stone Beige.

AS43SGR
3.2mm x 8.2mm. Shale Grey.

AS43SUR
3.2mm x 8.2mm. Surf Mist.

AS43ULS
3.2mm x 8.2mm. Ultra Silver.

AS43WGR
3.2mm x 8.2mm. Woodland Grey.

AS43WHB
3.2mm x 8.2mm. White Birch.

AS43WHT
3.2mm x 8.2mm. White.

AS44
3.2mm x 9.9mm. Mill.

AS44AGR
3.2mm x 9.9mm. Anotec Grey.

AS44BAR
3.2mm x 9.9mm. Barley.

AS44BLK
3.2mm x 9.9mm. Black.

AS44CGR
3.2mm x 9.9mm. Cottage Green.

AS44DOC
3.2mm x 9.9mm. Deep Ocean.

AS44DOS
3.2mm x 9.9mm. Doeskin.

AS44DUN
3.2mm x 9.9mm. Dune.

AS44LBZ
3.2mm x 9.9mm. Light Bronze.

AS44MAG
3.2mm x 9.9mm. Magnolia.

AS44MON
3.2mm x 9.9mm. Monument.

AS44MRE
3.2mm x 9.9mm. Manor Red.

AS44PBK
3.2mm x 9.9mm. Paper Bark.

AS44PEU
3.2mm x 9.9mm. Pale Eucalypt.

AS44POT
3.2mm x 9.9mm. Pottery.

AS44PRI
3.2mm x 9.9mm. Primrose.

AS44RBR
3.2mm x 9.9mm. Ranch Brown.

AS44SBE
3.2mm x 9.9mm. Stone Beige.

AS44SGR
3.2mm x 9.9mm. Shale Grey.

AS44SUR
3.2mm x 9.9mm. Surf Mist.

AS44ULS
3.2mm x 9.9mm. Ultra Silver.

AS44WGR
3.2mm x 9.9mm. Woodland Grey.

AS44WHB
3.2mm x 9.9mm. White Birch.

AS44WHT
3.2mm x 9.9mm. White.

AS45
3.2mm x 11.4mm. Mill.

AS46
3.2mm x 13.0mm. Mill.

AS46BLK
3.2mm x 13.0mm. Black.

AS46DUN
3.2mm x 13.0mm. Dune.

AS46LBZ
3.2mm x 13.0mm. Light Bronze.

AS46MON
3.2mm x 13.0mm. Monument.

AS46PBK
3.2mm x 13.0mm. Paper Bark.
AS46POT
3.2mm x 13.0mm. Pottery.
AS46PRI
3.2mm x 13.0mm. Primrose.
AS46RBR
3.2mm x 13.0mm. Ranch Brown.
AS46SUR
3.2mm x 13.0mm. Surf Mist.
AS46WGR
3.2mm x 13.0mm. Woodland Grey.
AS46WHB
3.2mm x 13.0mm. White Birch.
AS46WHT
3.2mm x 13.0mm. White.
AS48
3.2mm x 16.2mm. Mill.
AS49
3.2mm x 18.0mm. Mill.
AS410
3.2mm x 19.4mm. Mill.
AS410AGR
3.2mm x 19.4mm. Anotec Grey.
AS410BLK
3.2mm x 19.4mm. Black.
AS410DOS
3.2mm x 19.4mm. Doeskin.
AS410LBZ
3.2mm x 19.4mm. Light Bronze.
AS410MAG
3.2mm x 19.4mm. Magnolia.
AS410PRI
3.2mm x 19.4mm. Primrose.
AS410WHB
3.2mm x 19.4mm. White Birch.
AS410WHT
3.2mm x 19.4mm. White.
AS412
3.2mm x 22.2mm. Mill.
AS52
4.0mm x 7.3mm. Mill.
AS53
4.0mm x 8.9mm. Mill.
AS54
4.0mm x 10.5mm. Mill.
AS54BLK
4.0mm x 10.5mm. Black.
AS54LBZ
4.0mm x 10.5mm. Light Bronze.
AS54MON
4.0mm x 10.5mm. Monument.
AS54PBK
4.0mm x 10.5mm. Paper Bark.
AS54PRI
4.0mm x 10.5mm. Primrose.
AS54SGR
4.0mm x 10.5mm. Shale Grey.
AS54SUR
4.0mm x 10.5mm. Surf Mist.
AS54WGR
4.0mm x 10.5mm. Woodland Grey.
AS54WHT
4.0mm x 10.5mm. White.
AS55
4.0mm x 12.0mm. Mill.
AS56
4.0mm x 13.6mm. Mill.
AS56BLK
4.0mm x 13.6mm. Black.
AS58
4.0mm x 16.8mm. Mill.
AS62
4.8mm x 8.0mm. Mill.
AS63
4.8mm x 9.5mm. Mill.
AS64
4.8mm x 11.1mm. Mill.
AS65
4.8mm x 12.7mm. Mill.
AS66
4.8mm x 14.3mm. Mill.
AS610
4.8mm x 20.7mm. Mill.

ASCSK

Aluminium Head
Steel Mandrel
COUNTER SUNK



AS43CSK
3.2mm x 8.2mm. Mill.
AS44CSK
3.2mm x 9.9mm. Mill.
AS46CSK
3.2mm x 13.0mm. Mill.
AS53CSK
4.0mm x 8.3mm. Mill.
AS54CSK
4.0mm x 10.5mm. Mill.
AS56CSK
4.0mm x 13.6mm. Mill.
AS64CSK
4.8mm x 11.1mm. Mill.
AS65CSK
4.8mm x 12.7mm. Mill.
AS66CSK
4.8mm x 14.3mm. Mill.

STST

Stainless Steel Head
S. Steel Mandrel



STST42
3.2mm x 6.7mm. Mill.
STST43
3.2mm x 8.2mm. Mill.
STST44
3.2mm x 9.9mm. Mill.
STST54
4.0mm x 10.5mm. Mill.
STST56
4.0mm x 13.6mm. Mill.
STST64
4.8mm x 11.1mm. Mill.
STST66
4.8mm x 14.3mm. Mill.

STSTCSK

Stainless Steel Head
S. Steel Mandrel
COUNTER SUNK



STST44CSK
3.2mm x 9.9mm. Mill.
STST53CSK
4.0mm x 8.9mm. Mill.
STST54CSK
4.0mm x 10.5mm. Mill.
STST64CSK
4.8mm x 11.1mm. Mill.
STST66CSK
4.8mm x 14.3mm. Mill.

MS

Monel Head
Steel Mandrel



MS42
3.2mm x 6.7mm. Mill.

MS44
3.2mm x 9.9mm. Mill.

MSCSK

Monel Head
Steel Mandrel
COUNTER SUNK



MS54CSK
4.0mm x 10.5mm. Mill.



7-6520
Rivet gun • Handheld PRO
Carbon steel forged housing and handle with powder coated surface. Heat treated jaw and jaw case. Rivet setting capacity: Up to 4.0mm (5/32") for all materials and 4.8mm (3/16") for aluminium.

Bugle Batten Screws. Hex Drive. Type 17. Yellow Zinc.



HBB-1450YZ
14-10 x 50mm
HBB-1465YZ
14-10 x 65mm
HBB-1475YZ
14-10 x 75mm
HBB-4100YZ
14-10 x 100mm

Bugle Batten Screws. Hex Drive. Type 17. Class 3.



HBB-1450C3
14-10 x 50mm
HBB-1465C3
14-10 x 65mm
HBB-1475C3
14-10 x 75mm
HBB-4100C3
14-10 x 100mm
HBB-4125C3
14-10 x 125mm
HBB-4150C3
14-10 x 150mm
HBB-4200C3
14-10 x 200mm

Chipboard Screws. CSK Head. With Nibs. Phillips Drive. Yellow Zinc.



PCB-0820YZ
8G x 3/4"
PCB-0825YZ
8G x 1"
PCB-0828YZ
8G x 1 1/8"
PCB-0832YZ
8G x 1 1/4"
PCB-0835YZ
8G x 1 3/8"
PCB-0838YZ
8G x 1 1/2"
PCB-0850YZ
8G x 2"
PCB-0865YZ
8G x 2 1/2"

Bugle Drywall Screws. Phillips Drive. Coarse Thread. Yellow Zinc.



PBC-0620YZ
6G x 3/4"
PBC-0625YZ
6G x 1"
PBC-0628YZ
6G x 1 1/8"
PBC-0632YZ
6G x 1 1/4"
PBC-0640YZ
6G x 1 5/8"
PBC-0645YZ
6G x 1 3/4"
PBC-0650YZ
6G x 2"
PBC-0825YZ
8G x 1"
PBC-0830YZ
8G x 1 3/16"
PBC-0840YZ
8G x 1 5/8"
PBC-0845YZ
8G x 1 3/4"
PBC-0850YZ
8G x 2"
PBC-0860YZ
8G x 2 3/8"
PBC-0865YZ
8G x 2 1/2"
PBC-0875YZ
8G x 3"
PBC-1035YZ
10G x 35mm
PBC-1100YZ
10G x 100mm

Bugle Drywall Screws. Phillips Drive. Fine Thread. Yellow Zinc.



PBF-0620YZ
6G x 3/4"
PBF-0625YZ
6G x 1"
PBF-0628YZ
6G x 1 1/8"
PBF-0632YZ
6G x 1 1/4"
PBF-0635YZ
6G x 1 3/8"
PBF-0640YZ
6G x 1 5/8"
PBF-0645YZ
6G x 1 3/4"
PBF-0650YZ
6G x 2"
PBF-0720YZ
7G x 3/4"
PBF-0725YZ
7G x 1"
PBF-0730YZ
7G x 1 3/16"
PBF-0740YZ
7G x 1 5/8"
PBF-0745YZ
7G x 1 3/4"
PBF-0750YZ
7G x 2"
PBF-0825YZ
8G x 1"
PBF-0850YZ
8G x 2"
PBF-0860YZ
8G x 2 3/8"
PBF-0865YZ
8G x 2 1/2"
PBF-0875YZ
8G x 3"

Self Tapping Screws. CSK Head. Phillips Drive. AB Thread. Zinc Plated.



PTC-0410ZP
4G x 3/8"
PTC-0412ZP
4G x 1/2"
PTC-0416ZP
4G x 5/8"
PTC-0420ZP
4G x 3/4"
PTC-0425ZP
4G x 1"
PTC-0512ZP
5G x 1/2"
PTC-0516ZP
5G x 5/8"
PTC-0520ZP
5G x 3/4"
PTC-0610ZP
6G x 3/8"

PTC-0612ZP
6G x 1/2”
PTC-0616ZP
6G x 5/8”
PTC-0620ZP
6G x 3/4”
PTC-0625ZP
6G x 1”
PTC-0630ZP
6G x 1 1/4”
PTC-0640ZP
6G x 1 1/2”
PTC-0650ZP
6G x 2”
PTC-0810ZP
8G x 3/8”
PTC-0812ZP
8G x 1/2”
PTC-0816ZP
8G x 5/8”
PTC-0820ZP
8G x 3/4”
PTC-0825ZP
8G x 1”
PTC-0830ZP
8G x 1 1/4”
PTC-0840ZP
8G x 1 1/2”
PTC-0845ZP
8G x 1 3/4”
PTC-0850ZP
8G x 2”
PTC-1010ZP
10G x 3/8”
PTC-1012ZP
10G x 1/2”
PTC-1016ZP
10G 5/8”
PTC-1020ZP
10G x 3/4”
PTC-1025ZP
10G x 1”
PTC-1030ZP
10G x 1 1/4”
PTC-1040ZP
10G x 1 1/2”
PTC-1045ZP
10G x 1 3/4”
PTC-1050ZP
10G x 2”
PTC-1060ZP
10G x 2 1/2”
PTC-1075ZP
10G x 3”
PTC-1212ZP
12G x 1/2”
PTC-1216ZP
12G x 5/8”
PTC-1220ZP
12G x 3/4”
PTC-1225ZP
12G x 1”
PTC-1230ZP
12G x 1 1/4”
PTC-1240ZP
12G x 1 1/2”
PTC-1250ZP
12G x 2”
PTC-1260ZP
12G x 2 1/2”
PTC-1275ZP
12G x 3”
PTC-1425ZP
14G x 1”
PTC-1430ZP
14G x 1 1/4”
PTC-1440ZP
14G x 1 1/2”
PTC-1450ZP
14G x 2”

Self Tapping Screws. CSK Head. Phillips Drive. AB Thread. Stainless Steel.



PTC-0610SS
6G x 3/8”
PTC-0612SS
6G x 1/2”
PTC-0616SS
6G x 5/8”
PTC-0620SS
6G x 3/4”
PTC-0625SS
6G x 1”
PTC-0630SS
6G x 1 1/4”
PTC-0640SS
6G x 1 1/2”
PTC-0650SS
6G x 2”
PTC-0810SS
8G x 3/8”
PTC-0812SS
8G x 1/2”
PTC-0816SS
8G x 5/8”
PTC-0820SS
8G x 3/4”
PTC-0825SS
8G x 1”
PTC-0830SS
8G x 1 1/4”
PTC-0840SS
8G x 1 1/2”
PTC-0845SS
8G x 1 3/4”
PTC-0850SS
8G x 2”
PTC-1012SS
10G x 1/2”
PTC-1016SS
10G x 5/8”
PTC-1020SS
10G x 3/4”
PTC-1025SS
10G x 1”
PTC-1030SS
10G x 1 1/4”
PTC-1040SS
10G x 1 1/2”

Self Tapping Screws. CSK Head. Phillips Drive. Undercut. Zinc Plated.



PTU-0812ZP
8G x 1/2”
PTU-0820ZP
8G x 3/4”
PTU-1012ZP
10G x 1/2”
PTU-1020ZP
10G x 3/4”
PTU-10(08)20ZP
10G (8G Head) x 3/4”

Self Tapping Screws. CSK Head. Phillips Drive. Undercut. Stainless Steel.



PTU-0810SS
8G x 3/8”
PTU-0812SS
8G x 1/2”
PTU-0820SS
8G x 3/4”
PTU-1010SS
10G x 3/8”
PTU-1012SS
10G x 1/2”
PTU-1020SS
10G x 3/4”
PTU-1025SS
10G x 1”
PTU-1225SS
12G x 1”

PTU-1230SS
12G x 1 1/4”

Self Tapping Screws. CSK Head. Square Drive. Undercut. Stainless Steel.



STU-1020SS
10G x 3/4”

Self Drilling Screws. CSK Head. Phillips Drive. Yellow Zinc.



PDC-0616YZ
6-20 x 16mm
PDC-0620YZ
6-20 x 20mm
PDC-0630YZ
6-20 x 30mm
PDC-0640YZ
6-20 x 40mm
PDC-0650YZ
6-20 x 50mm
PDC-0820YZ
8-18 x 20mm
PDC-0825YZ
8-18 x 25mm
PDC-0830YZ
8-18 x 30mm
PDC-1025YZ
10-24 x 25mm
PDC-1030YZ
10-24 x 30mm
PDC-1040YZ
10-24 x 40mm
PDC-1050YZ
10-24 x 50mm
PDC-1065YZ
10-24 x 65mm

Self Drilling Screws. Flat Top. Phillips Drive. Yellow Zinc.



PFT-1016YZ
10-16 x 16mm

Self Drilling Screws. Wafer Head. Phillips Drive. Yellow Zinc.



PDW-0812YZ
8-18 x 12mm
PDW-1016YZ
10-16 x 16mm
PDW-1022YZ
10-16 x 22mm
PDW-1030YZ
10-16 x 30mm

Self Drilling Screws. Wafer Head. Square Drive. Stainless Steel.



SDW-1016SS
10-16 x 16mm
SDW-1022SS
10-16 x 22mm
SDW-1030SS
10-16 x 30mm
SDW-1040SS
10-16 x 40mm

Self Drilling Screws. Button Head. Phillips Drive. Yellow Zinc.



PDB-0812YZ
8-18 x 12mm
PDB-0816YZ
8-18 x 16mm
PDB-0820YZ
8-18 x 20mm
PDB-0825YZ
8-18 x 25mm
PDB-0832YZ
8-18 x 32mm
PDB-1016YZ
10-16 x 16mm

Self Drilling Screws. Pan Head. Phillips Drive. Zinc Plated.



PDP-0610ZP
6-20 x 10mm
PDP-0612ZP
6-20 x 12mm
PDP-0616ZP
6-20 x 16mm
PDP-0812ZP
8-18 x 12mm
PDP-0816ZP
8-18 x 16mm
PDP-0822ZP
8-18 x 22mm
PDP-0825ZP
8-18 x 25mm

Needle Point Screws. Button Head. Phillips Drive. Yellow Zinc.



PNB-0812YZ
8-15 x 12mm
PNB-0815YZ
8-15 x 15mm
PNB-0820YZ
8-15 x 20mm
PNB-0825YZ
8-15 x 25mm
PNB-0830YZ
8-15 x 30mm
PNB-0840YZ
8-15 x 40mm
PNB-0850YZ
8-15 x 50mm
PNB-0865YZ
8-15 x 65mm

Self Tapping Screws. Pan Head. Phillips Drive. AB Thread. Zinc Plated.



PTP-0406ZP
4G x 1/4”
PTP-0410ZP
4G x 3/8”
PTP-0412ZP
4G x 1/2”
PTP-0416ZP
4G x 5/8”
PTP-0420ZP
4G x 3/4”
PTP-0425ZP
4G x 1”
PTP-0430ZP
4G x 1 1/4”
PTP-0440ZP
4G x 1 1/2”
PTP-0512ZP
5G x 1/2”
PTP-0516ZP
5G x 5/8”
PTP-0530ZP
5G x 1 1/4”
PTP-0540ZP
5G x 1 1/2”
PTP-0606ZP
6G x 1/4”
PTP-0610ZP
6G x 3/8”
PTP-0612ZP
6G x 1/2”
PTP-0616ZP
6G 5/8”
PTP-0620ZP
6G x 3/4”
PTP-0625ZP
6G x 1”
PTP-0630ZP
6G x 1 1/4”
PTP-0640ZP
6G x 1 1/2”
PTP-0650ZP
6G x 2”
PTP-0660ZP
6G x 2 1/2”
PTP-0675ZP
6G x 3”
PTP-0810ZP
8G x 3/8”
PTP-0812ZP
8G x 1/2”
PTP-0816ZP
8G x 5/8”
PTP-0820ZP
8G x 3/4”
PTP-0825ZP
8G x 1”
PTP-0830ZP
8G x 1 1/4”
PTP-0840ZP
8G x 1 1/2”
PTP-0845ZP
8G x 1 3/4”
PTP-0850ZP
8G x 2”
PTP-1010ZP
10G x 3/8”
PTP-1012ZP
10G x 1/2”
PTP-1016ZP
10G x 5/8”
PTP-1020ZP
10G x 3/4”
PTP-1025ZP
10G x 1”
PTP-1030ZP
10G x 1 1/4”
PTP-1040ZP
10G x 1 1/2”
PTP-1045ZP
10G x 1 3/4”
PTP-1050ZP
10G x 2”
PTP-1212ZP
12G x 1/2”
PTP-1216ZP
12G x 5/8”
PTP-1220ZP
12G x 3/4”
PTP-1225ZP
12G x 1”
PTP-1230ZP
12G x 1 1/4”
PTP-1240ZP
12G x 1 1/2”
PTP-1250ZP
12G x 2”
PTP-1425ZP
14G x 1”
PTP-1430ZP
14G x 1 1/4”
PTP-1440ZP
14G x 1 1/2”
PTP-1445ZP
14G x 1 3/4”
PTP-1450ZP
14G x 2”

Self Tapping Screws. Pan Head. Phillips Drive. AB Thread. Stainless Steel.



PTP-0610SS
6G x 3/8”
PTP-0612SS
6G x 1/2”
PTP-0616SS
6G x 5/8”
PTP-0620SS
6G x 3/4”
PTP-0625SS
6G x 1”
PTP-0630SS
6G x 1 1/4”
PTP-0640SS
6G x 1 1/2”
PTP-0645SS
6G x 1 3/4”
PTP-0650SS
6G x 2”
PTP-0810SS
8G x 3/8”
PTP-0812SS
8G x 1/2”
PTP-0816SS
8G x 5/8”
PTP-0820SS
8G x 3/4”
PTP-0825SS
8G x 1”
PTP-0830SS
8G x 1 1/4”
PTP-0840SS
8G x 1 1/2”
PTP-0845SS
8G x 1/34”
PTP-0850SS
8G x 2”
PTP-1012SS
10G x 1/2”
PTP-1016SS
10G x 5/8”
PTP-1020SS
10G x 3/4”
PTP-1025SS
10G x 1”
PTP-1030SS
10G x 1 1/4”
PTP-1040SS
10G x 1 1/2”
PTP-1045SS
10G x 1 3/4”
PTP-1050SS
10G x 2”

Self Tapping Screws. Pan Head. Square Drive. AB Thread. Zinc Plated.



STP-0612ZP
6G x 1/2"
STP-0616ZP
6G x 5/8"
STP-0620ZP
6G x 3/4"
STP-0625ZP
6G x 1"
STP-0630ZP
6G x 1 1/4"
STP-0640ZP
6G x 1 1/2"
STP-0812ZP
8G x 1/2"
STP-0816ZP
8G x 5/8"
STP-0820ZP
8G x 3/4"
STP-0825ZP
8G x 1"
STP-0830ZP
8G x 1 1/4"
STP-0840ZP
8G x 1 1/2"
STP-1012ZP
10G x 1/2"
STP-1016ZP
10G x 5/8"
STP-1020ZP
10G x 3/4"
STP-1025ZP
10G x 1"
STP-1030ZP
10G x 1 1/4"
STP-1040ZP
10G x 1/2"
STP-1050ZP
10G x 2"

Self Tapping Screws. Pan Head. Square Drive. AB Thread. Stainless Steel.



STP-0620SS
6G x 3/4"
STP-0812SS
8G x 1/2"
STP-0825SS
8G x 1"

Prolok Trilobe Screws. Button Head. Type 17. Galvanised.



TDB-1019GL
10G x 3/4"
TDB-1025GL
10G x 1"
TDB-1032GL
10G x 1 1/4"
TDB-1038GL
10G x 1 1/2"

Prolok Trilobe Screws. Button Head. Type 17. Yellow Zinc.



TDB-1019YZ
10G x 3/4"
TDB-1025YZ
10G x 1"
TDB-1032YZ
10G x 1 1/4"
TDB-1038YZ
10G x 1 1/2"

Prolok Trilobe Screws. Button Head. Type 17. Stainless Steel.



TDB-1032SS
10G x 1 1/4"
TDB-1038SS
10G x 1 1/2"

Pentaforce™ Type 17 Screws. Pan Head. Penta Drive. With Post. Galvanised.



FDPT-1019GL
10-12 x 19mm
FDPT-1025GL
10-12 x 25mm
FDPT-1040GL
10-12 x 40mm
FDPT-1232GL
12-14 x 32mm
FDPT-1250GL
12-14 x 50mm

Pentaforce™ Self Drilling Screws. Pan Head. Penta Drive. With Post. Galvanised.



FDPM-0812GL
8-18 x 12mm
FDPM-0819GL
8-18 x 19mm
FDPM-0825GL
8-18 x 25mm
FDPM-1016GL
10-16 x 16mm
FDPM-1025GL
10-16 x 25mm
FDPM-1040GL
10-16 x 40mm
FDPM-1225GL
12-14 x 25mm
FDPM-1240GL
12-14 x 40mm
FDPM-1250GL
12-14 x 50mm
FDPM-1263GL
12-14 x 63mm
FDPM-1425GL
14-10 x 25mm
FDPM-1450GL
14-10 x 50mm
FDPM-1463GL
14-10 x 63mm



6-1088BLK
8/8 Snap cap
Black
6-1088PRI
Primrose
6-1088SBE
Stone Beige
6-1088WHB
White Birch
6-1088WHT
White

6-1088CSK
8/8 Washer • Suit snap cap
Countersunk

Jobber Drill Bits



6-9LI116
Drill bit • Jobber
1/16" (4/64) x 48mm

6-9LI564
5/64" (5/64) x 50mm

6-9LI332
3/32" (6/64) x 54 mm

6-9LI764
7/64" (7/64) x 67mm

6-9LI18
1/8" (8/64) x 70mm

6-9LI964
9/64" (9/64) x 111mm

6-9LI532
5/32" (10/64) x 79mm

6-9LI1164
11/64" (11/64) x 82mm

6-9LI316
3/16" (12/64) x 89mm

6-9LI1564
15/64" (15/64) x 98mm

6-9LI14
1/4" (16/64) x 101mm

6-9LI1764
17/64" (17/64) x 104mm

6-9LI2364
23/64" (23/64) x 104mm

6-9LI1332
13/32" (26/64) x 133mm

6-9LI2764
27/64" (27/64) x 133mm

6-9LI716
7/16" (28/64) x 140mm



6-9LM030
Drill bit • Jobber
3.0mm x 61mm

6-9LM033
3.3mm x 61mm

6-9LM040
4.0mm x 75mm

6-9LM050
5.0mm x 86mm

6-9LM060
6.0mm x 93mm

6-9LM070
7.0mm x 102mm

6-9LM075
7.5mm x 117mm

6-9LM080
8.0mm x 117mm

6-9LM100
10.0mm x 133mm

6-9LM110
11.0mm x 142mm

Rivet Drill Bits

- No. 30 rivet drill bits suit 3.2mm or 4- sized rivets.
- No. 20 rivet drill bits suit 4.0mm or 5- sized rivets.
- No. 11 rivet drill bits suit 4.8mm or 6- sized rivets.



6-9S20
Drill bit • Stub single ended
No. 20 x 54mm.

6-9S30
No. 30 x 51mm.



6-9D11
Drill bit • Double ended
Panel. No. 11 x 51mm.

6-9D20
Panel. No. 20 x 51mm.

6-9D30
Panel. No. 30 x 51mm.



6-9L20
Drill bit • Jobber
No. 20 x 80 mm.

6-9L30
No. 30 x 70mm.

Step Drill Bits



6-9STM420
Drill bit • Stepped
4-20mm

Long Series Drill Bits



6-9ELI764
Drill bit • Long series
7/64" (7/64) x 118mm

6-9ELI18
1/8" (8/64) x 131mm

6-9ELI964
9/64" (9/64) x 137mm

6-9ELI532
5/32" (10/64) x 137mm

6-9ELI316
3/16" (12/64) x 146mm

Masonry Drill Bits



6-MA030065
Drill bit • Masonry
3.0mm x 65mm

6-MA040075
4.0mm x 75mm

6-MA050085
5.0mm x 85mm

6-MA050150
5.0mm x 150mm

6-MA055085
5.5mm x 85mm

6-MA060100
6.0mm x 100mm

6-MA065100
6.5mm x 100mm

6-MA080120
8.0mm x 120mm

Diamond Core Drill Bits



6-GTDT050
Drill bit • Diamond core with reservoir
5.0mm

6-GTDT060
6.0mm

6-GTDT065
6.5mm

6-GTDT080
8.0mm

Spade Glass & Tile Drill Bits



6-GT03065
Drill bit • Suit glass & tile
3.0mm x 65mm

6-GT04065
4.0mm x 65mm

6-GT05065
5.0mm x 65mm

6-GT06065
6.0mm x 65mm

6-GT06565
6.5mm x 65mm

6-GT08070
8.0mm x 70mm

6-GT10080
10.0mm x 80mm

6-GT12080
12.0mm x 80mm

Power Bits



6-HX5-50
Power bit • Hex
H5 x 50mm

6-HX5-150
H5 x 150mm



6-HD0-50
Power bit • Pentaforce™
HD0 x 50mm

6-HD1-50
HD1 x 50mm

6-HD1-150
HD1 x 150mm

6-HD2-50
HD2 x 50mm

6-HD3-50
HD3 x 50mm



6-SQ1-50
Power bit • Square drive
SQ1 x 50mm

6-SQ1-75
SQ1 x 75mm

6-SQ2-75
SQ2 x 75mm

6-SQ2-100
SQ2 x 100mm



6-PH1-50S
Driver bit • Phillips
PH1 x 50mm



6-PH2-25S
Driver bit • Phillips
PH2 x 25mm

6-PH2-45D
PH2 x 45mm. Double ended.

6-PH2-50S
PH2 x 50mm

6-PH2-75S
PH2 x 75mm

6-PH2-100S
PH2 x 100mm

6-PH2-150S
PH2 x 150mm

6-PH2-200S
PH2 x 200mm



6-PH2-50T
Power bit • MAXdrive
PH2 x 50mm. Torsion.

6-PH2-150T
PH2 x 150mm. Torsion.



6-TL2-25
Driver bit • Trilobe
Prolok. No 2. TH2 x 25mm.



6-TXSE2525
Driver bit • Torx
Tamper proof. 1/4" x 25mm.



6-TL2-100
Power bit • Trilobe
Prolok. No 2. TH2 x 100mm.



6-SM25PB
Drill bit set • Metric
25 piece. 1.0mm to 13.0mm.

NOT TO SCALE



6-CSCH-SET3
Drill set • Cross hole counter sunk set
10, 14 and 21.5mm.

NOT TO SCALE



6-TS08-SET8
Drill bit set • Metric spade
Turbo bore. 10, 12, 16, 20, 22, 25 and 32mm.
With extension bar.

NOT TO SCALE



6-RBT33
Power bit set
Bit Boy. 33 piece.

NOT TO SCALE



Glass Motifs
Cutters, Knives & Blades
Hand Tools & Accessories



NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

7-4000
Motif • Suit glass
Frosted Visionstrip.
75mm x 50m roll.





7-4004
Trend 'Bars'. 590mm.



7-4005
Trend 'T'. 540mm.



7-4006
Trend 'T Shadow'. 535mm.



7-4008
Bradnams. 625mm.



7-4010
Stegbar. 575mm.



7-4012
Comalco 'Rectangle'. 565mm.



7-4013
Comalco 'Square'. 480mm.



7-4015
Vantage. 500mm.



7-4016
Crane Triangle. 645mm.



7-4020
A&L. 607mm.



7-4021
Diamonds. 545mm.



7-4022
Versalite. 567mm.



7-4024
Viridian. 560mm.



7-4025
Boral. 570mm.



7-4026
Dowell. 595mm.



7-4028
O'Brien. 585mm.



7-4030
GJames 'GJ Repeat'. 555mm.



7-4031
GJames 'Brackets'. 600mm.



7-4032
Breezeview 'Wave'. 470mm.

NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467



7-6100
Cutter • Box
9mm. Econo. Polybag. Orange plastic.



7-6102
Cutter • Box
18mm. Packaging Pro. Polybag. Yellow.



7-6104
Cutter • Box
18mm. Screeny Pro. With screw lock. Carded. Yellow.



7-6105
Cutter • Box
18mm. Zebra Pro. With autolock. Carded. Red Metal.



7-6106
Blades replacement
Suit box cutter
18mm. Snap off.
Dispenser of 10.



7-6125
Blades replacement
Suit heavy duty box cutter
25mm. Snap off. Dispenser of 10.



7-6111
Blades replacement • Suit scraper
Single edged razor. Pack of 10.



7-6110
Blades replacement • Suit scraper
Single edged razor. Pack of 100.



NLA
NO LONGER AVAILABLE

7-6109
Knife • Retractable
18mm. Auto-loading. With rubber grip.
No longer available, use 7-6115.



7-6112
Knife • Retractable
18mm. Traditional. Carded. Yellow.



7-6114
Knife • Retractable
18mm. Ultra-grip PRO. 3 blades. Carded. Yellow.



7-6115
Knife • Retractable
18mm. Sterling Stealth auto-loading. Sliding pocket.



7-6116
Blades replacement • Suit knife
18mm. Standard duty. Dispenser of 10.
Suit retractable knife.



7-6108
Blades replacement • Suit knife
18mm. Heavy duty. Dispenser of 10.
Suit retractable knife.



7-6107
Blades replacement • Suit knife
18mm. Heavy duty. Dispenser of 100.
Suit retractable knife.



7-6204
Snips • Industrial
185mm. Black Panther.



7-6205
Snips • Industrial
200mm. Black Panther long cut.



7-6206
Snips • Industrial
185mm. High tensile.



7-6520
Rivet gun • Handheld PRO
Carbon steel forged housing and handle with powder coated surface. Heat treated jaw and jaw case. Rivet setting capacity: Up to 4.0mm (5/32”) for all materials and 4.8mm (3/16”) for aluminium.

7-6202
Shears • Industrial
Universal shears with orange handle.





7-6005
Measuring tape • V-Force PRO
8m x 25mm. Metric. Hi-vis yellow.



7-6008
Measuring tape • Ultimax PRO
8m x 25mm. Metric. Rubber grip.



7-5038
Scraper • 38mm
Plastic.

7-5050
50mm

7-5075
75mm

7-5100
100mm

7-5150
150mm



7-6015
Measuring ruler • Double-sided
150mm/6 inch. Stainless steel.



Weather & Bug Strips, & Shower Screen Seals
Setting Blocks, Seals & Wedges
Glazing & Conversion Channels



NSW & ACT salesnsw@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

QLD salesqld@total-hardware.com.au
T (07) 3255 5034 **F** (07) 3255 5963

VIC & TAS salesvic@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467

WEATHER STRIPS





- UV treated siliconized yarn
- Standard density

8-4840BLK
Weather strip • Suit sliding doors & windows
4.8mm W x 4.0mm H x 500m roll. Black.

8-4842BLK
4.8mm W x 4.25mm H x 550m roll.

8-4845BLK
4.8mm W x 4.5mm H x 550m roll.

8-4850BLK
4.8mm W x 5.0mm H x 500m roll.

8-4855BLK
4.8mm W x 5.5mm H x 450m roll.

8-4865BLK
4.8mm W x 6.5mm H x 350m roll.

8-4875BLK
4.8mm W x 7.5mm H x 350m roll.

8-4880BLK
4.8mm W x 8.0mm H x 350m roll.

8-4885BLK
4.8mm W x 8.5mm H x 350m roll.



- UV treated siliconized yarn
- High density

8-6750BLK
Weather strip • Suit sliding doors & windows
6.7mm W x 5.0mm H x 450m roll. Black.

8-6752BLK
6.7mm W x 5.25mm H x 450m roll.

8-6755BLK
6.7mm W x 5.5mm H x 450m roll.

8-6765BLK
6.7mm W x 6.5mm H x 350m roll.

8-6767BLK
6.7mm W x 6.75mm H x 350m roll.



- UV treated siliconized yarn
- Standard density

8-4840GRY
Weather strip • Suit sliding doors & windows
4.8mm W x 4.0mm H x 500m roll. Grey.

8-4855GRY
4.8mm W x 5.5mm H x 450m roll.

8-4865GRY
4.8mm W x 6.5mm H x 350m roll.

8-4875GRY
4.8mm W x 7.5mm H x 300m roll.

8-4885GRY
4.8mm W x 8.5mm H x 350m roll.

BUG STRIPS



8-4013BLK
Bug strip • Suit hinged & sliding screen doors
13mm H x 100m roll. Base size 2.8mm W x 2.6mm H.
Black.

8-4016BLK
16mm H x 100m roll.

8-4028BLK
28mm H x 100m roll.

Suits bug strip holder and some shopfront stiles.
Used as an air, dust or bug seal for hinged and sliding doors.

SHOWER SCREEN SEALS



8-7610
Seal • Suit shower screen
Single flap. PVC clear.
Suits 6mm glass. 2.1m.



8-7620
Seal • Suit shower screen
Double flap. PVC clear.
Suits 6mm glass. 2.0m.



8-7640
Seal • Suit shower screen
Bulb. PVC clear.
Suits 6mm glass. 2.1m.



8-9501CLR
Setting block • Suit glazing
1mm H x 6mm W x 50mm L.
Pack of 100. Clear.

8-9502CLR
2mm H x 6mm W x 50mm L.

8-9503CLR
3mm H x 6mm W x 50mm L.

8-9504CLR
4mm H x 6mm W x 50mm L.

8-9505CLR
5mm H x 6mm W x 50mm L.

8-9506CLR
6.4mm H x 6mm W x 50mm L.

8-9512BLK
10mm H x 12mm W x 75mm L.
Pack of 100. Black.



8-9810M
Weather seal • Suit sliding window
Suits Jason. Black. Sold per metre.



8-9820M
Weather seal • Suit sliding door
Suits Trimview. Black. Sold per metre.

8-9820R
100m roll



8-9823M
Weather seal • Suit sliding door
Suits Trimview. Black. Sold per metre.



8-9826M
Weather seal • Suit sliding window
Suits Trimview. Black. Sold per metre.

8-9826R
150m roll



8-9867M
Weather seal • Suit sliding door
Suits Jason. Black.
Sold per metre.

8-9867R
150m roll



8-9864
Glazing bead • Suit window
3mm x 2.4m long. Rigid.
Suits Stegbar. Black.



8-9858
Glazing bead • Suit window
4mm x 2.4m long. Rigid.
Suits Stegbar. Black.



8-9859
Glazing bead • Suit window
5mm x 2.4m long. Rigid.
Suits Stegbar. Black.



8-9860M
Glazing wedge • Suit window
Fixed panel. Suits Trimview. Black.
Sold per metre.

8-9860R
150m roll



8-9852M
Glazing wedge • Suit window
Suits Trimview. Black. Sold per metre.



8-9905M
Glazing wedge
Suit window & door
10mm glass.
Superline commercial (P41).
Black. Sold per metre.

8-9905R
450m roll



8-9911M
Glazing wedge
Suit window & door
6.38mm glass.
Superline commercial (P40).
Black. Sold per metre.

8-9911R
200m roll

8-9911T
100m trade roll



8-9922M
Glazing wedge
Suit window & door
3mm gap. Narrowline commercial (P113).
Black. Sold per metre.

8-9922R
250m roll

8-9922T
100m trade roll



8-9923M
Glazing wedge
Suit window & door
5mm gap. Narrowline commercial (P115).
Black. Sold per metre.

8-9923R
200m roll

8-9923T
100m trade roll



8-9901M
Glazing wedge
Suit window & door
6mm gap.
Narrowline commercial (P117/75).
Black. Sold per metre.

8-9901R
150m roll



8-9924M
Glazing wedge
Suit window & door
7mm gap. Narrowline commercial (P117).
Black. Sold per metre.

8-9924R
150m roll

8-9924T
75m trade roll



8-9871M
Glazing channel • Suit window
4mm. Suits Dowell.
Black. Sold per metre.

8-9871R
250m roll



8-9872M
Glazing channel • Suit window
4mm. Suits Stegbar, Crane and Jason.
Pocket 8.8mm. Pen 7mm.
Black. Sold per metre.

8-9872R
200m roll



8-9878M
Glazing channel • Suit window
4mm. Suits BGC/Affinity.
Pocket 9.8mm. Pen 8mm.
Black. Sold per metre.

8-9878R
150m roll



8-9876M
Glazing channel • Suit window
5mm. Suits Stegbar, Crane and Jason.
Pocket 8.8mm. Pen 7mm.
Black. Sold per metre.

8-9876R
250m roll



8-9874M
Glazing channel • Suit window
5mm. Suits Dowell.
Black. Sold per metre.

8-9874R
250m roll



8-9851M
Glazing channel • Suit window
5mm. Suits Trimview.
Black. Sold per metre.



8-9873M
Glazing channel • Suit window
5mm. Suits BGC/Affinity.
Pocket 9.8mm. Pen 8mm.
Black. Sold per metre.

8-9873R
150m roll



8-9884M
Glazing channel • Suit door
6/6.38mm. Suits Jason.
Pocket 11.8mm. Pen 9mm.
Black. Sold per metre.

8-9884R
150m roll



8-9875M
Glazing channel • Suit window
6/6.38mm. Suits Dowell.
Black. Sold per metre.

8-9875R
250m roll



8-9879M
Glazing channel • Suit window
6/6.38mm. Suits Stegbar, Crane and Jason.
Pocket 8.8mm. Pen 7mm.
Black. Sold per metre.

8-9879R
200m roll



8-9920M
Glazing channel • Suit window & door
6/6.38mm. Universal conversion.
Black. Sold per metre.

8-9920T
100m trade roll



8-9880M
Glazing channel • Suit door
6/6.38mm. Suits Stegbar, Comalco and BGC/Affinity.
Pocket 9.5mm. Pen 9mm.
Black. Sold per metre.

8-9880R
200m roll



8-9877M
Glazing channel • Suit window & door
6/6.38mm. Suits BGC/Affinity, Dowell and Boral.
Pocket 9.8mm. Pen 8mm.
Black. Sold per metre.

8-9877R
200m roll



8-9881M
Glazing channel • Suit door
6/6.38mm. Suits Capral and Alspec.
Pocket 12.5mm. Pen 10mm.
Black. Sold per metre.

8-9881R
100m roll



8-9882M
Glazing channel • Suit door
8/8.38mm. Suits Capral and Alspec.
Pocket 12.5mm. Pen 10mm.
Black. Sold per metre.

8-9882R
100m roll



8-9883M
Glazing channel • Suit door
10/10.38mm. Suits Capral and Alspec.
Pocket 12.5mm. Pen 10mm.
Black. Sold per metre.

8-9883R
100m roll

WA saleswa@total-hardware.com.au
T (08) 9317 3860 **F** (08) 9317 2299

SA & NT salessa@total-hardware.com.au
T (03) 9786 0333 **F** (03) 9785 3467



Symbol Guide
for this section

50% ACTUAL SIZE

X% Actual Size
Image displayed is a proportion of the part's actual size

Silicone Sealants



60% ACTUAL SIZE

10-0480BLK
DC480 silicone sealant
Glass to glass.
300g cartridge. Black.

10-0480CLR
Translucent.



60% ACTUAL SIZE

10-0580BLK
DC580 silicone sealant
Glass, metal and masonry.
400g cartridge. Black.

10-0580CLR
Translucent.

10-0580GRY
Grey.

10-0580WHT
White.



60% ACTUAL SIZE

10-0680CLR
DC680 silicone sealant
Sanitary.
300g cartridge. Translucent.

10-0680GRY
Grey.

10-0680IVY
Almond Ivory.

10-0680WHT
White.

1-1110BLK	14	1-3611	17	1-4710CLR	20	1-8120	23	1-8872WHT	39
1-1120APO	14	1-3612	17	1-4720	20	1-8130	23	1-8881BLK	21
1-1120BLK	14	1-3614	17	1-4730	20	1-8130SS	23	1-8881BRN	21
1-1120BRN	14	1-3754	17	1-4750	20	1-8132	23	1-8922BLK	35
1-1120DUN	14	1-3777	20, 101	1-4767	19	1-8150	33, 34, 36, 38, 40	1-8922BRN	35
1-1120JAS	14	1-3781	17	1-4831	8	1-8151	33, 34, 36, 38, 40	1-8922DUN	35
1-1120MAG	14	1-3782	17	1-4832	8, 9	1-8158	33, 35, 37, 39, 41	1-8922ESP	42
1-1120MON	14	1-3890	20	1-4832-3C	9	1-8190	33, 35, 37, 39, 41	1-8922ESPX	42
1-1120PBK	14	1-4210BLK	17	1-4832-4C	9	1-8190KD	33	1-8922JAS	35
1-1120POT	14	1-4215BLK	17	1-4832-4V	9	1-8200BLK	28	1-8922-KITP	35
1-1120PRI	14	1-4220BLK	17	1-4832-AP	9	1-8240BLK	28	1-8922PBK	35
1-1120SBE	14	1-4270	17	1-4832-CAP	9	1-8242BLK	28	1-8922PRI	35
1-1120SIL	14	1-4271	17	1-6060	22	1-8242PRI	28	1-8922SIL	35
1-1120SUR	14	1-4272	17	1-6070	22	1-8242WHT	28	1-8922-SROD	35
1-1120WGR	14	1-4300	18	1-6170	21	1-8244BLK	29	1-8922WGR	35
1-1120WHB	14	1-4305	18	1-6281	22	1-8244WHT	29	1-8922WHB	35
1-1120WHT	14	1-4307	18	1-6282	22	1-8245BLK	29	1-8922WHT	35
1-1120ZP	14	1-4310	18	1-6290	21	1-8245WHT	29	1-8931BLK	41
1-1135BLK	14	1-4311	18	1-6600BLK	43, 44	1-8248BLK	29	1-8931-HKIT	37, 41
1-1135PRI	14	1-4312	18	1-6600PRI	43, 44	1-8248WHT	29	1-8931-LKIT	37, 41
1-1135UP	14	1-4319BLK	18	1-6600WHT	43, 44	1-8249BLK	29	1-8931PRI	41
1-1135WHT	14	1-4319CLR	18	1-6610BLK	44	1-8249WHT	29	1-8931WHT	41
1-1140BLK	14	1-4320BLK	18	1-6610PRI	44	1-8250BLK	29	1-8932BLK	37
1-1145BLK	14	1-4320CLR	18	1-6610WHT	44	1-8250WHT	29	1-8932PRI	37
1-1645G	11, 12, 32, 91, 92	1-4350BLK	18	1-6615BLK	45	1-8255BLK	29	1-8932WHT	37
1-1646B	11, 12, 32, 91, 92	1-4350CLR	18	1-6615PRI	45	1-8255SIL	29	1-8933	42
1-1647W	11, 12, 32, 91, 92	1-4400	18	1-6615WHT	45	1-8255WHT	29	2-7010BLK	50
1-1672	13, 32, 93	1-4410	18	1-6620BLK	46	1-8655-1	14	2-7010WHT	50
1-1674	13, 32, 93	1-4500BLK	18	1-6630BLK	45	1-8655-2	14	2-7015BLK	50
1-1677	13, 32, 93	1-4500CLR	18	1-8001	30	1-8681	42	2-7015WHT	50
1-1679	13, 32, 93	1-4500WHT	18	1-8002	31	1-8683	42	2-7016BLK	50
1-1690	13, 32, 93	1-4500ZNC	18	1-8040	26	1-8802BLK	34	2-7080BLK	50
1-1692	13, 32, 93	1-4505BLK	18	1-8050	26	1-8802BLK-LL	32	2-7090BLK	50
1-2150	15	1-4505CLR	18	1-8060	26	1-8802BLK-SP	34	2-7110BLK	50
1-2210	15	1-4510BLK	18	1-8080	26	1-8802-HKIT	34	2-7127BLK	51
1-2230	15	1-4510CLR	18	1-8080A	26	1-8802-LKIT	34	2-7165BLK	50
1-2240	16	1-4510WHT	18	1-8081	27	1-8802PRI	34	2-7173BLK	56
1-2250	16	1-4510ZNC	18	1-8081A	27	1-8802SIL	34	2-7173WHT	56
1-2260	16	1-4550CLR	19	1-8081B	27	1-8802WHT	34	2-7188BLK	53
1-2270	16	1-4550WHT	19	1-8082	24	1-8821BLK	40	2-7194BLK	53
1-2310	16	1-4580	19	1-8082A	24	1-8821-HKIT	36, 40	2-7197BLK	54
1-2330	16	1-4600BLK	19	1-8082B	25	1-8821-LKIT	36, 40	2-7197WHT	54
1-2340	16	1-4600CLR	19	1-8082C	25	1-8821PRI	40	2-7205M	51
1-2360	16	1-4610	19	1-8083	27	1-8821WHT	40	2-7225BLK	56
1-3030	11, 91	1-4620	19	1-8084-30	28	1-8822BLK	36	2-7227BLK	57
1-3032	11, 91	1-4630	19	1-8084-40	28	1-8822PRI	36	2-7229BLK	57
1-3033	12, 92	1-4635	19	1-8085BLK	21	1-8822WHT	36	2-7233BLK	51
1-3034	12, 92	1-4636	19	1-8086	24	1-8871BLK	38	2-7233WHT	51
1-3035	13, 93	1-4637	19	1-8090	28	1-8871-KITH	38	2-7260BLK	52
1-3036	13, 93	1-4638	19	1-8100	23	1-8872BLK	39	2-7270	52
1-3111	15	1-4639	19	1-8110	23	1-8872-KITP	39	2-7272	52
1-3610	20, 97	1-4640	19	1-8110SS	23	1-8872PRI	39	2-7280BLK	50

2-7300BLK	51	3-1200	65	3-1369	78	3-2726	88	3-3541	99
2-7300WHT	51	3-1203	65	3-1370	79	3-2728	88	3-3860	97
2-7310BLK	51	3-1203-ICS	65	3-1380	79	3-2730	88	3-4010	103
2-7310WHT	51	3-1204	66	3-1400	79	3-3010	89	3-4020	103
2-7320BLK	51	3-1205	66	3-1410	79	3-3045	89	3-4030	103
2-7320WHT	51	3-1206	66	3-1610	80	3-3050	89	3-4040	103
2-7350	54	3-1207	66	3-1630	80	3-3060	94	3-4041	104
2-7440	52	3-1208	67	3-1631	80	3-3070	94	3-4050	103
2-7510BLK	54	3-1210	67	3-1640	80	3-3080	94	3-4060	103
2-7510WHT	54	3-1212	67	3-1650	80	3-3090	95	3-4068	103
2-7585	53	3-1213	67	3-1660	80	3-3091	95	3-4125	104
2-7630	55	3-1216	67	3-1694	80	3-3100	95	3-4130	104
2-7635	55	3-1218	67	3-1700	80	3-3110	96	3-4135	104
2-7638	55	3-1219	67	3-1701	80	3-3111	96	3-4138	104
2-7640	55	3-1220	68	3-1710	81	3-3120	97	3-4140	104
3-1010	60	3-1240	68	3-1711	81	3-3130	97	3-4141	104
3-1011	60	3-1241	68	3-1720	81	3-3140	98	3-4142	104
3-1013	60	3-1250	68	3-1730	81	3-3148	97	3-4143	104
3-1018	60	3-1260	68	3-1731	81	3-3150	98	3-4145	105
3-1040	60	3-1262	70	3-1741	81	3-3160	98	3-4148	105
3-1051	60	3-1266	69	3-1760	81	3-3161	99	3-4149	105
3-1061	61	3-1266-STN	69	3-1781	81	3-3180	96	3-4160	105
3-1062	61	3-1266-STST	69	3-1870	82	3-3200	97	3-4170	105
3-1070-17	61	3-1270	70	3-1880	82	3-3220	100	3-4180	105
3-1070-22	61	3-1271	71	3-1881	82	3-3233	98	3-4190	105
3-1071-17	61	3-1272	71	3-1900	82	3-3240	100	3-4191	105
3-1078SP-17	61	3-1273	70	3-1920	82	3-3250	100	3-4192	105
3-1078SS-17	61	3-1284	72	3-2020	83, 119	3-3260	100	3-4200	103
3-1080	62	3-1289	72	3-2022	83, 119	3-3280	100	3-4210	105
3-1081	62, 88	3-1290	73, 86	3-2024	83, 119	3-3281	100	3-4220	105
3-1083-14	62	3-1290-K	73, 86	3-2030	83	3-3289	100	3-4240	106
3-1088	62	3-1300	73	3-2050	84	3-3290	100	3-4250	106
3-1089SP	62	3-1310	73	3-2051	84	3-3291	100	3-4251	106
3-1089SS	62	3-1316	73	3-2062	84	3-3299	100	3-4270	106
3-1090	63	3-1317	73	3-2085	84	3-3300	101	3-4281	52, 106
3-1091	63	3-1318	74	3-2100	84	3-3310	101	3-4285	52, 106
3-1092	63	3-1319	74	3-2100SS	84	3-3320	101	3-4286	52, 106
3-1110	63	3-1320	74, 86	3-2102	84	3-3333	101	3-4290	50, 52, 106
3-1120	63	3-1330	74	3-2130	85	3-3340	98, 101	3-4300	52, 106
3-1121	63	3-1340	74	3-2145	85	3-3350	101	3-4310	106
3-1130	64	3-1349	74	3-2151	85	3-3360	101	3-4340	52, 106
3-1132	64	3-1350-NFB090	75	3-2170	85	3-3370	101	3-4341	52, 106
3-1139	64	3-1350-NFN040	75	3-2180	85	3-3380	102	3-4350	52, 107
3-1150	64	3-1351-ZCN040	75	3-2300	86	3-3400	102	3-4360	107
3-1151	64	3-1352-SSA090	76	3-2700	86	3-3410	102	3-4361	106
3-1160	64	3-1352-SSB090	77	3-2710	87	3-3411	102	3-4365	107
3-1170	65	3-1352-SSY090	76	3-2711	87	3-3430	102	3-4370	107
3-1171	65	3-1352-STB120	77	3-2720	87	3-3440	102	3-4390	107
3-1177	65	3-1354-SSB150	78	3-2721	88	3-3470	102	3-4400	107
3-1180	66	3-1360	78	3-2722	87	3-3480	99	3-4440	109
3-1185	66, 116	3-1361	78	3-2723	88	3-3481	99	3-4445	109
3-1190	66	3-1362	78	3-2724	88	3-3482	99	3-4450	109

3-4460	109	3-5250	115	4-3009BLK	123	4-6148	130	4-8678BLK	149
3-4540	107	3-5260	103, 115	4-3009BRN	123	4-6151	129	4-8680BLK	146
3-4630	107	3-5270	115	4-3009PBK	123	4-6160	129	4-8680PRI	146
3-4631	107	3-5280	116	4-3009PRI	123	4-6173	130	4-8680SIL	146
3-4660	103	3-5300	116	4-3009ULS	123	4-6190	130	4-8680WHT	146
3-4670	103	3-5310	116	4-3009WHB	123	4-6201	130	4-8681BLK	147
3-5010	112	3-5320	116	4-3009WHT	123	4-6206	131	4-8681PRI	147
3-5011	112	3-5321	116	4-3015BLK	123	4-6219	131	4-8681SIL	147
3-5013	112	3-5331	116	4-3015PBK	123	4-6220	131	4-8681WHT	147
3-5020	112	3-5332	116	4-3015PRI	123	4-6225	131	4-8682BLK	148
3-5030	112	3-5350	116	4-3015SIL	123	4-6230	131	4-8682PRI	148
3-5031	112	3-5360	116	4-3015STC	123	4-6231	131	4-8682SIL	148
3-5032	112	4-0016	118	4-3015WHT	123	4-6234	131	4-8682WHT	148
3-5040	112	4-0032	118	4-3216BLK	123	4-6270	130	4-8685BLK	149
3-5050	112	4-0050	118	4-3216CTP	123	4-6305BLK	126	4-8688BLK	149
3-5052	112	4-0064	118	4-3216SIL	123	4-8142	134	4-8710	138
3-5053	112	4-0100	118	4-3216WHT	123	4-8160	134	4-8831SIL	151
3-5055	112	4-1997BLK	124	4-3220BLK	123	4-8210	138	4-8832SIL	151
3-5060	112	4-1997CLR	124	4-3220CTP	123	4-8501	132, 133, 134	4-8851BLK	153
3-5061	113	4-2052	120	4-3220SIL	123	4-8502	132, 133, 134	4-8851MAG	153
3-5062	113	4-2052SS	120	4-3220WHT	123	4-8503	132, 133, 134	4-8851WHT	153
3-5063	113	4-2053	119	4-6011	125	4-8504	132, 133, 134	4-8856BLK	153
3-5070	113	4-2056	120	4-6012	125	4-8530BLK	132	4-8856BLK-LB	153
3-5071	113	4-2057B	120	4-6015	125	4-8531BLK	136	4-8856WHT	153
3-5090	113	4-2100	124	4-6016	125	4-8540BLK	134	4-8856WHT-LB	153
3-5110	113	4-2100P	124	4-6018	125	4-8570BLK	134	4-8857AGR	152
3-5111	113	4-2101	124	4-6020	125	4-8580BLK	134	4-8857BLK	152
3-5113	113	4-2101P	124	4-6030	126	4-8590	135	4-8857DOS	152
3-5120	113	4-2102	124	4-6030S	126	4-8610BLK	138	4-8857MAG	152
3-5130	114	4-2103	121	4-6040	126	4-8611BLK	139	4-8857WHT	152
3-5140	113	4-2105	121	4-6045	127	4-8630BLK	133	4-8868BLK	154
3-5140C	113	4-2112	121	4-6050	126	4-8631BLK	137	4-8869BLK	155
3-5141	114	4-2133	121	4-6080	126	4-8638BLK	140	4-8892AGR	150
3-5142	114	4-2175	121	4-6081	127	4-8639BLK	141	4-8892BLK	150
3-5143	114	4-3000BLK	122	4-6082	127	4-8640BLK	142	4-8892CHL	150
3-5145	114	4-3000DUN	122	4-6085	127	4-8640WHT	142	4-8892MAG	150
3-5146	114	4-3000JAS	122	4-6094	128	4-8650	150	4-8892WHT	150
3-5147	114	4-3000PBK	122	4-6094CP	128	4-8658	150	4-9000-T1	156
3-5150	114	4-3000PRI	122	4-6101	126	4-8660	135	4-9000-T2	156
3-5155	114	4-3000SUR	122	4-6112	128	4-8667	150	4-9000-T3	156
3-5160	114	4-3000ULS	122	4-6113	128	4-8670BLK	143	4-9000-T4	156
3-5170	114	4-3000WHB	122	4-6115	121	4-8670PRI	143	4-9000-T5	156
3-5181	114	4-3000WHT	122	4-6120	128	4-8670SIL	143	4-9000-T6	156
3-5191	115	4-3005BLK	122	4-6124	128	4-8670WHT	143	4-9000-T7	156
3-5200	115	4-3005DUN	122	4-6125	128	4-8671BLK	144	4-9010-P2	157
3-5201	115	4-3005JAS	122	4-6138	129	4-8671PRI	144	4-9010-P3	157
3-5210	115	4-3005PBK	122	4-6139	129	4-8671SIL	144	4-9010-P4	157
3-5220	115	4-3005PRI	122	4-6141	129	4-8671WHT	144	4-9010-P5	157
3-5230	115	4-3005SUR	122	4-6142	129	4-8672BLK	145	4-9010-P6	157
3-5231	115	4-3005ULS	122	4-6143	129	4-8672PRI	145	4-9010-P7	157
3-5232	115	4-3005WHB	122	4-6144	129	4-8672SIL	145	4-9010-P8	157
3-5240	115	4-3005WHT	122	4-6147	130	4-8672WHT	145	4-9100-24	158

4-9110PD-20	158	5-3021	173	6-9LI18	186	6-PH2-100S	187	7-6107	195
4-9110PD-25	158	5-3022	173	6-9LI2364	186	6-PH2-150S	187	7-6108	195
4-9120PD-20	158	5-3023	173	6-9LI2764	186	6-PH2-150T	187	7-6109	194
4-9120PD-25	158	5-3030	173	6-9LI316	186	6-PH2-200S	187	7-6110	193
4-9140M	158	5-3031	173	6-9LI332	186	6-PH2-25S	187	7-6111	193
4-9150M	158	5-3032	173	6-9LI532	186	6-PH2-45D	187	7-6112	194
4-9160PD-20	158	5-3033	173	6-9LI564	186	6-PH2-50S	187	7-6114	194
4-9160PD-25	158	5-3040	173	6-9LI716	186	6-PH2-50T	187	7-6115	194
4-GAUGE9000	156	5-3041	173	6-9LI764	186	6-PH2-75S	187	7-6116	195
4-GAUGE9010	157	5-3042	173	6-9LI964	186	6-RBT33	188	7-6125	193
5-2001	160, 161	5-3043	173	6-9LM030	186	6-SM25PB	188	7-6202	197
5-2002	160, 161	5-3050	173	6-9LM033	186	6-SQ1-50	187	7-6204	196
5-2011	162, 163	5-3051	173	6-9LM040	186	6-SQ1-75	187	7-6205	196
5-2012	162, 163	5-3052	173	6-9LM050	186	6-SQ2-100	187	7-6206	196
5-2021	164, 165	5-3056	173	6-9LM060	186	6-SQ2-75	187	7-6520	180, 197
5-2022	164, 165	5-3550	172	6-9LM070	186	6-TL2-100	187	8-4013BLK	200
5-2025	161, 163, 165	5-3557	172	6-9LM075	186	6-TL2-25	187	8-4016BLK	200
5-2100	168	5-3558	172	6-9LM080	186	6-TS08-SET8	188	8-4028BLK	200
5-2101	168	5-3559	172	6-9LM100	186	6-TXSE2525	187	8-4840BLK	200
5-2107	168	5-4550	172	6-9LM110	186	7-4000	190	8-4840GRY	200
5-2108	168	5-5603	174	6-9S20	186	7-4004	190	8-4842BLK	200
5-2109	168	5-5609	174	6-9S30	186	7-4005	190	8-4845BLK	200
5-2120BLK	168	5-5610	175	6-9STM420	186	7-4006	190	8-4850BLK	200
5-2120SIL	168	5-5711NAT	175	6-CSCH-SET3	188	7-4008	190	8-4855BLK	200
5-2121BLK	168	5-5713BLK	175	6-GT03065	187	7-4010	190	8-4855GRY	200
5-2121SIL	168	5-5713NAT	175	6-GT04065	187	7-4012	190	8-4865BLK	200
5-2152	169	5-5713WHT	175	6-GT05065	187	7-4013	190	8-4865GRY	200
5-2153	169	5-6102BLK	176	6-GT06065	187	7-4015	190	8-4875BLK	200
5-2154	169	5-6102SIL	176	6-GT06565	187	7-4016	190	8-4875GRY	200
5-2155	169	5-6105	176	6-GT08070	187	7-4020	191	8-4880BLK	200
5-2157	169	6-1088BLK	185	6-GT10080	187	7-4021	191	8-4885BLK	200
5-2158	169	6-1088CSK	185	6-GT12080	187	7-4022	191	8-4885GRY	200
5-2159	169	6-1088PRI	185	6-GTDT050	187	7-4024	191	8-6750BLK	200
5-2550	169	6-1088SBE	185	6-GTDT060	187	7-4025	191	8-6752BLK	200
5-2551	169	6-1088WHB	185	6-GTDT065	187	7-4026	191	8-6755BLK	200
5-2557	169	6-1088WHT	185	6-GTDT080	187	7-4028	191	8-6765BLK	200
5-2558	169	6-9D11	186	6-HD0-50	187	7-4030	191	8-6767BLK	200
5-2559	169	6-9D20	186	6-HD1-150	187	7-4031	191	8-7610	58, 200
5-2580	170	6-9D30	186	6-HD1-50	187	7-4032	191	8-7620	58, 200
5-2620	170	6-9ELI18	186	6-HD2-50	187	7-5038	198	8-7640	58, 200
5-2623	171	6-9ELI316	186	6-HD3-50	187	7-5050	156, 157, 198	8-9501BLK	201
5-2624	170	6-9ELI532	186	6-HX5-150	187	7-5075	198	8-9502CLR	201
5-2627	171	6-9ELI764	186	6-HX5-50	187	7-5100	198	8-9503CLR	201
5-2630	170	6-9ELI964	186	6-MA030065	187	7-5150	198	8-9504CLR	201
5-2633	171	6-9L20	186	6-MA040075	187	7-6005	198	8-9505CLR	201
5-2634	170	6-9L30	186	6-MA050085	187	7-6008	198	8-9506CLR	201
5-2637	171	6-9LI116	186	6-MA050150	187	7-6015	198	8-9512BLK	201
5-2640	170	6-9LI1164	186	6-MA055085	187	7-6100	192	8-9810M	201
5-2643	171	6-9LI1332	186	6-MA060100	187	7-6102	192	8-9820M	201
5-2882	171	6-9LI14	186	6-MA065100	187	7-6104	192	8-9820R	201
5-2883	171	6-9LI1564	186	6-MA080120	187	7-6105	192	8-9823M	201
5-2884	171	6-9LI1764	186	6-PH1-50S	187	7-6106	193	8-9826M	201

8-9826R	201	8-9923T	201	AS42SGR	178	AS44SGR	178	AW3000-R	7
8-9851M	202	8-9924M	201	AS42SUR	178	AS44SUR	178	CM091015	3
8-9852M	201	8-9924R	201	AS42ULS	178	AS44ULS	178	CM091030	3
8-9858	201	8-9924T	201	AS42WGR	178	AS44WGR	178	CM122015	3
8-9859	201	10-0480BLK	204	AS42WHB	178	AS44WHB	178	CM122030	3
8-9860M	201	10-0480CLR	204	AS42WHT	178	AS44WHT	178	CM152030	3
8-9860R	201	10-0580BLK	204	AS43	178	AS45	178	CM183030	3
8-9864	201	10-0580CLR	204	AS43AGR	178	AS46	178	CM213015	3
8-9867M	201	10-0580GRY	204	AS43BAR	178	AS46BLK	178	DM090030	4
8-9867R	201	10-0580WHT	204	AS43BLK	178	AS46CSK	179	DM120030	4
8-9871M	202	10-0680CLR	204	AS43CGR	178	AS46DUN	178	DM152030	4
8-9871R	202	10-0680GRY	204	AS43CSK	179	AS46LBZ	178	DM183030	4
8-9872M	202	10-0680IVY	204	AS43DOC	178	AS46MON	178	DM244030	4
8-9872R	202	10-0680WHT	204	AS43DOS	178	AS46PBK	179	DW3100-A	6
8-9873M	202	AF03100	8	AS43DUN	178	AS46POT	179	DW3100-O	6
8-9873R	202	AM061030	2	AS43IST	178	AS46PRI	179	DWS200	6
8-9874M	202	AM076030	2	AS43JAS	178	AS46RBR	179	FDPM-0812GL	185
8-9874R	202	AM081030	2	AS43LBZ	178	AS46SUR	179	FDPM-0819GL	185
8-9875M	202	AM091030	2	AS43MAG	178	AS46WGR	179	FDPM-0825GL	185
8-9875R	202	AM122030	2	AS43MON	178	AS46WHB	179	FDPM-1016GL	185
8-9876M	202	AM152030	2	AS43MRE	178	AS46WHT	179	FDPM-1025GL	185
8-9876R	202	AS32	178	AS43PBK	178	AS48	179	FDPM-1040GL	185
8-9877M	202	AS33	178	AS43PEU	178	AS49	179	FDPM-1225GL	185
8-9877R	202	AS41	178	AS43POT	178	AS52	179	FDPM-1240GL	185
8-9878M	202	AS410	179	AS43PRI	178	AS53	179	FDPM-1250GL	185
8-9878R	202	AS410AGR	179	AS43RBR	178	AS53CSK	179	FDPM-1263GL	185
8-9879M	202	AS410BLK	179	AS43SBE	178	AS54	179	FDPM-1425GL	185
8-9879R	202	AS410DOS	179	AS43SGR	178	AS54BLK	179	FDPM-1450GL	185
8-9880M	202	AS410LBZ	179	AS43SUR	178	AS54CSK	179	FDPM-1463GL	185
8-9880R	202	AS410MAG	179	AS43ULS	178	AS54LBZ	179	FDPT-1019GL	185
8-9881M	202	AS410PRI	179	AS43WGR	178	AS54MON	179	FDPT-1025GL	185
8-9881R	202	AS410WHB	179	AS43WHB	178	AS54PBK	179	FDPT-1040GL	185
8-9882M	202	AS410WHT	179	AS43WHT	178	AS54PRI	179	FDPT-1232GL	185
8-9882R	202	AS412	179	AS44	178	AS54SGR	179	FDPT-1250GL	185
8-9883M	202	AS42	178	AS44AGR	178	AS54SUR	179	FM061050	3
8-9883R	202	AS42AGR	178	AS44BAR	178	AS54WGR	179	FM076050	3
8-9884M	202	AS42BLK	178	AS44BLK	178	AS54WHT	179	FM081050	3
8-9884R	202	AS42CGR	178	AS44CGR	178	AS55	179	FM091050	3
8-9901M	201	AS42DOC	178	AS44CSK	179	AS56	179	FM122050	3
8-9901R	201	AS42DOS	178	AS44DOC	178	AS56BLK	179	FM152050	3
8-9905M	201	AS42DUN	178	AS44DOS	178	AS56CSK	179	FM183030	3
8-9905R	201	AS42IST	178	AS44DUN	178	AS58	179	FM244030	3
8-9911M	201	AS42JAS	178	AS44LBZ	178	AS610	179	GPDMCLR	48
8-9911R	201	AS42LBZ	178	AS44MAG	178	AS62	179	GPDSCLR	48
8-9911T	201	AS42MAG	178	AS44MON	178	AS63	179	GS075020	6
8-9920M	202	AS42MON	178	AS44MRE	178	AS64	179	GS075024	6
8-9920T	202	AS42MRE	178	AS44PBK	178	AS64CSK	179	GS082020	6
8-9922M	201	AS42PBK	178	AS44PEU	178	AS65	179	GS082024	6
8-9922R	201	AS42PEU	178	AS44POT	178	AS65CSK	179	GS090020	6
8-9922T	201	AS42PRI	178	AS44PRI	178	AS66	179	GS090024	6
8-9923M	201	AS42RBR	178	AS44RBR	178	AS66CSK	179	GS120020	6
8-9923R	201	AS42SBE	178	AS44SBE	178	AW3000-P	7	GS120024	6

HBB-1450C3	181	PBF-0825YZ	181	PDP-0822ZP	183	PTC-0640ZP	182	PTP-0410ZP	184
HBB-1450YZ	181	PBF-0850YZ	181	PDP-0825ZP	183	PTC-0650SS	182	PTP-0412ZP	184
HBB-1465C3	181	PBF-0860YZ	181	PDS-LBRK	47	PTC-0650ZP	182	PTP-0416ZP	184
HBB-1465YZ	181	PBF-0865YZ	181	PDSBLK	47	PTC-0810SS	182	PTP-0420ZP	184
HBB-1475C3	181	PBF-0875YZ	181	PDSBRN	47	PTC-0810ZP	182	PTP-0425ZP	184
HBB-1475YZ	181	PCB-0820YZ	181	PDSBRZ	47	PTC-0812SS	182	PTP-0430ZP	184
HBB-4100C3	181	PCB-0825YZ	181	PDSFF	47	PTC-0812ZP	182	PTP-0440ZP	184
HBB-4100YZ	181	PCB-0828YZ	181	PDSPRI	47	PTC-0816SS	182	PTP-0512ZP	184
HBB-4125C3	181	PCB-0832YZ	181	PDSSBE	47	PTC-0816ZP	182	PTP-0516ZP	184
HBB-4150C3	181	PCB-0835YZ	181	PDSWHT	47	PTC-0820SS	182	PTP-0530ZP	184
HBB-4200C3	181	PCB-0838YZ	181	PDW-0812YZ	183	PTC-0820ZP	182	PTP-0540ZP	184
LS091030	4, 5	PCB-0850YZ	181	PDW-1016YZ	183	PTC-0825SS	182	PTP-0606ZP	184
LS122030	4, 5	PCB-0865YZ	181	PDW-1022YZ	183	PTC-0825ZP	182	PTP-0610SS	184
LS152030	4, 5	PDB-0812YZ	183	PDW-1030YZ	183	PTC-0830SS	182	PTP-0610ZP	184
LS182030	4, 5	PDB-0816YZ	183	PFT-1016YZ	183	PTC-0830ZP	182	PTP-0612SS	184
MS42	180	PDB-0820YZ	183	PNB-0812YZ	183	PTC-0840SS	182	PTP-0612ZP	184
MS44	180	PDB-0825YZ	183	PNB-0815YZ	183	PTC-0840ZP	182	PTP-0616SS	184
MS54CSK	180	PDB-0832YZ	183	PNB-0820YZ	183	PTC-0845SS	182	PTP-0616ZP	184
MW091030	4	PDB-1016YZ	183	PNB-0825YZ	183	PTC-0845ZP	182	PTP-0620SS	184
MW122030	4	PDC-0616YZ	183	PNB-0830YZ	183	PTC-0850SS	182	PTP-0620ZP	184
MW152015	4	PDC-0620YZ	183	PNB-0840YZ	183	PTC-0850ZP	182	PTP-0625SS	184
PBC-0620YZ	181	PDC-0630YZ	183	PNB-0850YZ	183	PTC-1010ZP	182	PTP-0625ZP	184
PBC-0625YZ	181	PDC-0640YZ	183	PNB-0865YZ	183	PTC-1012SS	182	PTP-0630SS	184
PBC-0628YZ	181	PDC-0650YZ	183	PS075020	7	PTC-1012ZP	182	PTP-0630ZP	184
PBC-0632YZ	181	PDC-0820YZ	183	PS075024	7	PTC-1016SS	182	PTP-0640SS	184
PBC-0640YZ	181	PDC-0825YZ	183	PS083020	7	PTC-1016ZP	182	PTP-0640ZP	184
PBC-0645YZ	181	PDC-0830YZ	183	PS083024	7	PTC-1020SS	182	PTP-0645SS	184
PBC-0650YZ	181	PDC-1025YZ	183	PS090020	7	PTC-1020ZP	182	PTP-0650SS	184
PBC-0825YZ	181	PDC-1030YZ	183	PS090024	7	PTC-1025SS	182	PTP-0650ZP	184
PBC-0830YZ	181	PDC-1040YZ	183	PS120020	7	PTC-1025ZP	182	PTP-0660ZP	184
PBC-0840YZ	181	PDC-1050YZ	183	PS120024	7	PTC-1030SS	182	PTP-0675ZP	184
PBC-0845YZ	181	PDC-1065YZ	183	PTC-0410ZP	181	PTC-1030ZP	182	PTP-0810SS	184
PBC-0850YZ	181	PDL-LBRK	47	PTC-0412ZP	181	PTC-1040SS	182	PTP-0810ZP	184
PBC-0860YZ	181	PDLBLK	47	PTC-0416ZP	181	PTC-1040ZP	182	PTP-0812SS	184
PBC-0865YZ	181	PDLBRN	47	PTC-0420ZP	181	PTC-1045ZP	182	PTP-0812ZP	184
PBC-0875YZ	181	PDLBRZ	47	PTC-0425ZP	181	PTC-1050ZP	182	PTP-0816SS	184
PBC-1035YZ	181	PDLFF	47	PTC-0512ZP	181	PTC-1060ZP	182	PTP-0816ZP	184
PBC-1100YZ	181	PDLPRI	47	PTC-0516ZP	181	PTC-1075ZP	182	PTP-0820SS	184
PBF-0620YZ	181	PDLSBE	47	PTC-0520ZP	181	PTC-1212ZP	182	PTP-0820ZP	184
PBF-0625YZ	181	PDLWHT	47	PTC-0610SS	182	PTC-1216ZP	182	PTP-0825SS	184
PBF-0628YZ	181	PDM-LBRK	47	PTC-0610ZP	181	PTC-1220ZP	182	PTP-0825ZP	184
PBF-0632YZ	181	PDMBLK	47	PTC-0612SS	182	PTC-1225ZP	182	PTP-0830SS	184
PBF-0635YZ	181	PDMBRN	47	PTC-0612ZP	182	PTC-1230ZP	182	PTP-0830ZP	184
PBF-0640YZ	181	PDMBRZ	47	PTC-0616SS	182	PTC-1240ZP	182	PTP-0840SS	184
PBF-0645YZ	181	PDMFF	47	PTC-0616ZP	182	PTC-1250ZP	182	PTP-0840ZP	184
PBF-0650YZ	181	PDMPRI	47	PTC-0620SS	182	PTC-1260ZP	182	PTP-0845SS	184
PBF-0720YZ	181	PDMSBE	47	PTC-0620ZP	182	PTC-1275ZP	182	PTP-0845ZP	184
PBF-0725YZ	181	PDMWHT	47	PTC-0625SS	182	PTC-1425ZP	182	PTP-0850SS	184
PBF-0730YZ	181	PDP-0610ZP	183	PTC-0625ZP	182	PTC-1430ZP	182	PTP-0850ZP	184
PBF-0740YZ	181	PDP-0612ZP	183	PTC-0630SS	182	PTC-1440ZP	182	PTP-1010ZP	184
PBF-0745YZ	181	PDP-0812ZP	183	PTC-0630ZP	182	PTC-1450ZP	182	PTP-1012SS	184
PBF-0750YZ	181	PDP-0816ZP	183	PTC-0640SS	182	PTP-0406ZP	184	PTP-1012ZP	184

PTP-1016SS	184
PTP-1016ZP	184
PTP-1020SS	184
PTP-1020ZP	184
PTP-1025SS	184
PTP-1025ZP	184
PTP-1030SS	184
PTP-1030ZP	184
PTP-1040SS	184
PTP-1040ZP	184
PTP-1045SS	184
PTP-1045ZP	184
PTP-1050SS	184
PTP-1050ZP	184
PTP-1212ZP	184
PTP-1216ZP	184
PTP-1220ZP	184
PTP-1225ZP	184
PTP-1230ZP	184
PTP-1240ZP	184
PTP-1250ZP	184
PTP-1425ZP	184
PTP-1430ZP	184
PTP-1440ZP	184
PTP-1445ZP	184
PTP-1450ZP	184
PTU-0810SS	182
PTU-0812SS	182
PTU-0812ZP	182
PTU-0820SS	182
PTU-0820ZP	182
PTU-10(08)20ZP	182
PTU-1010SS	182
PTU-1012SS	182
PTU-1012ZP	182
PTU-1020SS	182
PTU-1020ZP	182
PTU-1025SS	182
PTU-1225SS	182
PTU-1230SS	183
RV075020	7
RV075024	7
RV082020	7
RV082024	7
RV090020	7
RV090024	7
RV120020	7
RV120024	7
SDW-1016SS	183
SDW-1022SS	183
SDW-1030SS	183
SDW-1040SS	183
SPF50550	8
SPF53500	8
SPF57457	8
SPF60408	8
SPF63365	8
SPV40300	8
SPV50300	8
SPV57300	8
SPV60300	8
SPV63300	8
SR076030	3
SR091030	3
SR122030	3
SR152030	3
SS075020	6
SS075024	6
SS082020	6
SS082024	6
SS090020	6
SS090024	6
SS090027	6
SS105020	6
SS105024	6
SS120020	6
SS120024	6
SS150020	6
SS150024	6
STP-0612ZP	185
STP-0616ZP	185
STP-0620SS	185
STP-0620ZP	185
STP-0625ZP	185
STP-0630ZP	185
STP-0640ZP	185
STP-0812SS	185
STP-0812ZP	185
STP-0816ZP	185
STP-0820ZP	185
STP-0825SS	185
STP-0825ZP	185
STP-0830ZP	185
STP-0840ZP	185
STP-1012ZP	185
STP-1016ZP	185
STP-1020ZP	185
STP-1025ZP	185
STP-1030ZP	185
STP-1040ZP	185
STP-1050ZP	185
STST42	179
STST43	179
STST44	179
STST44CSK	179
STST53CSK	179
STST54	179
STST54CSK	179
STST56	179
STST64	179
STST64CSK	179
STST66	179
STST66CSK	179
STU-1020SS	183
SWHHBLK	48
SWHHWHT	48
TDB-1019GL	185
TDB-1019YZ	185
TDB-1025GL	185
TDB-1025YZ	185
TDB-1032GL	185
TDB-1032SS	185
TDB-1032YZ	185
TDB-1038GL	185
TDB-1038SS	185
TDB-1038YZ	185
TPDLWHT	48
TPDMWHT	48
TPDSWHT	48
TS091015	2
TS122015	2

Notes

total HARDWARE

Australia's Window & Door Hardware Store

total HARDWARE

Australia's Window & Door Hardware Store

Standard Conditions of Sale

Warranty

Total Hardware Pty Ltd warrants its products to be free of defects in material and workmanship for a period of at least 12 months from the date of purchase as indicated by its suppliers and/or manufacturers.

This warranty is limited to Total Hardware Pty Ltd option to repair, replace or refund. Replacement of any products proven to be faulty in manufacture or materials will be done so with the same or equivalent product free of charge.

Labour charges, transportation costs and other charges associated with the replacement or re-installation of the parts or product are excluded from this warranty and will not be incurred by Total Hardware Pty Ltd.

Total Hardware Pty Ltd assumes no liability under the warranty for the following:

- Misuse, abuse, accidental or intentional damage.
- Improper adjustment or operation by the end user.
- Improper selection, installation or maintenance.
- Unauthorised repair or modifications.
- Corrosion, environmental or situational related damage.

Tarnish or excessive wear on soft finishes such as brass is not covered by this warranty as deterioration is possible under some environmental and situational conditions, frequency of use, and/or other factors.

Terms

Up-Front Customers

To operate on a 'Cash Sale' basis, goods must be paid for in full, prior to dispatch from our warehouse.

Account Customers

Strictly net 30 days from end-of-month (EOM).

Total Hardware Pty Ltd reserves the right to require payment in advance or cash on delivery from any customer.

Return of Goods

Unless otherwise agreed to in writing from Total Hardware Pty Ltd, all goods received for credit after 7 working days from the date of delivery of the goods to the customer, may be subject to a handling and restocking fee of 25% of the invoice value of the goods.

Goods made to customer specifications or specific requirements are non-refundable.

Return of the goods are at the customers expense. Invoiced freight and handling charges are not subject to a credit. Goods must be undamaged, complete and in original packaging where possible.

Conditions

All information contained in this catalogue and its associated price list are subject to change without notice. All prices are 'each' and exclusive of GST.

Requests for returns will not be accepted after 10 days. All returns must have prior authorisation and must be in good order and condition. Freight must be borne by the customer and tax invoice numbers must be quoted at all times.

total
HARDWARE

www.total-hardware.com.au

VIC & TAS
T (03) 9786 0333 F (03) 9785 3467
salesvic@total-hardware.com.au

NSW & ACT
T (03) 9786 0333 F (03) 9785 3467
salesnsw@total-hardware.com.au

QLD
T (07) 3255 5034 F (07) 3255 5963
salesqld@total-hardware.com.au

ACN 139 920 424

ABN 12 139 920 424

WA
T (08) 9317 3860 F (08) 9317 2299
saleswa@total-hardware.com.au

SA & NT
T (03) 9786 0333 F (03) 9785 3467
salessa@total-hardware.com.au